This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`



Wireless telegraphy

Gustav Eichhorn

Digitized by Google

1837
ARTES VERITAS SCIENTIA
LIBRARY OF THE
UNIVERSITY OF MICHIGAN
E PLURIBUS UNUM
TUEBOR
SI QUAERIS PENINSULAM AMOENAM
CIRCUMSPICE
DEPARTMENT
OF
ENGINEERING

Digitized by Google

Digitized by Google

Digitized by Google

Engin. Library
TK
5742
.E34

Digitized by Google

Digitized by Google

ENGINEERING
LIBRARY

WIRELESS TELEGRAPHY

NET BOOK.—This book is supplied to the Trade on terms which will not allow of Discount to the Public.

CHARLES GRIFFIN & CO., LTD.

Digitized by Google

CHARLES GRIFFIN & CO., LTD., PUBLISHERS.

SECOND EDITION. Revised. Fully Illustrated. 24s. net.

CENTRAL ELECTRICAL STATIONS.

Their Design, Organisation, and Management.

By CHAS. WORDINGHAM, A.K.C., M.Inst.C.E., M.I.Mech.E., etc.

"One of the most valuable contributions to central station literature we have had for some time."—*Electricity.*

In Large 8vo. Handsome Cloth. Profusely Illustrated. 12s. 6d. net.

ELECTRICITY CONTROL.

A Treatise on Electric Switchgear, and Systems of Transmission.

By LEONARD ANDREWS, Assoc.M.Inst.C.E., M.I.E.E.

"The author's style is clear and forcible. . . . The illustrations are excellently reproduced . . . obviously a book which should form part of the library of every electrical engineer."—*Technics.*

In Large 8vo. Handsome Cloth. Profusely Illustrated.

ELECTRICITY METERS.

By HENRY G. SOLOMON, A.M.I.E.E.

Deals in a lucid and exhaustive manner with all types of meters for measuring continuous and single- and polyphase currents; and with meters for special purposes, such as battery, switchboard, tramcar meters, etc.

SECOND EDITION. Revised and Enlarged. Fully Illustrated. 21s. net.

ELECTRIC SMELTING AND REFINING.

A Practical Manual of the Extraction and Treatment of Metals by Electrical Methods.

Being the "ELEKTRO-METALLURGIE" of DR W. BORCHERS.

Translated by WALTER G. MCMILLAN, F.I.C., F.C.S.

"Must of necessity be acquired by everyone interested in the subject."—*Nature.*

SECOND EDITION. Revised, Enlarged, and Partly Rewritten. 10s. 6d.

ELECTRO-METALLURGY: A Treatise On.

Embracing the application of Electrolysis to the Plating, Depositing, Smelting, and Refining of Various Metals.

By WALTER G. MCMILLAN, F.I.C., F.C.S.

"One of the best and most complete manuals hitherto published on electro-metallurgy."—*Electrical Review.*

SEVENTEENTH EDITION. Revised and Enlarged. Pocket Size. Leather. 8s. 6d.

A POCKET-BOOK OF

ELECTRICAL RULES AND TABLES.

By JOHN MUNRO, C.E., and ANDREW JAMIESON, M.Inst.C.E., F.R.S.E.

"Worthy of the highest recommendation we can give it."—*Electrician.*

In FIVE VOLUMES. Handsome Cloth. Fully Illustrated.

A TEXT-BOOK OF PHYSICS.

By J. H. POYNTING, Sc.D., F.R.S. Professor of Physics, Birmingham University.

And J. J. THOMSON, M.A., F.R.S., Prof. of Experimental Physics in Cambridge University.

INTRODUCTORY VOLUME, fully Illustrated. THIRD EDITION, Revised. Price, 10s. 6d.

PROPERTIES OF MATTER.

"The style is clear and convincing, and the information up-to-date, including as it does all the recent research on the subject."—*Cambridge Review.*

VOLUME II. THIRD EDITION, Revised. Fully Illustrated. 8s. 6d.

SOUND.

"The work . . . may be recommended to anyone desirous of possessing an EASY, UP-TO-DATE STANDARD TREATISE on Acoustics."—*Literature.*

VOLUME III. SECOND EDITION, Revised. Fully Illustrated. 15s.

HEAT.

"Well up to date, and extremely clear and exact throughout, and is as complete as it would be possible to make such a text-book."—*Nature.*

Remaining Volumes in Preparation—Light: Magnetism and Electricity.

LONDON: CHAS. GRIFFIN & CO., LTD., EXETER ST., STRAND.

Digitized by Google

WIRELESS TELEGRAPHY

BY

GUSTAV EICHHORN, PH.D.,
FORMERLY MANAGER OF THE LARGE BALTIC EXPERIMENTAL STATIONS FOR PROFESSOR BRAUN, SIEMENS AND HALSKE.

With 79 Illustrations.

LONDON:
CHARLES GRIFFIN AND COMPANY, LIMITED,
EXETER STREET, STRAND.
1906.

[*All Rights Reserved.*]

Digitized by Google

Dedicated

TO

PROFESSOR M. WIEN, Ph.D.

WITH

EXPRESSION

OF HIGHEST ESTEEM.

Digitized by Google

PREFACE.

ANY reader expecting this book to consist of a compilation of the so-called "systems" of Wireless Telegraphy will be deceived. I fail to see that such a compilation would be of use to anyone, believing rather that a simple and comprehensive unfolding of the fundamental principles and working methods of modern telegraphy by means of electric waves is the more appropriate. On these grounds I may claim the right to term my work objective. Besides, I can draw on the abundant store of personal practical experience I was able to gather as manager of the important experimental stations on the Baltic Sea (Sassnitz-Gross-Moellen) for Professor Braun, Siemens & Halske. Hence I hope to create interest in wider circles for this rapidly growing branch of science and technology, as well as to perform some service to those more closely concerned with the subject, by combining theory and practice.

It is for me a welcome duty to offer my thanks in this place to Dr L. Mandelstam, for his advice and skilful co-operation in the most recent attempts to develop a selective system of wireless telegraphy. I am also greatly obliged to the Gesellschaft für drahtlose Telegraphie "Telefunken," of Berlin, for the use of blocks and photographs, and also wish to express my thankfulness to Mr M. G. Fox, for his kind assistance in revising the English style of the manuscript.

G. EICHHORN.

ZURICH, *January* 1906.

Digitized by Google

Digitized by Google

CONTENTS.

CHAPTER I.

PAGE

INTRODUCTION, ... 1

CHAPTER II.

THE ETHER AND ELECTRICAL OSCILLATIONS, ... 3

CHAPTER III.

COUPLED SYSTEMS, ... 14

CHAPTER IV.

THE RECEIVER, ... 20

CHAPTER V.

THEORETICAL RESULTS FURNISHED BY THE SENDER, ... 23

CHAPTER VI.

THEORETICAL RESULTS AND CALCULATIONS IN RESPECT OF SENDER AND RECEIVER, ... 36

CHAPTER VII.

BRAUN—ENERGY SYSTEMS, ... 51

CHAPTER VIII.

MEASUREMENT OF WAVES, ... 56

CHAPTER IX.

MANAGEMENT OF A STATION, ... 62

Digitized by Google

CHAPTER X.

PAGE
Modern Apparatus and Methods of Mounting, ... 67

CHAPTER XI.

Conclusion, ... 99

BIBLIOGRAPHY, ... 111

INDEX, ... 114

Digitized by Google

LIST OF ILLUSTRATIONS.

FIG.		PAGE
1.	Circuit of Discharge of a Leyden Jar,	4
2	Curves showing Aperiodic Discharges,	8
3.	Curves showing Damped Sinonical Vibrations,	8
4.	Braun's Closed Oscillation Circuit,	9
5.	The Hertz Oscillator,	10
6.	Marconi Transmitter,	11
7.	Rod Conductor for Electrical Vibrations,	12
8.	Braun's Direct Coupling,	15
9.	Braun's Indirect Coupling,	15
10.	Secondary System with Symmetrical Attachments,	17
11.	Correct Relative Position of Coupled Systems,	18
12.	Incorrect Relative Position of Coupled Systems,	18
13.	Symmetry Wire supplemented by Metal Plate,	18
14.	Arrangement of Coherer,	20
15.	Arrangement of Receiving Instrument, with Coherer, Relay, Morse, and Tapper,	21
16.	Receiver with Tunable Secondary Circuit,	22
17.	General Scheme for Coupled Senders,	28
18.	Resonance Curves,	30
19.	General Scheme for Sender and Receiver,	37
20.	Amplitude Curves as Function of the Dissonance,	41
21.	Spark-gaps in Series,	44
22.	General Scheme of Braun's Energy System,	52
23.	Braun's Energy System,	52
24.	Braun's Energy System,	52
25.	Energy System used at the Baltic Stations,	52
26.	Secondary System with Counter Capacity,	54
27.	The Ondameter,	56
28.	Plan of Ondameter,	57
29.	Elevation of Ondameter,	57
30.	Measuring the Frequency of the Primary Condenser Circuit,	59
31.	Measuring the Individual Oscillation of the Secondary System,	60
32.	Slaby's Measuring Rod,	61
33.	Mounting a Complete Station,	64
34.	A Baltic Station,	65

Digitized by Google

FIG. PAGE
35. Inductor with Hammer Interruptor, ... 69
36. Resonance Inductor, ... 69
37. Mercurial Turbine Interruptor, ... 70
38. Current Transformer (direct) 70
39. Current Transformer (two machines) 71
40. Morse Key, with Magnetic Blow-out, ... 71
41. Morse Key, with Automatic Minimum Current Cut-out, . . 71
42. Discharger (Multiplex Spark-gap), ... 72
43. Multiplex Discharger for Fixed Stations, ... 72
44. Excitation Circuit in Coupled Senders (type for use on board ship), . 73
45. Excitation Circuit (for portable stations), ... 74
46. Method of Mounting the Sender in Portable Stations, . . . 75
47. Leyden Jar System, ... 76
48. Primary Induction Circuit, ... 77
49. Annular Multiplex Spark-gap, ... 78
50. Current Generator for Light Portable Stations, ... 79
51. Coherer, ... 79
52. Coherer, ... 80
53. Schloemilch Detector, ... 81
54. Method of Mounting the Schloemilch Detector, ... 81
55. Receiver with Schloemilch Detector and Morse Register, . . 83
56. Receiver with Schloemilch Detector and Telephone, . . . 84
57A. Course of High-frequency Oscillations in such a Receiver, . . 85
57B. Showing the Battery Circuit in such a Receiver, . . . 85
58. Marconi Detector, ... 88
59. Lodge-Muirhead Coherer, ... 89
60. Specimen of Script with a Lodge-Muirhead Coherer, . . . 90
61. Receiving Apparatus, ... 91
62. Receiving Apparatus, ... 92
63. Light Receiving Apparatus for Portable Stations, . . . 92
64. Receiving Apparatus for use on board Ship, ... 93
65. Receiving Transformer for Close Coupling, ... 94
66. The Mounting in the Receiver for Close Coupling, . . . 95
67. Receiving Oscillation Circuits with Loose Coupling, . . . 96
68. Mounting for Multiplex Telegraphy as used at the Baltic Stations, . 96
69. Wireless Telegraph Station, ... 97
70. Wireless Telegraphy at Pilot Stations, ... 101
71. Wireless Telegraphy at Light-ship Stations, ... 103
72. German Imperial Yacht fitted with Wireless Telegraphy, . . 104
73. Portable Wireless Telegraphy Station (power waggon), . . . 105
74. Portable Wireless Telegraphy (apparatus waggon), . . . 106
75. Portable Wireless Telegraphy Station on the March, . . . 107
76. Portable Wireless Telegraphy Station, Train unlimbered, . . 107
77. Demonstration Apparatus, Sender, ... 108
78. Demonstration Apparatus, Receiver, ... 108
79. Demonstration Apparatus, Complete Sender, ... 109

Digitized by Google

WIRELESS TELEGRAPHY.

CHAPTER I.

INTRODUCTION.

THE historical development of wireless telegraphy may be summarised briefly.

Every physicist knows that the scientific foundations were already most widely laid.

Michael Faraday's original and ingenious ideas of interpreting the action of forces at a distance broke the ice, and, transplanted into the brain of a Clerk Maxwell, generated that undying masterpiece, the electromagnetic theory of light. Rays of light, radiant heat, and rays of electrical energy, must be thoroughly identical in character, differing merely in the dimensions of their wave lengths: they must all be based upon electromagnetic oscillations in the all-penetrating universal ether, in which they spread at the same enormous velocity of 186,000 miles per second. Equally ingenious with the theory was the long-delayed proof advanced by Heinrich Hertz with his renowned investigations into the propagation of electrical energy. Besides, the laws of oscillating discharges for the generation of periodic electromagnetic vibrations were known through the labours of Helmholtz, William Thomson (Lord Kelvin), and Gustav Kirchhoff, and had been verified in all their details by that rarely-endowed experimenter Feddersen. The experimental conditions with which they worked, however, were not adapted for action at a distance, this being first accomplished by the special form of Hertz's arrangements. The uniform subjection of all radiant phenomena to the same laws then became clearly apparent, and we learned how to guide the mechanism of the ether at pleasure and to detect the results of its action at distant stations. Signalling, by means of electrical waves, through the free universal ether was made possible, and wireless telegraphy was born. If it be

Digitized by Google

desired to speak of a "system" at all, it would be only just to talk of the Hertz system of electrical-wave telegraphy. As a matter of fact, in point of principle, there is nothing in modern wireless telegraphy that was not contained in the above-mentioned stage of development, brought to such a brilliant conclusion by the labours of Hertz.

Nevertheless, considerable time elapsed before the new revolutionary discovery found application in practice, this being impossible so long as one was restricted to the delicate appliances with which Hertz detected the propagation of electrical radiation.

In 1890 this obstacle was finally overcome, through the discovery by a French physicist, Branly, of a phenomenon which led to the production of the coherer, the soul of practical wireless telegraphy. In 1894 Lodge first employed the coherer for laboratory experiments. It was not, however, until 1895 that the use of a coherer outside the laboratory came into notice through Professor Popoff, who exhibited before the Military Academy in Cronstadt a registering device for aero-electrical discharges, wherein the electrical impulses were automatically indicated by means of a coherer in conjunction with a tapper.

The decisive turning-point was reached in 1896, by the labours of Guglielmo Marconi, who made a definite attempt to elaborate a system of wireless telegraphy by means of electric waves. True, he stood upon the secure foundation of the ingenious experiments of Hertz; but the persistence and skill with which he contrived to overcome the practical difficulties in his way, cannot be sufficiently admired. Thus Marconi was the first to actually telegraph over a distance of many miles without wires, thereby winning lasting renown.

However, the capacity of his instruments soon reached a limit. In Germany, too, the labours of Slaby-Arco led to no improvement, in point of principle; but the course of development was diverted into an entirely new channel with unexpected progress by the work of Professor Ferdinand Braun, of Strassburg.

By complete mastery of the existing material, well-designed application of scientific principles and appropriate use of technical appliances, he created the basis on which wireless telegraphy is now everywhere conducted. To the personal modesty of Professor Braun nothing is more objectionable than the fruitless conflict over the so-called "systems": and he would be the first to put an end to the envious and distracting outcry raised by the companies engaged in exploiting wireless telegraphy, and to use the name "Hertzian Electrical-Wave Telegraphy" as the worthiest title possible.

Digitized by Google

CHAPTER II.

THE ETHER AND ELECTRICAL OSCILLATIONS.

THE ETHER.

THE processes with which we have to deal in wireless telegraphy are carried on in that infinitely tenuous medium known as the ether, which penetrates all matter, and yet seems to stand in a very definite relation to it.

Almost contradictory to such a property is the extreme elasticity of the ether, by reason of which periodic vibrations are transmitted with a velocity which though finite is none the less enormous, namely, 186,000 miles per second.

One side of the physical character of the ether is revealed by its elastic tension, which is well defined both in value and direction, as may be shown by the lines of electric force. Tension curves of this kind form the electric field, and have their beginnings and ends in the bodies by which the field is excited.

Another physical property of the ether reveals itself in a kind of motion. Here we have apparently to do with a rotation or torsion of minute ether particles; and to this frictionless motion without change of position of the particles themselves the name "magnetic field" has been given.

There is still another manifestation of force by ether, namely, gravitation; but up to the present its nature has not been determined.

The electric and magnetic conditions of the ether have an invariable mutual relation, from which the laws of a periodically varying condition, the electromagnetic field, have been deduced. This forms the mechanism by means of which the rapid vibrations of light, with their delicate wave-curl, spread out in a similar manner and at the same velocity with the far slower oscillations of correspondingly greater wave length employed in wireless telegraphy.

Digitized by Google

Electric and magnetic forces are mutually perpendicular; and, as we have to deal with transverse vibrations, the electromagnetic energy is transmitted at right angles to both, this being the direction of radiation.

OSCILLATIONS.

We must now picture to ourselves the method in which electrical oscillations originate.

In the year 1847 Helmholtz first definitely expressed the conception that, under ordinary conditions, in discharging a Leyden jar (fig. 1) with a discharger (the path traversed by the spark being represented at F) we have to do with vibrations; that is to say, the electricity flowing through the wire of the discharger oscillates to and fro between the coatings like a liquid in a U-tube when its equilibrium is destroyed.



FIG. 1. — Circuit of Discharge of a Leyden Jar.

At the present time this demonstration can be fully elucidated. The difference of potential existing between the coatings of the charged jar sets the electricity in motion. A current is produced, and this continues to increase in intensity until a maximum value is reached, whilst the potentials concurrently decline to zero. The current in its onward path now charges the coatings in the opposite direction: its intensity sinks to zero, whilst the potentials are almost wholly restored. Both the charges and potentials are now of the opposite sign to what they were at first; the series of phenomena is repeated, but in the opposite direction, being then reversed once more, and so on, until the vibrations gradually die away, in consequence of loss of energy, and thus the stage of quiescence is reached. We have a permanent transmutation of the potential and kinetic forms of energy as in the case of a swinging pendulum.

It was to be expected that the phenomena of the discharge would be determined by relations existing between the dimensions of the electrical constants of the discharge circuit, namely, capacity, self-induction, and resistance, the definition of which terms we will assume to be understood. It was not, however, until the theoretical investigations of Sir William Thomson (Lord Kelvin) in England and Professor Gustav Kirchhoff in Germany, that a clear idea was obtained

Digitized by Google

into the possible eventualities and the conditions to which they are subjected.

We will now proceed to mathematical deductions, valuing the above-mentioned constants in accordance with the conditions prevailing in the appliances used in wireless telegraphy.

In a discharging circuit in which C represents the capacity, L the self-induction, W the total resistance, and E the difference of potential between the coatings of the condenser (with a charge, Q), the discharge generates a current, i, in accordance with the equation

$$i=\frac{E-L\frac{di}{dt}}{W},$$ wherein t represents the time.

Moreover, $E=\frac{Q}{C}$ and $i=-\frac{dQ}{dt}$.

By substitution we obtain the differential equation

$$\frac{d^2Q}{dt^2}+\frac{W}{L}\frac{dQ}{dt}+\frac{Q}{CL}=0.$$

This is satisfied by $Q=Ae^{at}$

Thus we obtain for a the equation

$$a^2+\frac{W}{L}a+\frac{1}{LC}=0,$$

whence

$$a=\frac{W}{2L}\pm\sqrt{\frac{W^2}{4L^2}-\frac{1}{LC}}.$$

If the roots are real, we have to do with a progressively decreasing discharge. If, on the contrary, the roots are imaginary, *i.e.* if

$$\frac{1}{LC}>\frac{W^2}{4L^2},$$

or

$$W<2\sqrt{\frac{L}{C}},$$

we obtain, by introducing trigonometrical functions,

$$Q=e^{-\frac{Wt}{2L}}\left(B_1\cos t\sqrt{\frac{1}{LC}-\frac{W^2}{4L^2}}+B_2\sin t\sqrt{\frac{1}{LC}-\frac{W^2}{4L^2}}\right);$$

Digitized by Google

that is to say, the discharge becomes oscillatory, with the periods

$$T = \frac{2\pi}{\sqrt{\frac{1}{LC} - \frac{W^2}{4L^2}}}.$$

To determine B_1 and B_2, which, although arbitrary, may be taken as real, we may employ for our purpose the conditions

$$\text{for } t = 0: \ Q = Q_0 \text{ and } \frac{dQ}{dt} = 0.$$

This gives

$$B_1 = Q_0$$
$$B_2 = \frac{Q_0 W}{2L\sqrt{\frac{1}{LC} - \frac{W^2}{4L^2}}}.$$

Hence we have

$$Q = Q_0 e^{-\frac{Wt}{2L}}\left(\cos t\sqrt{\frac{1}{LC} - \frac{W^2}{4L^2}} + \frac{W}{2L\sqrt{\frac{1}{LC} - \frac{W^2}{4L^2}}} . \sin t\sqrt{\frac{1}{LC} - \frac{W^2}{4L^2}}\right).$$

By setting

$$t\sqrt{\frac{1}{LC} - \frac{W^2}{4L^2}} = 2\pi\frac{t}{T},$$

we then have

$$Q = Q_0 e^{-\frac{Wt}{2L}}\left(\cos 2\pi\frac{t}{T} + \frac{W}{2L\sqrt{\frac{1}{LC} - \frac{W^2}{4L^2}}} \cdot \sin 2\pi\frac{t}{T}\right).$$

The expression in brackets is of the form

$$a \cos x + b \sin x = c \sin (x + \phi),$$

in which ϕ represents the phase-displacement and is determined from

$$tg\phi = \frac{a}{b}.$$

Since

$$c = \sqrt{a^2 + b^2}$$

then

$$Q = Q_0 e^{-\frac{Wt}{2L}}\left(\frac{1}{\sqrt{\frac{4L}{CW^2} - 1}} \cdot \sin 2\pi\frac{t}{T} + \phi\right).$$

Digitized by Google

When, as in our case, $\frac{W^2}{4L^2}$ can be neglected in comparison with $\frac{1}{LC}$ the expression for the duration of the vibration is:

$$T = 2\pi\sqrt{LC}.$$

The *damping* is found from the ratio between the values of two successive amplitudes, *i.e.*:

$$\frac{e^{-\frac{Wt}{2L}}}{e^{-\frac{W(t+T)}{2L}}} = e^{\frac{WT}{2L}},$$

which may be written as the logarithmic decrement, S:

$$S = \pi W\sqrt{\frac{C}{L}}.$$

Here we may already mention — though the matter will be reverted to later—that W does not represent the constant ohmic resistance, but constitutes in the appliances for wireless telegraphy, as in all discharges through the path of a spark, a still unknown function of the quantity of electricity, the potential and the frequency.

Hence there is a well-marked limit, defined by $W = 2\sqrt{\frac{L}{C}}$, separating aperiodic discharges from oscillating ones.

A representation of the progress of aperiodic discharges with two different resistances, both situated above the critical limit, is given in fig. 2. During the discharge the potential gradually sinks to zero, the time consumed increasing with the resistance. The resulting current increases to a maximum, and then sinks to zero again.

The progress of an oscillatory discharge is graphically illustrated in fig. 3, which represents a damped sinonical vibration. The potential and the intensity of the current diminish progressively, the maximum of the latter, however, coinciding with the zero points of the potential, and *vice versa.*

In both figures the abscissæ indicate periods of time, the ordinates the momentary potential. Both curves were plotted with an improved Helmholtz pendulum, made in accordance with the instructions of my esteemed instructor, Professor A. Kleiner of Zürich.

Digitized by Google

Of course, only the oscillations are applicable to wireless telegraphy, and it is evidently a point of extreme importance to keep the resistance of the path of the discharge as low as possible.



FIG. 2.—Aperiodic Discharges.

CLOSED OSCILLATION SYSTEMS.

As first employed by Professer Braun, it is now almost universally the practice to use a Thomson-Kirchhoff electrical oscillation circuit for **generating** powerful vibrations.



FIG. 3.—Damped Sinonical Vibrations.

The special arrangement of this apparatus is diagrammatically illustrated in fig. 4. To represent the capacity it contains two groups of Leyden jars, $C_1 C_2$, the outer coatings of which are connected together by means of the self-induction coil, L, whilst the inner

Digitized by Google

coatings lead to the sparking terminals F_1F_2, the poles of which are connected to the secondary poles of an induction coil.

When the primary current in J is interrupted, an induction impulse occurs, charging the one inner coating positively and the other negatively. When the discharging potential attains a value corresponding to the length of the spark-gap, the opposing electricities are compensated, the inner coatings through the spark-gap, the outer coating through the coil L. This compensation is oscillatory, and only possible along the path indicated, since the discharge cannot traverse the secondary circuit of the induction coil, owing to the very high self-induction, *i.e.* the excessive inductive resistance of the latter.



FIG. 4.—Braun's closed Oscillation Circuit.

An oscillation circuit of this kind is entirely closed during the discharge, but it consists of two symmetrical halves, in which equal quantities of electricity move simultaneously in opposite directions, so that no appreciable external effect is produced. The case is analogous to that of a tuning-fork held freely in the hand absorbing a very large amount of energy when struck; the prongs, however, vibrate simultaneously in opposite directions, and the ear is only able to detect a very faint sound, even at a short distance.

To formulate the case in electrophysical terms, it must be stated that to each current element belongs a diametrically opposed element of equal length and direction; in each the current is of equal amplitude and phase, but of opposite sign, regarded from a point at a great distance. The distance between the current elements is small in comparison with the wave length, as the whole circuit is small compared with the wave length. Therefore the partial-fields of the two current elements act against each other and the amplitude at the resulting field nearly equals the difference of the amplitudes of the partial-fields, *i.e.* they almost compensate each other. It may also be said that such a condenser circuit, the individual wave length of which is very great in comparison with the length of the discharger (L), produces practically no external lines of force. Consequently, in accordance with the axiom of Poynting, it radiates little or no energy.

Digitized by Google

These preliminary considerations may be summed up by the statement **that a closed condenser is only suitable for generating electrical oscillations.**

OPEN OSCILLATION SYSTEM.

From the foregoing it is evident, therefore, that other means had to be adopted in order to transmit the electrical energy to a distance. This is accomplished by the Hertz oscillator, the principle of which can be seen by reference to fig. 5.

A straight wire, *a b* (with or without the metal plates C_1C_2 for increasing the capacity), is interrupted by a spark-gap F, connected in turn with the secondary poles of an induction coil J. The discharge of such an **open system** also proceeds in oscillations, provided the



FIG. 5.—The Hertz Oscillator.

known condition for their production is fulfilled; and at each semi-oscillation the poles of the system become alternately positive and negative by the backward and forward flow of the charge. The two halves of the wire, however, take up not only potential but also an appreciable amount of current, so that lines of magnetic force are developed in planes perpendicular to the axis of the wire. The conversion of electrical energy into magnetic energy begins after the electrical lines of forces have attained their numerical maximum, and then commence to withdraw into the conductor.

Hertz pointed out the peculiar property of the external lines of force (those which have extended furthest away from the conductor of the electrical vibrations), namely, that they separate from the rest as closed lines of force, which pass off into space and return no more. The initial energy is thus diminished by that appertaining to the separated portion, *i.e.* the energy of **radiation.**

Digitized by Google

These Hertzian rays traverse space with the velocity of light, and transmit their energy through great distances.

The true source of radiation, however, resides, not in the vibrant conductor, but at a distance of one quarter wave length therefrom, since electrical and magnetic oscillations are mutually retarded, in point of time, by a quarter period. Hence, within the first quarter wave length, electrical and magnetic forces are alternatively of equal and opposite signs, whereby a portion of the energy returns to the oscillator. Beyond this limit, however, differences of time and locality cause the two forces to act in the same sense, so that there the point of radiation is to be found.

Both the electrical and the magnetic forces are of an oscillating nature, oscillating in the periods of the discharge, an electromagnetic wave resulting. Consequently, the wave length can be found from the known equation $\lambda = T \times V = \frac{V}{n}$; wherein λ, T, n, V express the wave length, time of vibration, number of vibrations per second, *i.e.* frequency, and velocity of transmission ($= 3 \cdot 10^{10}$ cm.) respectively.



FIG. 6.—Marconi Transmitter.

Marconi in the course of his practical experiments devised arrangements like the one illustrated in fig. 6. This will be easily recognised as a Hertz oscillator arranged vertically, the one half consisting of a wire extending high up in the air (aerial wire or antenna), and the other half of an earth connection. Marconi himself failed to recognise properly the importance of his air wire, believing that he had to deal with very small waves, generated at the ball terminals and radiated from the entire length of the upright wire He was led into this error by the Righi radiator, which he used without antennæ in his earlier experiments, and in which the dimensions of the so-called Righi balls actually determined the wave length, which amounted to not more than a few millimetres.

The complete theory of a rod conductor for electrical vibrations

Digitized by Google

(fig. 7) was enunciated by V. Bjerkness and M. Abraham, from whose results we select the following, as specially important for our purpose.

When the ratio of thickness and length of the rod is sufficiently small (rod-shaped rotation ellipsoid) we have a decided fundamental vibration, the wave length of which is equal to twice the length of the rod.

In addition there are formed approximately harmonic upper vibrations, which, however, are negligible in practice, their intensity being inappreciably small and their cessation occurring earlier than that of the fundamental vibration.

The period of this vibration depends on the dielectric constant of the surrounding medium. An antenna covered with insulating material is of greater capacity than one of naked wire, and therefore gives a somewhat greater wave length.



FIG. 7.—Rod Conductor for Electrical Vibrations.

Damping by radiation decreases constantly with the diminished thickness of the rods. The importance of the cage antennæ, or nets used in practice—that is to say, a system of wires laid parallel or conically—resides chiefly in the attainment of increased radiation. As will be more fully dealt with later, P. Drude has shown that, in respect to the increase in the specific periods, such a system of antennæ is equivalent to a single antenna of large diameter; hence, according to the Poynting axiom, these multiple antennæ are also equivalent, in point of radiation, to a single antenna of greater radius (compare also p. 47 *et seq.*).

The current distribution of the rod-shaped conductor (antenna) may be considered as the superposition of a wave running up to the free extremity and of another wave of equal amplitude, but opposite sign of current reflected there. A stationary wave is formed as represented by the dotted lines in fig. 7; whilst the distribution of potential is indicated by the continuous lines, and is naturally directly opposed to that of the current. Nodes of the current are invariably formed at the free ends, *i.e.* the mag-

Digitized by Google

netic force disappears at these points. The prolongation of the antennal axis represents node lines of magnetic force, and the radiation of the energy of vibration consequently occurs in a lateral direction and not axially.

The chief effect obtained by Marconi in replacing the one half of the excited oscillator by an earth connection was to increase the wave length. Earthing acts like reflection, in so far as the effective wave length is doubled and is then equal to four times the length of the aerial conductor down to the earthing point. In this first practical appliance for wireless telegraphy, the energy is both generated and radiated. A short examination of the conditions with regard to energy will soon enable us to decide on the advisability of such a method.

The energy is determined by the expression $\frac{CV^2}{2}$, in which C is the capacity and V the discharge potential. The capacity of a simple aerial wire is very small. Even if large metal surfaces were suspended therefrom, as was proposed by Lodge, the gain would be slight; and in any case a limit is quickly imposed, on practical grounds. In fact, the discharge potential alone would come into consideration; and this is determined by the length of the spark-gap. Now the resistance of the latter increases very rapidly with the length, especially when the quantities of electricity passing over are small. The damping of the vibrations by resistance is excessive, and we soon approach the critical limit of the oscillatory character of the discharges. True, Professor Braun, by introducing a subdivided spark-gap (which we shall have occasion to describe later), enabled this factor of energy to be considerably increased, so that it is now possible to transmit signals over a distance of nearly two hundred miles by simple Marconi apparatus; but, as we shall shortly see, the development of wireless telegraphy has brought us to a territory in which new demands presented themselves.

At all events, it may be concluded, from these considerations, that the best course is to utilise **the open oscillation system solely for the dispatch of energy.**

Digitized by Google

CHAPTER III.

COUPLED SYSTEMS.

THE COUPLING.

In acoustics, when it is desired to obtain the maximum tone from a tuning-fork, it is necessary to mount the latter on a sounding box, or resonator, responding to the same note. Now, we have already compared the tuning-fork to the closed circuit of electrical oscillations: and the best analogy for the open system is the sounding box. The aerial wire and the sounding box fulfil identical functions, namely, to transmit to the environment the energy of the relatively undamped system with which it is coupled. It is, of course, necessary in electricity also to provide for the fulfilment of the condition of resonance (or, better, syntony) between the two coupled oscillation systems, in order to increase the radiation of energy to a maximum. In this case the store of energy in the closed circuit is exhausted most quickly; this arrangement is utilised to the best advantage, when as much energy is supplied as is radiated.

With regard to the connection of the closed circuit with the open oscillator, Professor Braun distinguishes between "direct coupling" (fig. 8) and "indirect" or electromagnetic coupling (fig. 9). However, as we shall see later, there is no fundamental difference between them.

The oscillations are generated solely in the comparatively slightly damped condenser circuit of high energy capacity (primary system), which is completely closed by the spark-gap in discharging; and they are transmitted thence to the strongly damped aerial wire, *i.e.* an open, uninterrupted metallic path of low energy capacity (secondary system). We have here to deal with compulsory oscillations.

Digitized by Google

The effective wave lengths are determined by the frequency, damping, and coupling.

THE COUPLING.

A sufficient definition for the coupling is

$$\tau^2 L_1 L_2 = L_{12}^2,$$

wherein $L_1 L_2$ represent the coefficients of self-induction of the



FIG. 8.—Braun's Direct Coupling.



FIG. 9.—Braun's Indirect Coupling.

primary and secondary systems, L_{12} the coefficients of mutual induction, and $\tau^2 = \tau_1 \tau_2$ the coefficients of coupling. The limits for the degree of coupling are determined by $0 \leqq \tau \leqq 1$. A perfectly rigid coupling, $\tau = 1$, or $L_1 L_2 = L_{12}$, *i.e.* where all the lines of magnetic force of the primary system must traverse the current plane of the secondary system, is impossible in appliances for wireless telegraphy, owing to the high self-induction of the free aerial wire.

Digitized by Google

At the lower end of the same is a coil (the other end of which is connected to the "compensating counter-capacity" or to earth) for effecting the inductive excitation. The larger this coil, the firmer the coupling, in consequence of the higher mutual induction, and *ceteris paribus*, the shorter must the aerial wire be in order to maintain the self potential of the entire secondary system unchanged. Such shortening, however, is effected at the expense of the energy of radiation; and it is also counter to the dictates of experience, namely, that the aerial wire should be as high as possible in order that it may project above surrounding objects.

In practical wireless telegraphy, the degree of coupling therefore varies only between perfectly loose coupling ($\tau = 0$) on the one hand, and fairly close coupling on the other. With respect to the effective oscillations—syntony of the individual systems being assumed—the theoretical possibilities are reduced in this manner to two eventualities. By this means the limits of practicability and the maximum results obtainable in any case can be easily surveyed. This we shall also see from the theoretical results obtained by M. Wien, discussed in Chapter V.

The coupling may also be appropriately defined in another way. If we let λ_0 represent the wave common to both systems in the uncoupled condition, and λ_1 and λ_2 the resulting deformed waves after coupling, the following equations apply, damping being neglected.

For the longer waves, $\lambda_1 = \lambda_0 \sqrt{1+\tau}$.

For the shorter waves, $\lambda_2 = \lambda_0 \sqrt{1-\tau}$.

For the degree of coupling τ we can deduce, with a fair amount of accuracy, a proportionality to $\frac{\lambda_1 - \lambda_2}{\lambda_0}$.

In this manner the degree of coupling can also be determined experimentally with ease, by measuring the waves present in the coupled system with the aid of the ondameter described in Chapter VIII.

COMPENSATING THE AERIAL WIRE.

Before concluding these general considerations with regard to the transmitter of wireless telegraphy, it will be necessary to deal with the important problem of the best method of "compensating" the aerial wire.

Digitized by Google

In fig. 10 the secondary system is again illustrated diagrammatically in symmetrical arrangement. At one end of the coil is the aerial wire, and at the other a perfectly equivalent symmetry wire. At the symmetrical centre Z we have a potential node, and at *a* and *b* current nodes. These symmetrical arrangements, on which theoretical calculations are based with regard to the duration of oscillation of the entire system, can rarely be realised in practice. Moreover, the symmetry wire has proved unfavourable, in consequence of increased damping through the generation of heat in accordance with Joule's law, and through radiation. Clearly enough, however, it cannot be simply omitted, but must be replaced by a more efficient substitute. The importance of the symmetry wire, and the best substitute for the same, namely, metallic surfaces, were first theoretically elucidated by J. Zenneck. This observer formed the conclusion that the point of attack of the inductive excitation must be at a place of electrical movement (belly of the current), in order to excite oscillations of maximum intensity. This certainly seems quite obvious.



FIG. 10.—Secondary System with Symmetrical Attachments.

Hence the relative position of the coupled systems must be such as is shown in fig. 11. On the other hand, fig. 12 indicates a false relative position, since in this case the primary coil is situated opposite a current node in the secondary system. If the symmetry wire be cut off in this fashion, it must be supplemented by metallic surfaces, so that the belly of the current may return to the right position.

Fig. 13 gives the arrangement then obtained; and it follows—not merely from the foregoing, but also from purely theoretical considerations advanced by P. Drude—that we have to deal with well-defined conditions demonstrating the error of assuming that "earthing" is equivalent to a compensating counter-capacity. It would be more accurate to say that, in case of need, recourse may be

Digitized by Google

had to earth connection also; but this is quite impracticable when the soil is of badly conducting material. Earthing has also the drawback



FIG. 11.—Correct Relative Position of the Coupled Systems.

of causing considerable disturbance, by introducing atmospheric discharges.

I have determined experimentally the dimensions of the com-



FIG. 12.—Incorrect Relative Position of the Coupled Systems.



FIG. 13.—Symmetry Wire Supplemented by Metal Plate.

pensating metallic surfaces, the results coinciding almost exactly with the formula (see pp. 50, 55) deduced theoretically by Drude nearly a year later. This circumstance, and other experiments made in the same connection, lead me to consider it improbable that the

Digitized by Google

earth plays any important part in wave transmission. On account of "earth resistance" in this sense, many at present hold the idea that the metal surfaces should be as large as possible; but according to my researches, with the growing size of the compensating surfaces the theoretical size is at first very quickly and then gradually approached until we reach a corresponding maximum, which in practice shows itself to be the optimum.

If the aerial wire be grounded, it must of course be borne in mind, as already mentioned, that the vibration is thereby lowered; and besides—as L. Mandelstam theoretically deduced—the coupling becomes closer.

Digitized by Google

CHAPTER IV.

THE RECEIVER.

We will now turn to a brief preliminary consideration of the receiving instrument and its development.



Fig. 14.—Arrangement of the Coherer.

The important component for detecting the electrical impulse is the coherer. This consists, as shown in figs. 14 and 15, of loose metallic powder or granules, packed into a small space *r* between the terminal surfaces of two metallic electrodes *m*, the whole being enclosed in a glass or ebonite tube. One electrode is connected to the aerial wire collecting the electrical impulses, the other to the earth. In its ordinary condition, the coherer forms an imperfect contact, the high resistance of which in the circuit of the element E prevents the passage of the current. As soon, however, as the electrical impulses are received, the resistance of the coherer sinks to a very low value. A current then passes, and, by means of a relay, actuates a more powerful circuit (Battery B), as shown in fig. 15. In addition to a Morse instrument, this circuit includes a tapper for the purpose of gently shaking the coherer into the non-conducting state again after each exposure to radiation, and thus making it sensitive to new impulses. Through shorter and longer radiation we obtain in this manner the dots and dashes of the Morse alphabet, and thus wireless messages are received.

Digitized by Google

Opinions differ widely as to the actual manner in which the coherer acts, and correspondingly numerous theories have been advanced. It is hardly necessary to repeat them, beyond giving a bibliographical list in the Appendix, to which those who are interested in the matter may refer.

Of importance, however, are the properties of the coherer, which have now been definitely established and may be summarised as follows. The coherer reacts on fluctuations in potential, even when



FIG. 15.—Arrangement of Receiving Instrument, with Coherer, Relay, Morse, and Tapper.

the amounts of energy are exceedingly minute and transitory. Its sensitiveness to the rapidly alternating differences of potential of the vibrations pulsating in the receiver is so enormous that the most sensitive galvanometer is inferior by comparison.

In its ordinary condition the coherer must be regarded as high resistance and low capacity; and it is just these two properties that have rendered possible the evolution of the modern receiver, which—omitting intermediate stages of development—is illustrated diagrammatically in fig. 16.

In this case, also, coupled systems are employed. A primary circuit with the capacity C and the self-induction L_1 is connected

Digitized by Google

with the attachments (aerial wire—counter-capacity). The coherer is situated in the completely closed, induced secondary circuit with the small capacity C_r and the high self-induction L_2. The secondary system is thus developed into an independent and but slightly damped form, capable of resonance. The capacities are furnished by variable air condensers.



FIG. 16.—Receiver with Tunable Secondary Circuit.

As we shall soon see, a decisive part is played by the suitable distribution of capacity and self-induction, and of the degree of coupling between the attachments and the primary circuit, as well as between the latter and the secondary system.

Such an arrangement would be impossible if the coherer had to be regarded as a high capacity or as a conductor.

The accurate tuning of the receiver to the effective oscillation of the sender is not merely possible, but essential, especially in the secondary system. The capacity of the attachments for the primary circuit, and the small capacity of the coherer for the secondary circuit must be reckoned as supplementary capacities in tuning.

If the sender had anything approaching the ideal properties of such a highly developed receiver, the sphere of activity of wireless telegraphy would be capable of far wider extension than now possible.

Digitized by Google

CHAPTER V.

THEORETICAL RESULTS FURNISHED BY THE SENDER.

It was stated on p. 12 that the theory of the simple Hertz oscillator, in the form used by Marconi, was elaborated by V. Bjerkness and M. Abraham. As the Marconi sender now possesses little more than historic value, the principal results already given appeared to be sufficient.

With regard to the modern coupled system we are chiefly indebted to M. Wien for his very lucid theoretical explanations, which I have the greater inducement to reproduce, inasmuch as they are the base of the recent work carried on at the Braun-Siemens Baltic experimental station by me in conjunction with L. Mandelstam, for the purpose of establishing a system of selective electric wave telegraphy, *i.e.* wireless multiplex telegraphy, which object was accomplished with a degree of perfection previously unattained.

Additional valuable work has been done, especially by P. Drude, M. Abraham, and L. Mandelstam, in respect of the thorough elucidation of the phenomena of vibrations in these coupled systems. These works we shall have occasion to refer to frequently.

Coupled vibrating elastic systems had previously been dealt with, in a general manner, by M. Wien in his publication on the reaction of a resonant system. He took, as a starting-point, the interesting acoustic experiments conducted by Warburg in 1868; also the theoretical labours of J. von Geitler on undamped coupled electrical systems (electric- or force-coupling), and the work of Galitzin and Overbeck on magnetic- or acceleration-coupling. In his publication *On the Employment of Resonance in Wireless Telegraphy*, the developed equations were applied to the special conditions of the coupled electrical system of wireless telegraphy, more particularly in connection with inductive electromagnetic-coupling.

Digitized by Google

In considering the case of resonance, Wien assumed the primary and secondary systems as each having a single degree of freedom. This is a special instance in the domain of the vibrations of systems with several degrees of freedom, the laws of which are elucidated by Lord Rayleigh in his "Theory of Sound."

The reasons why very close coupling is impossible in apparatus for practical wireless telegraphy have been already stated on p. 15; and it was on these grounds that Wien very properly neglected the square of the damping and coupling in comparison with the square of the frequency.

Hence we have as a starting-point the two simultaneous differential equations of the coupled elastic systems for damped oscillations, and they run as follows for the force coupling:—

$$\text{I.}\begin{cases}\dfrac{d^2x_1}{dt^2}+2h_1\dfrac{dx_1}{dt}+K_1^2x_1+\tau_1K_1^2x_2=0.\\[2ex] \dfrac{d^2x_2}{dt^2}+2h_2\dfrac{dx_2}{dt}+K_2^2x_2+\tau_2K_2^2x_1=0.\end{cases}$$

This furnishes the differential equation of the fourth order:

$$\text{II.}\begin{cases}\dfrac{d^4x}{dt^4}+\dfrac{d^3x}{dt^3}2(h_1+h_2)+\dfrac{d^2x}{dt^2}(K_1^2+K_2^2+4h_1h_2)\\ +\dfrac{dx}{dt}2(h_2K_1^2+h_1K_2^2)+K_1^2K_2^2(1-\tau_1\tau_2)=0;\end{cases}$$

and this in turn, for $n=\delta+i\nu$, the biquadratic equation.

$$\text{III.}\begin{cases}n^4+2(h_1+h_2)n^3+(K_1^2+K_2^2+4h_1h_2)n^2+2(h_2K_1^2+h_1K_2^2)n\\ +K_1^2K_2^2(1-\tau_1\tau_2)=0.\end{cases}$$

$$\text{IV.}\begin{cases}\text{The roots have the form:—}\delta\pm i\nu_1\\ \text{and }-\delta_2\pm i\nu_2.\end{cases}$$

The same applies to acceleration-coupling, which differs from force-coupling in dimensions of the second order alone, which can be neglected for the electrical system. The two simultaneous differential equations for acceleration coupling are

$$\text{V.}\begin{cases}\dfrac{d^2x_1}{dt^2}+\tau_1\dfrac{d^2x_2}{dt^2}+2h_1\dfrac{dx_1}{dt}+K_1^2x_1=0. \quad \dfrac{d^2x_2}{dt^2}+\tau_2\dfrac{d^2x_1}{dt^2}+2h_2\dfrac{dx_2}{dt}+K_2^2x_2=0.\end{cases}$$

By introducing the electrical dimensions of the primary and secondary systems:

Digitized by Google

W_1 and W_2 for the resistances,
L_1 and L_2 for the self potentials,
C_1 and C_2 for the capacities, and
L_{12} for the coefficient of mutual induction,
we have the

Number of vibrations in 2π seconds . . $K_1^2 = \frac{1}{L_1C_1}$; $K_2^2 = \frac{1}{L_2C_2}$.

Damping $= h$ . . . . $h_1 = \frac{W_1}{2L_1}$ $L_2 = \frac{W_2}{2L_2}$.

Coefficient of coupling $= \tau$. $\tau_1 = \frac{C_2}{C_1} \cdot \frac{L_{12}}{L_1}$; $\tau_2 = \frac{C_1}{C_2} \cdot \frac{L_{12}}{L_2}$.

Consequently for the oscillating potential V of the electromagnetic coupled system, we have:

$$\text{VI.} \begin{cases} \frac{d^2V_1}{dt^2} + \frac{C_2}{C_1} \cdot \frac{L_{12}}{L_1} \frac{d^2V_2}{dt^2} + \frac{W_1}{L_1} \frac{dV_1}{dt} + \frac{V_1}{L_1C_1} = 0 . \\ \frac{d^2V_2}{dt^2} + \frac{C_1}{C_2} \frac{L_{12}}{L_2} \frac{d^2V_1}{dt^2} + \frac{W_2}{L_2} \frac{dV_2}{dt} + \frac{V_2}{L_2C_2} = 0 . \end{cases}$$

With the individual systems in perfect syntony, the number of oscillations per 2π seconds will be: $n_1 = \frac{1}{L_1C_1} = n_2 = \frac{1}{L_2C_2}$.

The coefficients of coupling: $\tau_1 = \frac{L_{12}}{L_2}$ $\tau_2 = \frac{L_{12}}{L_1}$.

$$\tau = \sqrt{\tau_1\tau_2}.$$

According to IV. the solution of the differential equations must be

$$V_1 = A_1e^{-\delta_1 t} \sin(\nu_1 t + \phi_1) + B_1e^{-\delta_2 t} \sin(\nu_2 t + \psi_1)$$
$$V_2 = A_2e^{-\delta_1 t} \sin(\nu_1 t + \phi_2) + B_2e^{-\delta_2 t} \sin(\nu_2 t + \psi_2).$$

Hence there are formed, in general, two common but mutually independent oscillations, differing in number, ν_1 and ν_2, and in damping, δ_1 and δ_2.

The relations of the amplitudes A_2/A_1, B_2/B_1, and $\nu_1\nu_2$, $\delta_1\delta_2$, are determined by the constants n_1 and n_2, h_1 and h_2, τ_1 and τ_2, of the individual systems. The absolute values of A_1B_1 and the phase constants $\phi_1\phi_2$, $\psi_1\psi_2$, are arbitrary, or rather depend on the initial conditions, *i.e.* on the method of exciting the oscillations.

The relation between the amplitudes in both systems is determined by the following equation, in which the influence of the damping (δ_1^2) may be neglected with reference to the number of oscillations (ν_1^2).

Digitized by Google

$$\frac{A_2}{A_1}=\frac{\nu_1{}^2\frac{L_{12}}{L_1}}{\sqrt{(\nu_1{}^2-n^2)^2+4\left(h_2\nu_1-\delta_1\frac{n^2}{\nu_1}\right)^2}};$$

and accordingly

$$\frac{B_2}{B_1}=\frac{\nu_2{}^2\frac{L_{12}}{L_1}}{\sqrt{(\nu_2{}^2-n^2)^2+4\left(h_2\nu_2-\delta_2\frac{n^2}{\nu_2}\right)^2}}.$$

The roots of our equation of the fourth degree (III.) are (IV.):

$$\pm i\nu_1-\delta_1=\pm i\,(Q-R)-\left(\frac{h_1+h_2}{2}-S\right)$$

$$\pm i\nu_2-\delta_2=\pm i\,(Q+R)-\left(\frac{h_1+h_2}{2}+S\right),$$

wherein $Q=\sqrt{\frac{a}{2}-\frac{a^2-4c}{8a}}$; $\left.\begin{matrix}R\\S\end{matrix}\right\}=\sqrt{\frac{\sqrt{(a^2-4c)^2+8ab^2}\pm(a^2-4c)}{16a}}$;

and $a=n_1{}^2+n_2{}^2+\frac{(h_1-h_2)^2}{2}$; $b=-(h_1-h_2)\,(n_1{}^2-n_2{}^2)$.

$$a-4c=(n_1{}^2-n_2{}^2)^2-(2h_1-h_2)^2(n_1{}^2+n_2{}^2)+4\tau^2n_1{}^2n_2{}^2.$$

It is now necessary to consider that in coupled systems of wireless telegraphy we have to deal with very unequal damping of the component systems. For the case of resonance ($n_1=n_2=n$), we shall have

$$a=2n^2-\frac{(h_1-h_2)^2}{2},\ b=0,\ a^2-4c=-4(h_1-h_2)^2n^2+4\tau^2n^4.$$

$$Q=n\sqrt{1-\frac{\tau^2}{4}},\ R=\sqrt{\frac{\tau^2n^2-(h_1-h_2)^2}{4}},\ S=0.$$

We have now to distinguish between two classes—

Class A, in which the coupling predominates;

Class B, in which the damping is the prime factor.

Class A is limited by $\tau n>h_1-h_2$.

Hence $$\delta_1=\delta_2-\frac{h_1+h_2}{2}$$

and $$\nu_1=n\sqrt{1-\frac{\tau^2}{4}}+\sqrt{\frac{\tau^2n^2-(h_1-h_2)^2}{4}};$$

$$\nu_2=n\sqrt{1-\frac{\tau^2}{4}}-\sqrt{\frac{\tau^2n^2-(h_1-h^2)^2}{4}};$$

Digitized by Google

or, since $\tau^2 n^2$ may be neglected, for reasons already given:

$$\nu_1 = n + \tfrac{1}{2}\sqrt{\tau^2 n^2 - (h_1 - h_2)^2},$$
$$\nu_2 = n - \tfrac{1}{2}\sqrt{\tau^2 n^2 - (h_1 - h_2)^2}.$$

Result: **Equal damping and unequal number of oscillations.**

Class B is limited by $\tau n < h_1 - h_2$.

Then $\nu_1 - \nu_2 = n$,

and
$$\delta_1 = \frac{h_1 + h_2}{2} + \tfrac{1}{2}\sqrt{(h_1 - h_2)^2 - \tau^2 n^2},$$
$$\delta_2 = \frac{h_1 + h_2}{2} - \tfrac{1}{2}\sqrt{(h_1 - h_2)^2 - \tau^2 n^2},$$

or approximately,

$$\delta_1 = h_1 + \frac{\tau^2 n^2}{4(h_2 - h_1)},\ \delta_2 = h_2 - \frac{\tau^2 n^2}{4(h_2 - h_1)}.$$

Result: **Equality in the number of oscillations, but unequal damping.**

Before going on to discuss further the two classes, we will briefly summarise a purely general theory enunciated by L. Mandelstam for any coupled sender, the damping being assumed as slight.

For an arrangement with m closed oscillation circuits, in which c, f, and p represent the equal capacities and self-inductions respectively, we have for the fundamental oscillation,

$$n = \frac{\pi}{2\sqrt{\mathrm{PC}}}\left(\frac{4m}{\pi}\sin\frac{\pi}{4m+2}\right);$$

wherein $\mathrm{C} = mc$ and $\mathrm{P} = mp$, denoting respectively the total capacity and self induction.

For $m = 10$, the bracketed fraction differs from 1 by merely a small percentage, *i.e.* with reference to the fundamental oscillation such an arrangement replaces (m being sufficiently large) an open system (aerial wire) of equal self-induction and capacity. This applies equally to the distribution of current and tension.

In the case of two coupled systems, the primary closed and the secondary open, Mandelstam established for calculating the frequency n the equation,

$$\frac{1}{\mathrm{L}_1 n} - \mathrm{C}_1 n = \frac{\mathrm{L}_2}{\mathrm{L}_1}\sqrt{\frac{\mathrm{E}}{\mathrm{L}}}\ \frac{\sin n\sqrt{\mathrm{LE}}l\ \sin n\sqrt{\mathrm{LE}}l_1}{\sin n\sqrt{\mathrm{LE}}(l + l_1)};$$

Digitized by Google

and for calculating the current amplitudes A and B,

$$A\left(\frac{1}{C_1}-L_1n^2\right)-Mn^2B=0\,;$$
$$AMn^2+(L_2n^2-f)\,B=0\,.$$

Here C_1 and L_1, C_2 and L_2, represent the capacity and self-induction of the primary and secondary systems respectively; M the coefficient of mutual induction; E and L the capacity and self-induction per unit of length; l and l_1 the lengths of the secondary attachments f a trigonometrical function dependent on n, p, c, and m.

The equation for the frequency has an infinite number of real roots corresponding to the upper oscillations. In the interval,

$$\frac{\pi}{\sqrt{LEl}}>n>0\,,$$

there are two real roots, corresponding to the two main oscillations.



FIG. 17.—General Scheme for Coupled Senders.

These two deepest oscillations alone come under consideration in practice; and one of them is deeper, the other higher, respectively than the deepest and highest individual oscillations of the two systems.

Mandelstam also shows how the direct coupling (fig. 17) can be traced back to the inductive coupling, the unity of principle having been previously demonstrated by J. Zenneck. All the equations concerned retain their form, provided L_1 be understood to represent the self-induction $\alpha\beta\gamma$, L_2 the self-induction $\delta\beta\epsilon$, and M that of the portion of L_1 and L_2 common to both. The direct coupling possesses the advantage that, in order to obtain the same degree of coupling, the number of windings in the aerial wire can be smaller than with inductive coupling.

Digitized by Google

We will now revert to the special deductions of Wien, the results of which may be formulated as follows:—

A. *In close coupling* (but not quite fast coupling, which, as repeatedly mentioned, is practically impossible), when given absolute syntony of the component systems, one of the resulting oscillations is as much above the common specific tone as the other is below it. Both have practically the same damping, namely, equal to the arithmetical mean of the dampings of the component systems.

In consequence of the unequal frequency of the two resulting oscillations, beats occur throughout the entire oscillation, and occasionally give rise to increased amplitudes of potential. Wien also shows that if the specific tones of the component systems did not exactly correspond, the resulting frequencies would be more divergent than in case of syntony (perfect resonance). Beats are then present at the outset only, and disappear the sooner the greater the difference is in the two frequencies.

B. *In the case of loose coupling—i.e.* when damping is the prime factor—only a single oscillation is effective, the numerical value of whose frequency coincides with the common specific tone of the component systems (which should be equalised as closely as possible, in order to obtain maximum resonance). The damping is slight, since by means of perfectly loose coupling it can be reduced to the relatively small value of the damping of the primary circuit. (Theoretically there result two equal frequencies with very divergent damping; but the one damping is enormous, nearly equal to that of the open system, so that the corresponding oscillation, which is of weak energy, disappears almost immediately, and can therefore be practically disregarded.)

COMPARATIVE MEASUREMENTS IN THE SENDER. CONSEQUENCES OF THEORY.

In the measurements performed at the Baltic experimental stations the results obtained were completely in harmony with those of theory.

In the resonance curves (fig. 18), obtained with the aid of the ondameter, the description and functions of which will be found in Chapter VIII., the abscissæ correspond with the wave lengths, the ordinates with the squares of the current intensities which are registered by the Riess thermometer of the ondameter.

Digitized by Google

The curve in full lines refers to class A (close coupling).

Two waves result: $\lambda_1 = 230$ metres, and $\lambda_2 = 330$ metres.

In this case the dampings are unequal because the specific wave lengths of the component systems were unequal, measuring λ prim. 260 metres and λ sec. 280 metres respectively.



FIG. 18.—Resonance Curves.

The resulting deeper oscillation is the more slightly damped one, as indicated by the dotted curve. The latter is obtained by artificially increasing the damping in the resonance circuit, whereby the already strongly damped upper oscillation is influenced to a smaller extent than the less damped deeper oscillation.

Class B (loose coupling) is indicated by the curve ··—··—··— (the component systems were in syntony in this measurement). It reveals the presence of only a single effective oscillation; and at the same time a comparison of the resonance curves with the corresponding level of the flow in the aerial wire (marked by horizontal lines in the figure) confirms the fact that the damping has throughout the lowest value in loose coupling.

Turning again to the measurement in class A, and assuming perfect syntony of the component systems, together with the following data:—

Specific wave length, $\lambda = 280$;

consequent frequency, $N = \frac{3 \times 10^{10}}{2{\cdot}8 \times 10^4} = 1{\cdot}07 \times 10^6$;

or per 2π seconds, $n = 2\pi \times 1{\cdot}07 \times 10^6 = 6{\cdot}723 \times 10^6$.

Primary self-induction, $L_1 = 3{\cdot}5 \times 10^3$ centimetres;

hence primary capacity, $C_1 = \frac{1}{n^2 L_1} = 0{\cdot}0063$ microfarad.

Digitized by Google

Also $L_2 = 4{\cdot}5 \times 10^5$ centimetres;

hence $C_2 = \frac{1}{n^2 L_2} = 4{\cdot}917 \times 10^{-5}$ microfarad;

mutual induction, $L_{12} = 1{\cdot}3 \times 10^4$ centimetres.

Resistance of primary circuit estimated at 0·5 ohm at the most, hence $W_1 = 0{\cdot}5 \times 10^9$ centimetres.

W_2, the so-called "effective resistance," which would replace all the losses of energy, is determined from $W_2 = 2L_2 \sqrt{\gamma} = 318$ ohms $= 318 \times 10^9$ centimetres, wherein γ, the log. radiation decrement, is determined, according to Abraham, by

$$\gamma = \frac{2{\cdot}44}{ln\frac{2l}{r}} = 0{\cdot}33 .$$

The length of the aerial wire $l = 65$ metres.

The "effective" radius r (see p. 47) $= 10$ cm., bearing in mind the multiplex antenna (net) used.

The dampings are

$$\text{primary } h_1 = \frac{W_1}{2L_1} = 7{\cdot}143 \times 10^4 ,$$

$$\text{secondary } h_2 = \frac{W_2}{2L_2} = 3{\cdot}53 \times 10^5 .$$

The degree of coupling:

$$\tau = \sqrt{\tau_1 \tau_2} = \sqrt{\frac{L_{12}}{L_2} \times \frac{L_{12}}{L_1}} = 0{\cdot}3276 \text{ and } n\tau = 2{\cdot}2 \times 10^6 .$$

The resulting numbers of oscillations per 2π seconds should be

$$n_1 = n + \tfrac{1}{2}\sqrt{\tau^2 n^2 - (h_1 - h_2)^2} = 7{\cdot}814 \times 10^6 ,$$
$$n_2 = n - \tfrac{1}{2}\sqrt{\tau^2 n^2 - (h_1 - h_2)^2} = 5{\cdot}632 \times 10^6 ;$$

or the frequencies

$$N_1 = \frac{n_1}{2\pi} = 1{\cdot}2435 \times 10^6 ,$$

$$N_2 = \frac{n_2}{2\pi} = 0{\cdot}89635 \times 10^6 .$$

The experimental results (in the absence of syntony) were $\lambda_1 =$ 230 metres; $\lambda_2 = 330$ metres.

or

$$\text{exp. } N_1 = 1{\cdot}3 \times 10^6 ,$$
$$\text{exp. } N_2 = 0{\cdot}9 \times 10^6 .$$

Consequently in the case of syntony (resonance) the difference in the frequencies is a minimum.

Digitized by Google

With syntony, both the resulting oscillations would have dampings of no appreciable difference, namely,

$$=\frac{h_1+h_2}{2}=\frac{(0{\cdot}714+3{\cdot}53)10^5}{2}=2{\cdot}122\times10^5,$$

or the log. decrement

$$=\frac{2{\cdot}122\times10^5}{N}=\frac{2{\cdot}122\times10^5}{1{\cdot}07\ \times10^6}=0{\cdot}198 \text{ or}=\frac{1}{5{\cdot}1}.$$

It is evident that close coupling is not very favourable for the production of well-developed resonance, since in the optimum event ($h_1=0$) the damping of the emitted waves could not be reduced by more than half.

Wien showed that close coupling must be utilised in quite a different direction. We know that for different points in space the maximum amplitude values of the oscillating electric and magnetic forces diminish with the distance. The values of the amplitude of potential are, however, the decisive factor, for the coherer at least.

Now, with close coupling, the amplitude ratio—disregarding the quadratic correction terms—is:

$$\frac{A_2}{A_1}=\frac{n+\sqrt{\tau^2n^2-(h_1-h_2)2\tau_2}}{\tau n};$$

or, assuming τn to be large in comparison with h_1h_2, approximately:

$$\frac{A_2}{A_1}=(1+\tau)\sqrt{\frac{\tau_2}{\tau_1}}=\left(1+\frac{L_{12}}{\sqrt{L_1L_2}}\right)\sqrt{\frac{L_2}{L_1}}=\left(1+\frac{L_{12}}{\sqrt{L_1L_2}}\right)\sqrt{\frac{C_1}{C_2}};$$

and

$$\frac{B_2}{B_1}=(1-\tau)\sqrt{\frac{\tau_2}{\tau_1}}=\left(1-\frac{L_{12}}{\sqrt{L_1L_2}}\right)\sqrt{\frac{L_2}{L_1}}=\left(1-\frac{L_{12}}{\sqrt{L_1L_2}}\right)\sqrt{\frac{C_1}{C_2}}.$$

After half a beat $\left(\frac{1}{2N\tau}\right)$ the phase of the two oscillations in the secondary system is identical; and, neglecting the damping, the maximum potential will be

$$V_2=A_2+B_2=\left\{A_1+B_1+\tau(A_1-B_1)\right\}\sqrt{\frac{L_2}{L_1}};$$

that is to say, only slightly removed from $(A_1+B_1)\sqrt{\frac{L_2}{L_1}}$,

or from $$V_1\sqrt{\frac{L_2}{L_1}}=V_1\sqrt{\frac{C_1}{C_2}}.$$

Digitized by Google

Hence, by close coupling, the amplitude of potential will be increased $\sqrt{\frac{L_2}{L_1}}$ fold that of the primary potential.

In our example, this would give

$$\sqrt{\frac{L_2}{L_1}}=\sqrt{\frac{4{\cdot}5\times10^5}{3{\cdot}5\times10^3}}=11{\cdot}4 \text{ times the primary potential.}$$

Owing to the damping during the half beat,

$$\frac{V_2}{V_1}=\sqrt{\frac{L_2}{L_1}}\times e^{-\frac{\delta_1}{2N_T}}=8{\cdot}4 \text{ is more correct.}$$

We operated in the primary circuit with a spark-gap 1 cm. across, corresponding to about 30,000 volts; so that the maximum amplitude of potential of the emitted series of waves was

$$8{\cdot}4\times30{,}000=\text{about } 250{,}000 \text{ volts.}$$

Considerations of energy will render the matter still clearer.

The energy of the primary system is

$$E=\frac{CV^2}{2}$$

i.e. for our example $$=\frac{6{\cdot}3\times10^{-18}\times(30{,}000\times10^8)^2}{2}$$

$$=2{\cdot}835+10^7 \text{ ergs}=2{\cdot}835 \text{ watt sec.}$$

This energy is not very great in itself, but is expended in a very short space of time. As the log. decrement $\frac{1}{5{\cdot}1}$ expressed, we have 5·1 oscillations before the amplitude has receded to $\frac{1}{e}$ times its initial value. We will assume six oscillations, but will make the restriction that of the total energy during this time of $6\times0{\cdot}93\times10^{-6}$ sec., only one-third is converted into useful radiation, so that we thus obtain an effect of

$$\frac{2{\cdot}835}{3\times6\times0{\cdot}93\times10^{-6}}\ldots\text{ watts}=\text{about } 169 \text{ kilowatts,}$$

or about 229 horse-power.

Hence by close coupling the potential energy of the primary circuit is explosively expelled by means of the secondary system. We obtain

Digitized by Google

maximum efficiency and therefore transmission through maximum distances, though at the cost of selective possibilities.

In class B, namely, with loose coupling, we have to do with only a single effective oscillation with the damping,

$$\delta_1 = h_1 + \frac{\tau^2 n^2}{4(h_2 - h_1)}.$$

Hence, by perfectly loose coupling, the damping can be reduced to the relative low value of that of the primary circuit, thus fulfilling the condition for the development of a decided resonance.

How does the matter stand, however, with reference to the maximum amplitude of the potential? The amplitude ratio is

$$\frac{A_2}{A_1} = \frac{n\tau_2}{2(h_2 - \delta_1)};$$

or, since δ_1 is small compared with h_2,

$$\frac{A_2}{A_1} = \frac{n\tau_2}{2h_2} = \frac{nL_{12}}{2W_2} \times \frac{L_2}{L_1}.$$

To make the relation clear we will perform another calculation with the dimensions already used.

At the border between the two classes we have $\tau n = h_2 - h_1$,

hence $$L_{12} = \frac{(h_2 - h_1)}{n}\sqrt{L_1 L_2} = 1{\cdot}52 \times 10^3.$$

Let us now consider the coupling to be loose, and take $L_{12} = 1{\cdot}3 \times 10^3$.

The coupling is $\tau = 0{\cdot}03$, hence about $\frac{1}{10}$th of the close coupling of our example.

Now $$\delta_1 = h_1 + \frac{\tau^2 n^2}{4(h_2 - h_1)} = 1{\cdot}144 \times 10^5,$$

hence the decrement is $\frac{0{\cdot}1144 \times 10^6}{1{\cdot}07 \times 10^6}$ = about $\frac{1}{10}$.

We thus have already twice as many oscillations as with close coupling (for which the decrement was about $\frac{1}{5}$th).

On the other hand the amplitude ratio is

$$\frac{A_2}{A_1} = \frac{n \times L_{12}}{2W_2} \times \frac{L_2}{L_1} = 1{\cdot}77,$$

or only about one-fifth that with close coupling ($= 8{\cdot}4$).

Digitized by Google

With still looser coupling,

$$\tau = 0{\cdot}33 \times 10^{-2} \text{ (\textit{i.e.} } \tfrac{1}{100} \text{ of close coupling)},$$
$$L_{12} = 1{\cdot}3 \times 10^{2}$$
$$\delta_1 = 0{\cdot}718 \times 10^{5},$$

hence the decrement $= 0{\cdot}067 =$ about $\frac{1}{15}$.

$$\frac{A_2}{A_1} = 0{\cdot}18 \left(= \text{about } \frac{8{\cdot}4}{47} \right).$$

We get, therefore, thrice as many oscillations as with close coupling, but with the amplitude of potential diminished forty-seven times.

Consequently, loose coupling affords the possibility of generating feebly damped waves and thus obtaining sharper resonance, though at the cost of intensity.

Digitized by Google

CHAPTER VI.

THEORETICAL RESULTS AND CALCULATIONS.

THEORETICAL RESULTS AND CALCULATIONS IN RESPECT OF SENDER AND RECEIVER.

THE design of a modern receiver has already been explained by a sketch on p. 22, the primary circuit having high capacity and low self induction, with these conditions reversed in the secondary circuit, the idea being to increase the amplitude of potential, since the coherer reacts on maximum differences of potential.

In pursuing the matter further we will make use of the diagram fig. 19, all four systems being in unison (R = 280 metres).

A. *Closely-coupled Sender and Receiver.*

In this case the frequencies in the receiver will be analogous to those in the sender, thus,

$$\nu_3 = n\left(1+\frac{T}{2}\right) = \nu_1\,;\ \nu_4 = n\left(1-\frac{T}{2}\right) = \nu_2\,,$$

and the dampings,

$$\delta_3 = \delta_4 = \frac{h_3+h_4}{2}\,;$$

or if we regard the fully closed secondary receiving system as being undamped,

$$\delta_3 = \delta_4 = \frac{h_3}{2} = \frac{h_2}{2}\,.$$

It is not worth while to try and ascertain the possibility of a decided resonance between closely coupled sender and receiver; for, as might be expected, this is not greater than in the simple original form of Marconi apparatus, *i.e.* it is practically non-existent.

The advantage again lies in another direction. If the damping of the effective wave were the same in the case of close coupling as

Digitized by Google

in a simple Marconi system, we should now have in the receiver—as a consequence of the 50 per cent. lower damping—an amplitude twice as great as in the simple systems. However, by means of the secondary coil with numerous windings,

the amplitude of potential $\left(\frac{V_4}{V_3}=\sqrt{\frac{L_4}{L_3}}\right)$ is increased at least 3-fold. Bearing in mind also the previously ascertained 8·4-fold increase of the potential amplitude in the sender, we arrive at the result that



FIG. 19.—General Scheme for Sender and Receiver.

(neglecting the disturbances introduced by the increased distances, such as earth curvature, etc.), a combination of closely coupled sender and receiver enables us to telegraph over a distance $2 \times 3 \times 8{\cdot}4 =$ about fifty times greater than could formerly be done with the simple Marconi systems which were effective up to about fifteen miles.

In this direction, therefore, resides the advantage of relatively close-coupled systems; and distances of 450 to 600 miles can in this way be bridged over with ordinary installations. Bearing in mind, however, the enfeebling influence of obstructions and the curvature of the earth, the range of normal installations is reduced to about 300 miles, as practical results have demonstrated. Moreover, this presupposes the existence of favourable atmospheric conditions, namely,

Digitized by Google

moist, un-ionised air. If the atmosphere is not of this character, as is usually the case after a long spell of dry weather, a further 20–30 per cent. must be deducted from the range. The conviction that a large margin of safety must be taken into calculation, coupled with the ever-increasing distances attempted, led to the necessity of supplying larger amounts of energy in the form of effective electric waves. The fulfilment of this endeavour was, however, opposed by difficulties of no slight character, arising from various scientific and technical causes. Nevertheless, this problem also has been solved by Professor Braun, by his method of increasing the effective energy, the principle of which will be described on p. 51 *et seq.*

B. *Loose-coupled Sender and Receiver.*

We have seen that in the sender there is only a single effective oscillation, with the damping $\delta_1 = h_1 + \frac{n^2\tau^2}{4(h_2 - h_1)}$,

i.e. with the damping of the primary circuit by perfectly loose coupling.

Similarly we have in the receiver,

the frequencies $\nu_3 = \nu_4 = n$,

and the dampings, $\delta_3 = h_3 - \frac{n^2T^2}{4(h_3 - h_4)}$; $\delta_4 = h_4 + \frac{n^2T^2}{4(h_3 - h_4)}$,

wherein T represents the coefficient of coupling in the receiver.

Since $h_3 = h_2$ is great in comparison with h_4 there is again practically only a single oscillation with the damping δ_4 to be considered.

The secondary circuit of the receiver is completely closed, so that the damping h_4 is very slight; and by perfectly loose coupling, the damping δ_4 could thus be reduced to the very low value h_4.

Unfortunately, owing to the much greater damping δ_1 of the effective sender wave, there is still no advantage in fully utilising this possibility in the receiver.

In order to find the resulting amplitude ratio, Wien reverted to a result of the Bjerkness theory for simple systems. Bjerkness finds for the maximum amplitude of the receiver

$$M = \frac{A}{2nh_1} \times \left(\frac{h_2}{h_1}\right)^{\frac{h_2}{h_1 - h_2}} = \frac{A}{2nh_2}\left(\frac{h_1}{h_2}\right)^{\frac{h_1}{h_2 - h_1}},$$

Hence the maximum amplitude remains the same, whether a strongly damped sender oscillation excites an undamped receiver, or

Digitized by Google

whether the effective wave is undamped, and the receiver has the same damping as the sender in the first case. Consequently the equations for compulsory damped oscillation under the influence of a periodic force (the periodicity of which determines the amplitude of both the coupled systems) are applicable.

For the amplitude a_2 in coupled elastic systems, Wien found

$$a_2 = \frac{-E \times \tau_2 K_1^2}{\sqrt{\{(\kappa_1^2 - n^2)(\kappa_2^2 - n^2) - 4h_1h_2n^2 - \tau_1\tau_2\kappa_1^2\kappa_2^2\}^2 + 4n^2\{h_1(\kappa_2^2 - n^2) + h_2(\kappa_1^2 - n^2)\}^2}},$$

or for our case:

$$A_4 = \frac{A\nu^2\tau_4}{\sqrt{\{(n^2-\nu^2)^2 - 4h_3h_4\nu^2 - \nu^4\tau^2\}^2 + 4\nu^2(n^2-\nu^2)^2(h_3+h_4)^2}}.$$

For $\nu = n$, and neglecting $\nu^2\tau^2$ in comparison with $4h_3h_4$, the maximum amplitude is

$$M_4 = \frac{A\tau_4}{4h_3h_4}.$$

On the other hand, Bjerkness finds for the maximum, M, of his resonance curve, that is to say, for the maximum potential amplitude in the resonator of the simple systems in unison,

$$M = \frac{A \times X^2}{4\pi\gamma}\left(\frac{\delta}{\gamma}\right)\frac{\delta}{\gamma - \delta},$$

wherein X indicates the duration of oscillation, γ and δ the log. decrements in sender and receiver.

For equal damping ($\gamma = \delta$): $M = \frac{A}{4\pi} \times \frac{X^2}{\gamma} \times \frac{1}{e}$;

or by introducing the damping h_1 instead of the decrement

$$M = \frac{A}{2nh_1} \times \frac{1}{e},$$

wherein n represents the number of oscillations in 2π seconds, and $e = 2{\cdot}71828 \ldots$ the basis of the natural log.

In our case, therefore, the maximum amplitude for the simple system is

$$M_0 = \frac{A}{2nh_3e}.$$

Since $h_4 = \delta_4 = \delta_1$, then

$$\frac{M_4}{M_0} = \frac{n\tau_4 e}{2\delta_1} = \frac{nL_{34}e}{2\delta_1 L_3}.$$

Digitized by Google

Let us take still another calculation. L_{34} is determined by the equation given for δ_4, neglecting the small value h_4.

$$\tau^2 = \frac{L_{34}^2}{L_3 L_4} = \frac{4h_3\delta_4}{n^2}.$$

Let $$\delta_4 = \frac{\delta_1}{9},$$

then $$L_{34} = \frac{2}{3n}\sqrt{h_3\delta_1 L_3 L_4}.$$

We have the following data:

$$\begin{aligned} n &= 6{\cdot}7 \times 10^6, && \text{(p. 30)} \\ h_3 = h_2 &= 3{\cdot}5 \times 10^5, && \text{(p. 31)} \\ \delta_1 &= 0{\cdot}72 \times 10^5, && \text{(p. 35)} \\ L_3 = L_2 &= 4{\cdot}5 \times 10^5, && \text{(p. 31)} \\ L_4 = 9L_3 &= 40{\cdot}5 \times 10^5, && \text{(p. 37).} \end{aligned}$$

Hence $$L_{34} = 2{\cdot}13 \times 10^4,$$
and the amplitude ratio,

$$\frac{M_4}{M_0} = \frac{nL_{34} \times 2{\cdot}718 \ldots}{2\delta_1 \times L_3} = 5{\cdot}9.$$

The calculation shows that, given an equal amplitude of the effective waves, the amplitude in the receiver is about six times as great as in the simple system, and about twice as great as with relatively fast coupling. Nevertheless, on the other side we have seen that the low damping necessary to secure such an effect in the receiver could only be obtained through loose coupling in the sender, thus giving rise to a nearly 47-fold diminution of potential amplitude in comparison with close coupling.

The normal range of about 300 miles for the latter is therefore diminished to $\frac{300 \times 2}{47}$, or about 12½ miles when loose-coupled sender and receiver are used.

The slighter the damping, the sharper the resonance, and therefore the smaller the dissonance can be between simultaneous effective oscillations, without the possibility of mutual disturbance.

By means of the graphical illustration reproduced in fig. 20, wherein the amplitude of the secondary system is represented as a function of the dissonance, Wien clearly demonstrated the greater sharpness of resonance in loosely-coupled systems than in the simple

Digitized by Google

system; there is a still greater contrast when the loosely-coupled systems are compared with close-coupled systems.

The ratio between the maximum amplitude of the secondary system in unison and the corresponding amplitude in case of dissonance may be termed "ratio of sensitiveness." Neglecting small dimensions, and with small dissonance $n-\nu$, Wien finds for this ratio of sensitiveness,

$$\frac{M_4}{A_4}=\sqrt{\frac{(n-\nu)^4}{h_3{}^2\delta^2{}_1}+\frac{(n-\nu)^2}{\delta_1{}^2}+1}.$$

If the value of the same be estimated at 2–4 according as the receiver is assumed to be 2–4 times as sensitive to the correct frequency as to a deviating one, it is easy to calculate the "necessary dissonance" $n-\nu$ (contained in the above expression) for which no mutual disturbance occurs. Usually the value 2 is sufficient for the "ratio of sensitiveness"; but if the simultaneous effective oscillations differ in strength, say as the result of different distances, 4 is the lowest value that should be chosen. The "necessary dissonance" fluctuates accordingly between about 5 per mille and 5 per cent. of the frequency.



FIG. 20.—Amplitude Curves as Function of the Dissonance.

The wave lengths usual in practice, by reason of the limited height of the masts, vary between about 100 and 500 metres, or, expressed in frequencies, between 3×10^6 and 6×10^5 sec.

With a dissonance of 5 per mille it is possible, in accordance with the equation $3\times10^6=6\times10^5\left(1+\frac{5}{1000}\right)^x$, to send messages simultaneously with $x=322$ senders, without disturbance. Similarly, with a dissonance of 5 per cent., 33 senders could be used, though, as we have seen, the range is relatively shorter.

However, to obtain such a high selective capacity at the expense

Digitized by Google

of the intensity or distance seems an unnecessary detrimental luxury, so long as wireless telegraphy is restricted to its present chief sphere of application, namely, for military and naval purposes.

As the experiments at the Braun-Siemens Baltic stations have demonstrated, the employment of the above described loose-coupled receiver with a sender coupled to a degree approximating the boundary of loose coupling is sufficient, even in the case of the unfavourable "distance ratio" 1:10 and for a maximum distance of about 125 miles, to enable messages to be transmitted to a certain station simultaneously from several stations, working with effective wave lengths differing by about 10 per cent.

Such a system of *multiplex wireless telegraphy*, developed on these lines, should prove sufficient for some time. The absolute reliability of this system was demonstrated two years ago by the author before the authorities of the Imperial German Navy, after having been in regular work for two months.

The method of coupling up the circuit for this multiplex telegraphy will be described later.

The tuning of sender and receiver in loose-coupled systems is not only possible but essential, more particularly with regard to the primary circuit of the sender and the secondary circuit of the receiver. These must be tuned with almost perfect accuracy, since even the smallest discordance due to a few per mille variance from absolute syntony will immediately annul the otherwise powerful signals. Owing to the technical perfection of the apparatus, not the slightest difficulty in realising such sharp tuning is encountered in practice.

Disturbance in loose-coupled systems by close-coupled senders can be guarded against by using the latter for long distance work and long wave lengths only, whilst for short distances the messages are dispatched and received with loose-coupled systems and with waves of a much smaller size.

Notwithstanding the enormous progress made in theoretical development and the practical application of the same, no revolutionary encroachment on the existing domain of ordinary telegraphy will be possible until we are able to operate with controllably sustained electrical oscillations of sufficient frequency, instead of more or less strongly damped series of waves as at present. The seemingly feasible project of wireless telephony by means of electrical oscillations also suffers from this limitation.

Digitized by Google

SPECIAL THEORETICAL RESULTS OF PRACTICAL IMPORTANCE.

We have already seen that the value W occurring in the formulæ is not represented by the constant ohmic resistance. Even when measuring free oscillations in a completely closed circuit (by means of the Helmholtz pendulum at the Physical Institute of Zürich University, Professor A. Kleiner), Heinrich Mayer finds that the effective resistance increases approximately with the square of the frequency.

Almost simultaneously, Dolezalek, in measuring the coefficients of induction of coils, found that, in the case of alternating currents with over 300 oscillations per second, a considerable increase of resistance occurs in comparison with the values from direct current or slow alternating current. He also records a diminution of the self-induction with the duration of oscillation, whereas Mayer found a considerable increase, which Dolezalek attributes to the presence of high capacities.

Wien, in his publication on the flow of rapid alternating currents through wire coils, made a theoretical examination of the experimental results obtained by Dolezalek. In fact, theory demonstrates that the effective resistance must increase with the square of the frequency. The occurrence of eddy currents in cases of high frequency causes the lines of flow to be forced progressively inward, the mean radius of the circuit being reduced and the self potential diminished.

The practical result is that, in accordance with the proposals of Dolezalek, the use of solid wires for the induction coils has been replaced by thin insulated wires, twisted together in the form of cord. Such divided wires ought to have practically identical resistance, self induction, and mutual induction. Hence the "Deutsche Gesellschaft für drahtlose Telegraphie" (German Wireless Telegraphy Co.) makes all its conductors of cords, prepared by a special process, the several wires of which are only 0·1 mm. in diameter. This plan of dividing and twisting the wires renders corrections practically unnecessary.

The ohmic resistance of the primary circuit with the spark-gap is determined by the latter alone in all well-designed modern installations. According to a communication to me from Professor Drude, which also appears in his publication on the damping of condenser circuits with spark-gaps, the results furnished by his

Digitized by Google

measuring experiments show that the resistance W of the spark-gap is not even approximately constant, but varies considerably with L and C. Hence it is not possible, even by selecting a large L and small C, to obtain small log. decrements $\left(\gamma = \pi W \sqrt{\frac{C}{L}}\right)$.

The labours of Zenneck, Braun, Drude, and Abraham, with regard to the spark-gap, the distribution of capacity and self-induction in the primary circuit, and other decisive factors, furnish the following considerations of practical importance.

The increase of the primary initial potential with the length of the spark depends chiefly on the radius of the spark-gap balls. With large balls the potential increases approximately in proportion to the length of the spark-gap, up to several centimetres. It is therefore advisable to use large ball caps for the spark-gap, in which event the maximum amplitude in the secondary system will also increase with the growing primary potential at a relatively rapid rate up to a sparking distance of several centimetres.

The modification of resistance in the spark-gap is a function of the quantity of electricity passing. With large capacities, of more than about 200 cm., the spark resistance, for a gap of about 0·5 cm., is of minimum value; these represent the most favourable conditions. Enlarging the spark-gap increases this resistance, slowly with large capacities, more quickly when these are small. In normal installations the spark resistance should not exceed 0·1–0·2 ohm.



FIG. 21.—Spark-gaps in Series.

Under given conditions there is always an optimum length of spark, *i.e.* one in which the percentage of total energy absorbed by the spark is minimal. If this point be neglected, the increased spark damping in most cases causes a greater amount of loss than the gain effected by increasing the initial potential. These considerations led Professor Braun to introduce a series of spark-gaps, as illustrated in fig. 21. Instead of a simple long spark-gap, use is made of a number of small gaps arranged in series. The distribution of potential to correspond most suitably to the spark-gaps is effected by means of small supplementary condensers, γ_1, γ_2, γ_3. The capacity of these so-called "potential distributors" is negligible in proportion to the total energy of the system; and its oscillations can, if necessary, be

Digitized by Google

cut out entirely by large inductive resistances. In this manner any desired potential of discharge can be economically utilised by employing the most favourable length of spark.

In the primary circuit the spark damping is the decisive factor, and must be kept as low as possible by the use of large capacities; the self-induction will then be correspondingly small. This applies also to the case of loose coupling, though on the ground of the log. decrement, one would otherwise be disposed to draw an opposite conclusion with reference to the distribution of capacity and self-induction for the attainment of minimum damping in the primary circuit, which, as mentioned before, is the main point to be considered in loose coupling.

To obtain the smallest possible decrements it is by no means unimportant to connect the wires from the inductor as closely to the spark as possible, *i.e.* at the potential nodes of the produced oscillation.

In the case of relatively close coupling, the advisibility of having L as small and C as large as possible, is clearly evident for other reasons. This has already been shown by Wien, who demonstrated that the secondary potential amplitude is raised to $\sqrt{\frac{L_2}{L_1}}$ times that of the primary potential.

Drude finds generally that only a single thick primary winding should be used, dispersion being prevented as much as possible by "dead" self-induction (self-induction without inductive action).

These considerations, moreover, formed the basis on which Zenneck, some years back, carried out his first practical experiments for Professor Braun; and they led him to the construction of a (patented) sender-transformer, the primary of which had only one winding, or two windings coupled up in parallel. Unfortunately, these and many other results obtained by this painstaking and ingenious worker have been entirely neglected by his successors; otherwise some very advantageous scientific and technical arrangements of installations for wireless telegraphy would have been generally known years ago.

Zenneck had previously found, by trial, that there is always an optimum degree of coupling for installations with relatively close coupling, at which degree a maximum amplitude of potential in the secondary system is attained. Drude finds that this optimum degree of coupling should be $\tau = 0{\cdot}6$, but admits that the final increase to the optimum is asymptotic, *i.e.* that relative maxima are obtained

U OF M

Digitized by Google

with much lower degrees of coupling. J. Zenneck made some careful practical experiments extending the degree of coupling to $\tau = 0{\cdot}6$, and found a great discrepancy between his results and those derived from Drude's theoretical deductions with regard to the relation between the maximal amplitude in the secondary system and the degree of coupling. Especially, the experiments seem to point out that it is to no purpose to have the degree of coupling more than 0·30–0·35.

In theory it is assumed that the decrement of the primary circuit remains constant during an oscillation, and that it is independent of the degree of coupling. In oscillation circuits with *spark-gaps* this is certainly not the case, and hence the difference between theory and practice.

Besides, for reasons already stated, such close couplings as $\tau = 0{\cdot}6$ are generally impossible in installations for wireless telegraphy.

With regard to the secondary system, Drude employs for the calculation of its individual wave length a formula which we reproduce, with others of importance, on p. 54 *et seq.* However convenient such a calculation may be, it is only unconditionally applicable provided the position of the antenna approximates to the ideal case of a free wire. The condition of an absolutely free wire is only satisfied when its distance from any object in the neighbourhood is at least very great in comparison to its own length. Practically this cannot be attained, but, as done at the Baltic stations, it is advisable to hold the aerial wire as free as possible by the use of insulated ropes. Furthermore, the upper stay ropes holding the mast were attached somewhat lower down the mast than constructive security warranted; and they were insulated by insulation bolts above and below. Usually, however, practical conditions are of a much less favourable character; and it is altogether preferable to excite the secondary system independently, by mounting a spark-gap in the aerial wire and thus exciting the latter as a Hertz oscillator, the specific wave length being then determined experimentally by means of the ondameter (see p. 60). In any case a comparison of the results with a calculation based on the Drude formula will always be interesting.

Incidentally it may be here mentioned that the wave length can also be approximately estimated. In most cases the current distribution in the aerial wire is almost sinonical, and the belly of the current lies in the centre of the secondary coil. Therefore, for the

Digitized by Google

wave lengths λ we get the equation $\frac{\lambda}{4}$ = length of the antenna plus half the length of the windings of the secondary coil.

For a multiplex secondary system, Drude also formulated the following:—

"A multiplex antenna (cage antenna), which may be heterogeneous (partly multiplex and partly simple), 'acts' like a simple antenna of a single wire the radius of which is equal to the radius (when the wires are few) or the diameter (when the wires are many) of the mean sectional area (reckoned as a circle) applicable to the total length and enclosed by the antennæ wires.

"The advantage of using multiplex antennæ in the senders in wireless telegraphy resides to some extent in the diminution of the frequency, but more particularly in the increase of radiation. Both these results are best attained by the use of thick antennæ. Multiplex antennæ are therefore advisable on both grounds, since they are able to replace the heavier thick antennæ.

"The checking action of a coil towards alternating current is greater in proportion as the windings are closer, and the less the radius exceeds that of the straight wire conducting the alternating current."

In the sense employed by Drude, this "act" implies, in the first place, that the multiplex antenna is equivalent to a simple antenna of greater radius, in so far as the wave length of the sender is concerned, that is to say, it induces an augmentation of the period. According to the axiom of Poynting and the inalterable relative position of the electric and magnetic lines of force at a greater distance from the sender, it results as a further consequence that the multiplex antennæ effect an increase in the radiation. With regard to these statements of P. Drude, we should like to draw attention to the following remarks by J. Zenneck, which undoubtedly deserve the closest attention. A simple and a multiplex antenna of the same frequency, and whose dimensions of cross section are very small compared with those of length, have in a distance which is great in comparison with the wave lengths, the same field when the current amplitude in both is the same. With the same potential (spark-gap) the current amplitude is much larger in the multiplex than in the single antenna. The relations can best be shown by the following. From the theoretical considerations of Hertz may be derived the following equation for the field intensity E (in the

Digitized by Google

equatorial plane which is alone to be considered in wireless telegraphy):—

$$E_0 = A \cdot \frac{l}{\frac{\lambda}{2}} \cdot \frac{i_0}{r},$$

in which A represents a constant factor dependent on the system of measurement, l the length of the aerial wire, λ the wave lengths, i the current mean value in the antenna, r the distance from it, and the index o the amplitude.

When a simple antenna is replaced by a multiplex antenna of the same length, and of the same wire radius, the potential amplitude being given, there are two changes—

(*a*) the frequency and hence the ratio $\frac{l}{\frac{\lambda}{2}}$ (*b*) the current amplitude i_0.

The ratio $\frac{l}{\frac{\lambda}{2}}$ has been discussed by Drude, with the result that in respect of its individual period a multiplex antenna is equivalent to a simplex antenna of a greater radius. Hence it follows that in both the ratio $\frac{l}{\frac{\lambda}{2}}$ has the same value. As is shown by the experimental measurements of Drude, this ratio for a multiplex antenna, the cross section dimensions of which are small compared with those of length, varies only slightly from that of a simple antenna of the same wire thickness.

This ratio consequently plays only a minor part in practice.

But in regard to the current amplitude a comparison of simple and multiplex antennæ of the same length and wire thickness leads to the following relation:—

I. $\frac{i_1 o}{i_2 o} = \frac{C_1}{C_2}$ when the antenna is used as a simple Marconi sender or a secondary system in a loose-coupled Braun arrangement.

II. $\frac{i_1 o}{i_2 o} = \sqrt{\frac{C_1}{C_2}}$ for antennæ used as secondary systems in close-coupled Braun arrangements.

Here C indicates the capacity per length unit; the index 1 refers to the multiplex, the index 2 to the simple antenna.

As the capacity per length unit of the multiplex antenna is

Digitized by Google

much larger[1] than that of a simple antenna, it follows that the current amplitude, and hence the amplitude of the electric field intensity E in the case of the multiplex antenna, is also considerably larger than in the case of a simple antenna. In this fact lies the real importance of a multiplex antenna, not in the alteration of the period with its accompanying minute change of the field intensity.

The superiority of multiplex antennæ over the simple forms may also be expressed in the following way. From M. Abraham's publication on wireless telegraphy it follows that the attainment of maximum potential on the upper extremity of the aerial wire is less important than maximum amplitudes of current at the lower end of the antenna. However, according to M. Wien, this current amplitude is nearly proportional to $\sqrt{C_1C_2}$, wherein C_1 and C_2 represent the primary and secondary capacity. Hence the multiplex antennæ act more favourably in consequence of their greater capacity. For the same reason of strengthening the current in the antenna, it is therefore necessary to minimise the primary self-induction as well, a result at which we have already arrived by another path.

For the current amplitude, Abraham finds the following additional axiom :—

"If, with a given antenna of the capacity C_2 (in microfarads), directly coupled with a primary condenser circuit, it be desired to obtain the highest possible increase in the maximum amplitude of the effective waves, the primary self-induction L_1 must be selected in accordance with the equation $L_1 = 6{\cdot}7 \times 10^5 C_2$."

There consequently results an optimum for L_1 and a corresponding one for the primary capacity C_1; any further increase of the latter would excessively augment the radiation and thereby weaken the maximum wave amplitude occurring after half a beat. These considerations, however, are restricted to relatively close-coupled arrangements of sender and receiver. In loose coupling, the chief point to attain is the production of protracted oscillations, even at the expense of the wave amplitude.

[1] According to J. A. Fleming (*Cantor Lectures on Hertzian Wave Telegraphy*, p. 14 ; London, 1903) the capacity of a multiplex antenna whose component wires lie pretty close together is about $\sqrt{N}$ times (N = number of wires) larger than the capacity of a single antenna of the same length and wire thickness ; a multiplex antenna of 50 wires would show approximately 7 (resp. 2·6) times the effect of a corresponding single antenna.

Digitized by Google

Moreover, as results from Brandes' measurements, with multiple antennæ the amount of the radiation in relation to the existing energy, *i.e.* the radiation decrement, is greater than with simple antennæ; hence the use of the former ensures better utilisation of the primary energy.

For the so-called "counter capacity," already frequently mentioned, namely, a metallic surface, S, which forms the electrical counterpoise for the antenna of the length l, Drude finds the equation

$$\sqrt{S} = \frac{0{\cdot}603l}{\text{brigg. log. } l/\varsigma},$$

in which ς represents the "effective" radius in the sense already described.

According to Drude, the different modes of action of the various couplings furnish valuable information on the nature of the indicators to be used in the receiver. The coherer reacts on differences of potential, and therefore is evidently the most suitable indicator when close coupling is used, the chief property of which resides in the production of maximum amplitudes of potential. With loose coupling, however, the integral effect is the main point, so that Rutherford's magnetic indicator seems more suitable in such cases than the coherer. The reason for this is that alterations in the damping make far less difference to the maximum amplitude than to the integral effect; hence when damping is mostly to be considered, the coherer suffers from a certain indifference. For loose-coupled apparatus it is preferable to use an antenna with relatively high self-induction (coils in the vicinity of the belly of the current) in order to prolong radiation.

At great distances, r, the action of the sender on the receiver, diminishes like the amplitude of intensity of the electric and magnetic field, and consequently like $\frac{1}{r}$. The radiation is proportional to the square of the resulting field intensity.

Digitized by Google

CHAPTER VII.

BRAUN—ENERGY SYSTEMS.

It has already been stated that the energy available for radiation is determined by $\frac{1}{2}CV^2$, in which expression C represents the capacity and V the discharge potential of the condenser circuit. The dimensions of the capacity *per se* are subjected to a natural limitation by the length of waves obtainable in practice because of the relatively short masts. Besides, an increase of the capacity at the expense of the self-induction soon reaches a limit. Furthermore, insuperable difficulties, both theoretical and practical, oppose the increase of the discharge potential.

The way out of this dilemma was discovered by Braun in a method of arrangement, the general principle of which is illustrated in fig. 22.

Here, n equal condensers C are connected by n equal self-inductions L in series to a circuit which is closed by the spark-gaps at the moment of discharge. The charging of the condensers, however, is effected in parallel with low potentials only, by means of the large ohmic or inductive resistances W_1, W_2, W_3, which have nothing to do with the oscillations.

The total available energy is therefore

$$\frac{1}{2}\left(\frac{C}{n}\right)(nV^2) = \frac{1}{2}nCV^2,$$

and that, too, with an unchanged duration of oscillation, since

$$T = 2\pi\sqrt{nL\frac{C}{n}} = 2\pi\sqrt{LC},$$

as for a simple oscillation circuit.

Braun also proves that the spark discharge is equiphasal throughout, and that each spark has only the damping corresponding to the partial potential difference V.

Digitized by Google

With an n-fold energy we can thus work the n oscillation circuits with the same economy as a simple one.

The energy can be utilised in many different arrangements. Thus fig. 23 shows the method of inductive coupling, whilst an



FIG. 22.—General Scheme of Braun's Energy System.



FIG. 23.—Braun's Energy System.



FIG. 24.—Braun's Energy System.



FIG. 25.—Energy System used at the Baltic Stations.

instance of direct coupling for exciting n separate aerial wires is given in fig. 24.

The form of arrangement illustrated in fig. 25 was used with great success at the Baltic stations. The condensers are connected in parallel for charging with the large resistances $W_1 W_2$. The

Digitized by Google

induction-free "coupling arcs" K_1K_2 ensure that when the discharge takes place in A_1B_1, the spark in A_2B_2 must pass simultaneously and in an equiphasal manner. The secondary systems were suitably connected in series.

PRINCIPAL FORMULÆ.

Owing to the irregular conditions it is impossible to calculate the *capacity* of the Leyden jars used in the primary condenser circuit; and even measurements performed by known static methods, or with the telephone bridge, give entirely useless values. Thus, measurements, made at the normal frequencies of the oscillations used in wireless telegraphy, gave variations up to 30 per cent. This is due to the losses of energy in solid dielectric glass, these losses increasing with the number of oscillations and in accordance with the manner in which the "residue" is developed. A condenser in which a residue is formed often takes several minutes to attain its maximum charge, so that it cannot act up to its full capacity in the very short time occupied by the oscillations. The difficulties arising from these and other factors in the way of accurately measuring the wave lengths generated in the primary condenser circuit, have now been removed by the use of a resonance circuit, containing an adjustable condenser with ideal properties, the capacity values of which, resulting from various adjustments, can be determined with great exactness, and if necessary reduced to "dynamic" capacity. This instrument is the "ondameter," or, better still, "frequency meter," to which reference has been made in the previous pages, and of which a description will be given in the next chapter.

The self-induction of coils in which the dimensions of the rectangular section of the annular space occupied by the wire windings are small in comparison with the mean diameter of the coil (as is the case both in the induction coil of the ondameter, and in the primary coils in the sender and receiver) can be calculated according to the well-known Stefan formula, as modified by Drude, by introducing the necessary correction on account of the rapidly alternating currents used in electrical wave telegraphy. This formula runs:

$$L = 4\pi r n^2\left[\left(1+\frac{h^2}{32r^2}\right)\log.\text{nat.}\frac{8a}{\sqrt{h^2+\delta^2}} - y_1 + \frac{h^2}{16r^2}y^2\right] + \log.\text{nat.}\frac{g}{\delta} - \Delta,$$

Digitized by Google

wherein n = number of windings,
r = radius of coil,
$h = (n-1)g$ = height of coil,
g = pitch of the windings,
δ = thickness of the bare wire.

For y_1 and y_2 the values should be taken from Stefan's tables and that for Δ from Drude's tables.

The reasons for replacing thick wire in inductive coils by cords consisting of a number of separately twisted strands made of very thin wire have already been given.

The self-induction of long, narrow coils, such as are used in the



FIG. 26.—Secondary System with Counter Capacity.

secondary system of the receiver, is calculated by Drude from the formula

$$L = \frac{l^2}{h},$$

wherein $l = 2r\pi n$,
r = radius of coil,
n = number of windings,
$h = (n-1)g$ = height of coil,
g = pitch of windings.

For calculating the individual periods of the secondary system (the practical use of which is dependent on a formerly mentioned condition) Drude gives the relations

$$\beta = \text{brigg. log.} \frac{l}{\varsigma} \times \frac{f}{n} \sqrt{\frac{h}{2r}} \times \phi,$$

Digitized by Google

and hence the specific wave length λ according to the formula

$$tg\frac{\pi}{2} \times \frac{\lambda_0}{\lambda} tg 2\pi \frac{l}{\lambda} = \beta,$$

wherein $$\tfrac{1}{2}\lambda_0 = f l_1.$$

Here $l_1 = 2r\pi n$ represents the length of wire in the coil, l the length of the antenna, ς its "effective" radius (see p. 47 *et seq.*), n the number of windings on the coil, $h = (n-1)g$ the height of the coil, g the pitch of the windings, $2r$ the diameter of the coil. The values for f (a function of n, $\frac{h}{2r}$, $\frac{g}{\delta}$, and ϵ) and for ϕ (a function of $\frac{h}{2r}$ and $\frac{g}{\delta}$) are to be found in Drude's tables: δ represents the thickness of the wires, and ϵ the dielectric constant of the core.

For the already defined "counter-capacity," we refer to the Drude formula, given on p. 50,

$$\sqrt{S} = \frac{0{\cdot}603 l}{\text{brigg. log. } l/\varsigma}.$$

At the Baltic stations the "net" or "cage" of the aerial wire was mounted on rings 20 centimetres in diameter, and therefore had an effective radius $\varsigma = 0{\cdot}1$ metre; furthermore, $l = 65$ metres, so that the dimensions, S, from the formula were 13·93 sq. metres, whereas the result of the empirical determination was $S = 13{\cdot}7$ sq. metres.

The counter-capacity of the secondary system, diagrammatically represented in fig. 26, is now usually formed of a surface of wire gauze. With "direct" coupling, coils of suitable dimensions have to be interposed between the condenser circuit and the counter-capacity.

Digitized by Google

CHAPTER VIII.

MEASUREMENT OF WAVES.

THE ONDAMETER.

THE principle of determining the frequency by the resonance was expounded by Hertz-Bjerkness. It was first applied to the practice



FIG. 27.—Qndameter.

of wireless telegraphy by J. Zenneck, and though Zenneck's apparatus was very cleverly developed, in a technical sense, by J. Dönitz, the

Digitized by Google

name under which it is generally known, viz., "Dönitz's ondameter," is hardly justified.

This ondameter (or, more properly, "frequency meter"), fig. 27,



FIG. 28.—Plan of Ondameter.

consists of a closed oscillation circuit, in which the dimensions of the capacity are made to vary within wide limits. When subjected to the action of an oscillating system, it is excited to oscillate in



FIG. 29.—Ondameter Elevation.

sympathy. The resulting currents (which are read off on a Riess thermometer, the indications of which are proportional to the squares of the current intensities) reach a decided maximum as soon as perfect resonance is attained. Hence the same wave length is then

Digitized by Google

present in both systems, and can be read off on the scale of the ondameter.

Figs. 28 and 29 represent a plan and elevation respectively of the instrument. So that a variable capacity may be available, the condenser is composed of two sets of parallel semicircular plates, one of which, *f*, is fixed, and the other, *b*, can rotate on the axis *a*. Both sets are mutually insulated, the component members of each set, however, being in metallic connection and connected with the poles p_1 and p_2.

By turning the knob *g* the movable plates are caused to enter the intermediate spaces between the fixed plates, whereby the effective surface, and therefore the capacity, is gradually increased. The condenser is immersed in a bath of vaseline oil, *c* (boiled in order to expel air bubbles), for the purpose of securing more complete insulation, and to increase the limits of capacity, owing to the greater dielectrical constant of vaseline oil in comparison with air.

The self-induction coils *s* are connected to the terminals *k* by a plug contact, and the thermometer (hot-wire instrument) *h* is also included in the oscillation circuit. This latter connection, however, is inductive (not direct), a primary winding *i* in the condenser circuit inducing the secondary windings i_1, the ends of which are connected to the hot wire *w*.

The inductive excitation of the thermometer is for the purpose of enabling the extent of the indications to be regulated by altering the distance between the primary and secondary windings. The instrument is fitted with three different self-induction coils, which are interchangeable and of such dimensions that the resulting three limits of measurement follow each other in close order, so that all wave lengths between about 100 and 1000 metres can be measured.

To the knob *g* is connected the pointer *z*, which moves over the scale *t*. This scale is inscribed, in three rows, with the wave lengths corresponding to the three coils and the momentary adjustment of the condenser.

To use the instrument, say for measuring the frequency of the *primary condenser circuit* of the sender, it is operated in the manner illustrated in fig. 30. The coil L_1 of the exciting condenser circuit is placed above the coil L_2 of the ondameter W, so that the latter is traversed by lines of magnetic force from the former. By gradually

Digitized by Google

altering the capacity Cv, the flow becomes progressively stronger, as is shown by the rise in the thermometer T; and finally the adjustment of the condenser reaches the stage at which the intensity of the current attains a maximum, whereupon any further adjustment of the condenser results in a fall in the thermometer. At this maximum (*i.e.* the attainment of resonance), the effective wave length is denoted by the position of the pointer on the scale.

A point to be kept in mind in these measurements is that the distance a between the planes L_1 and L_2 must be sufficient to preclude any reaction of the resonator circuit on the exciting oscillation circuit by the induced current. In other words, the coupling must



FIG. 30.—Measuring the frequency of the Primary Condenser Circuit, with the aid of the Ondameter.

not be too close, otherwise—as we have seen in the theoretical section—a deformation of the oscillation will occur. The optimum degree of coupling is about $a = 3$ cm. If the distance be increased, *i.e.* the coupling made looser, the position of resonance of course remains the same, but the indications of the thermometer will be naturally of smaller amplitude, so that the adjustment for resonance cannot be made with the same sharpness. If there are several oscillations present (as we have seen to be the case with close-coupled systems), the different amplitudes of the thermometer indications enable a conclusion to be formed of the various amplitudes of the effective waves.

Moreover, the flow may develop in very different ways. Sometimes the level of the liquid in the thermometer will remain almost

Digitized by Google

stationary for a considerable time, until it shoots up quickly, the state of resonance being reached; and it will fall with equal rapidity when that condition is exceeded. At other times the thermometer indications rise slowly until the maximum is attained, and then sink gradually.

Hence the sharpness of the resonance can be determined in the case of different oscillations, and conclusions drawn as to their different dampings (p. 30).



FIG. 31.—Measuring the individual Oscillation of the Secondary System with the Ondameter.

The measurement of the individual oscillation of the *open secondary system* is performed with the ondameter in the manner illustrated in fig. 31. By introducing a spark-gap, F, the secondary system is excited as a Hertz oscillator, and induces the coil of the ondameter W by a loop S. The ondameter is then set for resonance in the manner just described.

Before this latter measurement is performed, the aerial wire must be brought into the position in which it will actually be used; for the capacity of the wire depends on its relative position to the earth and other adjacent objects, so that a change in position will also cause an alteration of the specific periods.

Finally, the ondameter also enables the effective oscillations in the *complete coupled sender* to be determined (namely, a single oscillation with loose coupling, and two oscillations with close coupling), inasmuch as an inductive action is exerted on the ondameter by means of a loop in the aerial wire (which in this case is no longer fitted with a spark-gap).

A simpler ondameter, though insufficient for accurate determina-

Digitized by Google

tions, is the measuring rod (fig. 32) of Professor Slaby. Here again the principle of resonance is applied, barium-platinum cyanide being



FIG. 32.—Slaby's Measuring Rod.

employed as the indicator. On approaching the free end to a point of high potential variation in the system under examination, the cyanide is excited.

Digitized by Google

CHAPTER IX.

MANAGEMENT OF A STATION.

THE construction of a station for wireless telegraphy proceeds by the following chief stages. In the first place, the aerial wire or aerial wire system is set up in an approximately vertical position, by mounting it, in a properly insulated manner, on high masts, or, in the case of movable stations, attaching it to kites or balloons. Then the necessary dimensions of the "counter-capacity" are determined either by calculation or experiment. In the latter event a symmetry wire, exactly equivalent to the aerial wire, is stretched out as a counterpoise, the effect of flow being next determined in the aerial wire by means of a Riess thermometer, mounted in the vicinity of the belly of the current. The symmetry wire is afterwards replaced by successively increased metal surfaces, until approximately the same current effect is produced.

The next step is the determination of the specific period of the secondary system, and of the primary condenser circuit, separately, by the aid of the ondameter and the most accurate mutual adjustment possible.

A decision has now to be made in favour of either loose or relatively close coupling, according as it is possible or necessary to obtain sharp tuning (at the expense of intensity, *i.e.* range) or an extensive range, *i.e.* intensity (at the cost of tuning properties at the receiver).

In order to fully utilise the specific advantages of the different couplings the construction of the aerial wire system must be modified in accordance with the class of coupling employed. For loose coupling, types allowing of gradual radiation must be chosen, *i.e.* aerial conductors with maximum conductivity and high self-induction, which is partly distributed uniformly in the aerial conductor

Digitized by Google

and partly concentrated in coils in the vicinity of the current maximum.

For close coupling, on the other hand, highly radiating aerial wires of low self-induction are to be used, that is to say, they should be set up in the shape of a cone or harp, with a number of separate wires mounted in parallel.

The aerial wire of the sender is also used in connection with the receiver, by the aid of a switch. The optimum of the degree of coupling, and also the adjustment of the receiver to the effective wave length, can be determined with great accuracy by calculation or experiment. This point will be discussed later.

For the sake of completeness it should be mentioned here that, according to Drude, very close coupling ($\tau^2 > 0{\cdot}6$) in the sender—which however, is generally impossible—is attended with a more strongly damped upper free oscillation and a more slightly damped lower one. If this be employed with a loose-coupled receiver, the frequency of the latter must be smaller, in the proportion $1 : \sqrt{2}$, than that of the two syntonised sender oscillation systems taken separately. With this very close coupling the damping of the lower free oscillation possesses only half the value it has with ordinary cases of close coupling, *i.e.* is only equal to half the arithmetical mean of the dampings of the two individual systems of the sender.

According to Wien, the same reduction in damping can also be attained at the boundary of the aforesaid two great classes, *i.e.* when the coupling is exactly equal to the difference in the damping of the component systems. In such event, *ceteris paribus*, the period of oscillation of the component system must be adjusted to that of the lower free oscillation, by doubling it. To attain this object, the self-induction of the secondary system must be doubled, thereby reducing the damping to one-half. The further necessary doubling of the capacity in the primary circuit results also in the doubling of the energy of oscillation. Since there is only a single effective oscillation present, there are consequently no disturbing undulations, as happens with close coupling; and this circumstance is naturally an additional advantage. Such an arrangement, however, merely represents a compromise; and the only possible way to secure *accurate syntony* is, as we have already seen, to employ *loose coupling in both sender and receiver.*

The arrangement of a complete installation will be more clearly seen by a reference to the sketch, fig. 33. This shows the installations at the Baltic stations, and is more easily examined than a

Digitized by Google

sketch of up-to-date installations, which are in a state of greater technical perfection, giving rise to more complicated details.



FIG. 33.—Mounting a Complete Station.

On the left of the figure is the sender, and on the right the receiver. In the middle, between them, is the switch, U, by means of which the attachments (aerial wire, counter-capacity) can be connected with

Digitized by Google



FIG. 34.—A Baltic Station.

Digitized by Google

the sender and receiver in turn. The lever of this switch consists of three horizontal metal bars, fastened together by the insulated vertical traverse, fitted with a handle.

When the switch is turned to the left, the aerial wire above and the counter-capacity below are connected with the secondary coil of the sender. At the same time the middle bar closes the circuit from the battery or electric power station. This circuit contains the primary coil of the inductor J, the interruptor W (Wehnelt, turbine or hammer commutator), and the signalling Morse key T, in parallel arrangement is the so-called magnetic blow-out, *i.e.* a transverse magnetic field for the purpose of dispersing the sparks at the breaking contact.

With the secondary terminals of the inductor is connected the primary oscillation circuit with spark-gap.

To receive messages, the switch is turned over to the right, *i.e.* to the position shown in the drawing. In this position the outer bars connect the attachments with the primary oscillation circuit of the receiver, whilst the middle bar closes the circuit of the local battery, B, which also includes the Morse register M and tapper KI.

The primary receiver circuit contains the two relatively large adjustable air condensers C_1C_2, of which the former may be short-circuited by a plug contact whenever necessary, so as to adjust at once the primary circuit to a different wave length. This possibility of easy adjustment is of special use, when several waves are simultaneously effective. In the secondary circuit is a small adjustable air condenser, Cr. On the other hand, the terminals of the secondary coil are connected to the coherer by means of a small mica condenser P, which does not obstruct the oscillations, but must be attached to prevent short-circuiting of the relay current of the two parallel coupled dry cells E. To protect the relay, its circuit is opened by means of the plug contact S, when signals are sent off. To prevent any unfavourable influences on the coherer there were provided a small condenser, G, parallel to the battery, a 1000-ohms resistance coil parallel to the relay contact, and one of 500 ohms parallel to the tapper contact; otherwise at each of these latter points, sparks, exciting the coherer, would be formed in consequence of the breaking current. The resistance coil Wi was for the purpose of dividing the current for the Morse register and tapper according to requirements, and thereby regulate the force of the blow struck by the latter.

A photographic view of the outside of one of the Baltic stations is shown in fig. 34.

Digitized by Google

CHAPTER X.

MODERN APPARATUS AND METHODS OF MOUNTING.

An important factor in the sender is the provision of a suitable source of electricity for charging the condenser circuit.

For short ranges, ordinary inductors with a vibrating interruptor would be sufficient, a type of which is illustrated in fig. 35, supplying primary energy up to 350 watts, at a maximum of 110 volts. These are provided with a condenser of suitable dimensions for preventing interruption sparks.

Where greater power is required, the so-called resonance inductors (fig. 36) are now exclusively used, this type being the outcome of our experience with the spark-gap, because of its irregularities. The spark-gap enables the condenser circuit to be charged up to a certain potential, *i.e.* it stores up the energy of the circuit until a certain discharge potential is reached. At this point we have a sudden fall in potential, whereby the oscillations are set up, and when they have ceased the spark-gap must at once become again non-conducting, in order that the cycle may recommence. The pauses between the single discharge complexes are enormously great in comparison with the duration of the latter themselves; but this is necessarily the case, since otherwise there would be the possibility of the spark-gap not returning to its non-conducting state. In such event there would be a permanent equalisation of the charges through the spark-gap to a lower potential, a luminous arc would be formed, and the spark become "inactive." With the resonance inductor this phenomenon is impossible. In it the generated electricity flows to and fro in slow oscillations until the maximum amplitude corresponding to the discharge potential is reached, and the spark-gap is suddenly traversed.

Digitized by Google

The self-induction of the secondary winding of the inductor (which in this case is made of the thickest wire possible, in order to diminish the ohmic resistance), and the capacity of the Leyden jars with which it is joined, cause a decided slow oscillation of definite periodicity, about 50 per second, as now generally employed in power stations. When such an inductor, secondarily laden with a capacity, is connected with a normal alternating current of 50 periods, the primary alternating current and the secondary induced current are in resonance. An important point to be kept in mind in this connection is the degree of coupling between the inductor and the source of current. With "close" coupling there would be just as many discharge complexes as primary alternations, *i.e.* 100 sparks for 50 periods. Consequently, this would not correspond with the function already described, which is to be performed by the resonance inductors. This is only feasible with close coupling, both between the two alternating currents of the inductor and also between the latter and the source of current, this being an alternating current machine containing a certain amount of self-induction in its armature. A check coil is mounted between the machine and the primary winding of the inductor; and the optimum degree of coupling is obtained by the suitable adjustment of these two self-inductions to the primaries of the inductor.

Now we obtain the aforesaid phenomenon, namely, that the energy of several successive alternations in the work of magnetising the inductor is accumulated to a maximum corresponding to the spark-gap, whereupon a discharging spark passes. Hence there are fewer sparks than primary alternations in the inductor. The same primary energy is now distributed among fewer discharges, but these are of a more powerful character.

To obtain the desired speed in telegraphing, it is of course impossible to go below a certain limit, about 30 sparks per second.

With a primary energy of from 350 watts to 1·5 kilowatts, use may be made of either the well-known mercury turbine interruptor (a photograph of which is shown in fig. 37, representing a type fitted with Cardanic suspension for naval stations); or else current transformers are used. The latter are either direct transformers—single machines (fig. 38), or mounted in sets of two machines—a continuous current motor and an alternating current generator (fig. 39).

The transformer is mounted in such a manner that automatic blocking occurs between the transformer and the receiving instru-

Digitized by Google



Fig. 35.—Inductor with Hammer Interruptor.



Fig. 36.—Resonance Inductor.

Digitized by Google

instrument the known phenomenon of magnetic hysteresis is utilised, the arrangement being that shown in fig. 58.

An endless cord S of thin soft iron wires is led in front of the poles of a magnet M, and there traverses a coil of insulated copper wire, connected on the one hand with the aerial wire L and on the other with the earth (E). On this coil is wound an insulated secondary coil, in which the telephone, T, is included. Normally the iron is prevented by hysteresis from immediately following the rapidly alternating magnetisation; but when the primary coil is traversed by electrical waves the residual magnetism is suddenly dispersed for the moment. Hereupon the current impulse induced in the secondary coil excites the telephone and renders the wireless Morse signal audible. This complex device, provided as it is with moving parts, gives only the same effect as the simple Schloemilch cell.



FIG. 58.—Marconi Detector.

An extremely sensitive wave recorder is Rutherford's magnetic indicator. Part of the wire composing the resonator is coiled round a magnetised steel needle. The electric oscillations influence the magnetisation of the needle and thereby cause the deflection of a second magnetic needle suspended close by, and whose movements can be observed with the aid of a mirror and telescope (as in a galvanometer).

It has been mentioned already that this indicator is preferably used in loose-coupled systems, in which the integral effect is the main point.

An interesting new type of indicator is the Lodge-Muirhead coherer, which is described as follows in the catalogue of the Lodge-Muirhead Wireless and General Telegraphy Syndicate, Limited.

"The illustration (fig. 59*) shows the form of coherer, which requires no tapper, but is kept perpetually sensitive by the rotation of a small steel disc just separated from a column of mercury by a film of mineral oil. The impulse of electric oscillations breaks down the oil film and establishes momentary cohesion between the steel disc and the mercury. No effective contact occurs between the wheel and the mercury, notwithstanding the immersion, because

* Block kindly lent by *The Electrician.*

Digitized by Google



FIG. 50.—Current Generator for Light Portable Stations.



FIG. 51.—Coherer.

Digitized by Google

absolutely reliable *multiplex wireless telegraphy*, is made clear by fig. 68. The oscillation circuits were excited by the same aerial wire. The attachments were coupled direct, but relatively loosely, with the primary circuits, and the latter excited the secondary circuits, the coupling between the two being very loose. The difference between the two effective wave lengths amounted to only about 10 per cent. in the case of a highly unfavourable distance ratio of 10 : 100 miles.

This method of mounting is unqestionably not the best. Theoretically, the use of only one aerial wire entails joining of same with the various oscillation circuits by different degrees of coupling, in which case losses of energy are inevitable. The best plan—though unfortunately not the simplest in practice—is of course the use of several distinct antennæ for the different oscillation circuits.

Fig. 69 represents the interior of a fully equipped wireless telegraphy station. To the right are the sending apparatus, whilst the receivers are mounted at the left of the long table. From the descriptions already given the reader should feel himself quite at home in this up-to-date telegraph station.

Digitized by Google

CHAPTER XI.

CONCLUSION.

By strenuous labour in both the scientific and the technical branches, wireless telegraphy has been raised within a single decade, from the smallest beginnings to an indispensable means of communication. This will constitute a lasting memorial of our progressive age, a visible sign of the intelligence and high endeavour, love of work, and capacity of appreciating the deeds of our leading spirits. It also shows how unremitting labour for securing ideal benefits to mankind is not only an ennobling moral influence, but also may lead to practical results outstripping the wildest dreams of imagination. Who would have thought it possible to waft messages across the ocean without any visible means of transmission! Of course progress has been accompanied by a clamour for more, the requirements advanced showing how far we are still from the ideal goal, which appeared so near when the real principles involved were first clearly recognised.

We have seen that at present the work has to be carried on with oscillatory discharge complexes, which even in the most favourable conditions (perfectly loose coupling) produce only relatively slightly damped wave series. The pauses between the sets of discharges are infinitely long in proportion to the time they themselves occupy, the situation being comparable to that of a sea, perfectly quiet all day long except for a single minute's disturbance by waves. In reality, we excite merely a series of short electrical tone impulses which, on account of the wide interval between them, cannot even be regarded as a chain of impulses.

What a difference there would be in the practical utility of electric oscillations were we able to generate and maintain, at will, persistent electric tones of sufficient frequency! Our most modern

Digitized by Google

alternating generators are cumbrous devices for producing very slow oscillations (about fifty per second), whereas, for wireless telegraphy, a mean frequency of about a million per second is required. Here is a worthy and profitable subject for inventive skill, and one whose solution might lead to perfectly incalculable results.

As was quite natural, the value of wave telegraphy was at first appreciated only in comparison with the range of distance covered; and though this progressively increased, it was not until the introduction of the Braun coupled systems that any imposing dimensions were attained. We have seen that the energy can be brought to exert itself instantly by the use of close coupling, so that vibrations of an explosive character are produced, but that while these can penetrate to great distances, they excite any receiver, whether syntonised or not. As we have seen, it has also become possible to render any amount of energy effective in the form of electrical waves, so that at present stations with a range of 600 miles represent merely ordinary types.

It has already been pointed out that an excess of energy has always to be allowed for in practical wireless telegraphy, because the transmission of the energy varies greatly with the weather. Bright sunshine lessens the action considerably; and a still more unfavourable effect on the transmission of signals is produced by protracted spells of dry weather, during which the air becomes ionised. On the other hand, when the ionisation has been destroyed by rain, the original efficiency is at once restored. A soft, damp state of the atmosphere is best for the operations of wireless telegraphy, though the ordinary man would be inclined to think the opposite. For these reasons modern stations are always arranged to develop three times the maximum efficiency required for their range.

The explosive emission of energy resulting from close coupling must naturally be attended with great drawbacks when several stations are working simultaneously at short distances apart.

Recently, however, more delicate methods of operating have come into use by the introduction of loose coupling. We have seen how the reduction of the damping through resistance is attained at all points of the oscillation track, especially in the primary sender circuit by subdividing the spark-gap and constructing it of the most suitable length. In the receiver, the secondary system especially has been elaborated into an independent and almost undamped oscillator, to secure the clearest resonance with an effective sender oscillation.

Digitized by Google



FIG. 70.—Wireless Telegraphy at Pilot Stations.

Digitized by Google

Thus, with loose coupling, space is traversed by weak but elongated electric tones, which will only excite the identically tuned receiver by resonance, leaving all untuned receivers unaffected.

On loose coupling in both sender and receiver rests the principle of attaining maximum freedom from disturbance and the possibility of selective or multiplex wireless telegraphy.

True, the oscillations still traverse space and can be caught by any syntonised receptacle, and, what is worse, to catch the messages we only need the extremely sensitive telephone detectors, which react with any impulse, though the attainment of perfect resonance is immediately revealed by a maximum of sound in the telephone.

This impossibility of maintaining secrecy in the messages is an undoubted defect of the new system of communication in comparison with telegraphy through wires, in which the connection is established between certain mathematical points only. The drawback may be lessened by using a secret code which prevents the meaning of the wireless message being understood by others. Furthermore, the removal of the difficulty by the employment of a system of *directed* wireless telegraphy has been under consideration; and Professor Braun recently announced at a meeting of the German Shipbuilders' Association at Berlin, that he had solved the problem, in principle, by using several differently-phased oscillations simultaneously ("phasenverschobene Schwingungen"). For this purpose Braun employed several antennæ in which oscillations partly of the same and partly of different phases were excited. Furthermore, he showed an easy method of producing several oscillations of the same frequency but of a different phase. In this way it is possible to obtain different actions in different directions, *i.e.* a "directed" wireless telegraphy. Nevertheless, the practical results do not seem, so far, to have reached the level of theoretical requirements.

Despite these limitations, the practical utility of wireless telegraphy is undeniable, and increasing in importance. To illustrate this more clearly, we may review its chief spheres of activity.

The first proofs of the usefulness of wireless telegraphy were afforded by its application at pilot stations (fig. 70), and at present almost all such stations, and fire- and life-boat stations, are equipped with the apparatus (fig. 71). Many lives and much property have been saved by this means. The enormous superiority of electric waves to optical signals is nowhere more apparent than in bad and especially foggy weather, since the small waves of light are

Digitized by Google

shattered against the comparatively large globules of fog, whereas the latter are, as it were, carried onwards by the gigantic electric waves being unable to check their advance.

The new method of communication is also increasing in usefulness for the commercial purposes of the mercantile marine. The advantages are self-evident, since important news can be transmitted between ships and shore, for hours, and even days, after leaving or



Fig. 71.—Wireless Telegraphy at Light-ship Stations.

before entering port; and in case of accident or sea-damage, aid can be rendered promptly. Hence the number of coast stations are being constantly increased on every sea, and nearly all the large liners are now fitted with wireless telegraphic apparatus. This can be used at a low, fixed rate; and in some cases wireless messages of general importance are published on board in newspaper form.

Special importance, and rightly so, is attached to wireless telegraphy in military circles. Probably no large man-of-war is without the necessary apparatus for wireless signalling, now that

Digitized by Google



FIG. 72.—Yacht of the German Emperor with Wireless Telegraphy Installation.

Digitized by Google

technical skill has overcome the special difficulties arising from the presence of large masses of iron and restricted accommodation.

Fig. 72 shows the German Imperial yacht *Hohenzollern* with wireless telegraphy installation.

Incalculable advantage is secured by the possibility of thus transmitting orders from a flagship to the rest of the squadron, the individual members of which again are in close mutual touch by the same means. The centralisation of authority and increased



FIG. 73.—Portable Wireless Telegraphy Station (waggon containing the source of power).

facility for making reports and reconnoitring are also accompanied by a great saving in fuel and an increased sphere of operations, whilst the establishment of communication with the shore forts secures the inestimable advantage of co-operation between land and sea forces.

A special application of wireless telegraphy to military purposes has been carried out in the German army. The chief problem was to obtain apparatus sufficiently portable to accompany marching troops, especially cavalry, even off the high roads. This difficult task was accomplished by the Telefunken Company by mounting all the station apparatus, including the current generators, on light army transport vehicles capable of going over any road or country, the

Digitized by Google

air conductors being elevated by means of kites or balloons instead of masts.

Fig. 73 shows the waggon conveying the source of power, namely, a benzine motor with condenser and all accessories, together with a dynamo generating a current of 120 volts at 20 ampères = about 2·5 kilowatts.

Fig. 74 shows the second waggon carrying the apparatus. The



FIG. 74.—Portable Wireless Telegraphy Station (waggon conveying the apparatus).

corps consists of an officer, a non-com. and five privates, in addition to the drivers; and is shown on the march in fig. 75.

Fig. 76 represents the unlimbering of a train and the setting up of apparatus for work, an operation taking only a very few minutes from the time of arriving on the ground.

These portable stations have answered admirably in numerous manœuvres, following the most rapid cavalry movements, and enabling full communication to be established between commanding officers over distances equal to several days' march.

In order to direct the attention of students in high schools and universities to the importance of research in wireless telegraphy, the

Digitized by Google



FIG. 75.—Portable Wireless Telegraphy Station on the March.

FIG. 76.—Portable Wireless Telegraphy Station—Train Unlimbered.

Digitized by Google

Telefunken Company has constructed models illustrating the *modus operandi* of the full-size apparatus.



FIG. 77.—Sender of Demonstration Apparatus.



FIG. 78.—Receiver of Demonstration Apparatus.

Figs. 77 and 78 represent sender and receiver, but without aerial conductor, whilst fig. 79 illustrates a complete sender with slow-radiating aerial fitting, the latter consisting of a vertical

Digitized by Google

copper wire, with terminal capacities attached top and bottom



FIG. 79.—Complete Sender of Demonstration Apparatus for Wireless Telegraphy.

(aerial-wire—counter-capacity). In the centre of the aerial conductor is mounted a coil for coupling purposes, and also a variable

Digitized by Google

self-induction (large bare wire coil) to regulate the wave length of the aerial conductor.

By the use of loose coupling in sender and receiver, these models can be employed to demonstrate not only the transmission of wireless messages, but also the selective or multiplex wireless telegraphy with three different wave lengths.

The foregoing review of the successive development of wireless telegraphy will have clearly illustrated the enormous advance that has been made in a comparatively short time. For a while it seemed threatened with grave danger. In consequence of fantastic reports the general public was led to overestimate the new means of communication to such an extent that the days of the cable were looked upon as over. Naturally a reaction set in, and hot enthusiasm was replaced by its antithesis. Nevertheless, the strenuous labour of professionals, and the recognition that wireless telegraphy has its natural limitations, have rescued it from discredit and directed public opinion into a healthy channel of active interest. Wireless telegraphy is destined to supplement and not displace the cable, and its aid will be the more valuable since the cost of installation and maintenance is lower than that of cable work. In fact, for a range of 600 miles the prime cost of a wireless installation is at most only one-tenth, and the cost of maintenance one-third that of a cable system. The special field of wireless telegraphy is that in which communication is to be established as quickly as possible, either temporarily or between movable points.

The last stages of development have (to use an expression of Hertz) placed us in the position of no longer being compelled to make *in electricis* music with wooden clappers, for we now have a whole range of tones at our disposal for the purpose.

We are still far from the goal, achieved in acoustics, of uniting great intensity with the highest resonance possibilities, and for the present have to be content with the choice between the two.

Such higher aims can only be realised by close co-operation of science and technology, which is in no field so essential as in wireless telegraphy.

Digitized by Google

BIBLIOGRAPHY.

GENERAL.

Abraham, M., *Ann. der Physik*, Bd. 66, p. 435, 1898.
„ *Physikal. Zs.*, No. 7, 1904.
Braun, F., *Drahtlose Telegraphie durch Wasser u. Luft*, Leipzig, 1901.
„ *Ann. d. Physik*, Bd. 8, p. 165, 1902.
„ *Umschau* (Frankfurt), Nos. 17, 18, 1902.
„ *Physikal. Zs.*, Bd. 3, 1902.
„ „ Bd. 3, 1903.
„ „ Bd. 4, 1904.
„ *Über drahtlose Telegraphie und neuere physikal. Forschungen.* Rektoratsrede, 1905.
Bjerkness, V., *Ann. der Physik*, Bd. 55, p. 121, 1895.
Dönitz, J., *Elektrotechn. Zeitschrift*, p. 920, 1903. (Der Wellenmesser—The Ondameter.)
Drude, P., *Ann. d. Physik*, Bd. 53, p. 721, 1894.
„ „ „ Bd. 61, p. 631, 1897.
„ „ „ Bd. 9, p. 293, 1902.
„ „ „ Bd. 9, p. 611, 1902.
„ „ „ Bd. 11, p. 957, 1903.
„ „ „ Bd. 13, p. 512, 1904.
„ „ „ Bd. 15, p. 709, 1904.
„ „ „ Bd. 16, p. 116, 1905.
„ *Physikal. Zs.*, No. 23, p. 745, 1905.
Eichhorn, G., *Dissertation*, Zürich, 1901.
„ *Die drahtlose Telegraphie*, Veit & Co., Leipzig, 1904.
Feddersen, *Pogg. Annalen*, Bd. 103, 108, 112, 113, 116.
Fleming, J. A., *Cantor Lectures on Hertzian Wave Telegraphy*, London, 1903.
„ *Proc. Roy. Soc. London*, 71, p. 347.
Helmholtz, H., *Die Erhaltung der Kraft.*

Digitized by Google

Hertz, H., *Annalen der Physik*, Bd. 31, p. 421, 1887.
„ „ „ Bd. 34, p. 155, 1888.
„ „ „ Bd. 36, pp. 1, 769, 1889.
„ „ „ Bd. 45, p. 553, 1892.
„ Lodge, *The Work of Hertz*, London, 1897.
Kelvin, Lord. *See* Thomson, Sir William.
Kirchhoff, *Pogg. Annalen*, Bd. 121, p. 554, 1864.
Lecher, *Physikal. Zs.*, No. 11, 1903.
Lodge, Sir O., *Electrician*, 12th Nov. 1897.
„ *Modern Views of Electricity*, London, 1892.
„ *Nature*, 41, p. 368, 1890.
„ *The Work of Hertz and some of his Successors*, London, 1897.
Lomsché, C., *Dissertation*, Zürich, 1903.
Mandelstam, L., *Physikal. Zs.*, No. 9, 1904.
Marconi, *Electrician*, 24th and 31st May and 18th July 1902.
„ Fahie, *History of Wireless Telegraphy*, London, 1899.
„ *Proc. Roy. Soc. London*, 70, p. 341, 1902.
„ Righi u. Dessau, *Die Telegr. ohne Draht*, Braunschweig, 1903.
Mayer, H., *Dissertation*, Zürich, 1904.
Oberbeck, A., *Ann. der Physik*, Bd. 55, p. 623, 1895.
Poincaré, *Annuaire du Bureau des Longitudes*, 1902.
Righi, *Die Optik der elektrischen Schwingungen*, Leipzig, 1898.
Righi u. **Dessau**, *Die Telegraphie ohne Draht*, Braunschweig, 1903.
Seiler, U., *Ann. d. Physik*, Bd. 61, p. 30, 1897.
„ *Schwingungen in Rückstand bildenden Kondensatoren*, Zürich, 1902.
Simon u. **Reich**, *Physikal. Zs.*, Nos. 13 and 26B, 1903.
Slaby, *Die Funkentelegraphie*, Berlin, 1901.
„ *Elektrotechn. Zeitschrift*, Bd. 23, 1902.
„ „ „ IV. Quartel, 1904 and 1905.
Sundell u. **Tallqvist**, *Ann. d. Physik*, Bd. 4, p. 72, 1901.
Thomson, Sir W., *Philosoph. Mag.*, vol. 5, p. 393, 1853.
Wien, M., *Ann. d. Physik*, Bd. 61, p. 151, 1897.
„ „ „ Bd. 4, p. 425, 1901.
„ „ „ Bd. 8, p. 686, 1902.
„ „ „ Bd. 14, p. 1, 1904.
„ „ „ Bd. 14, p. 626, 1904.
„ *Phys. Zs.*, Bd. 4, p. 76, 1902.
Zenneck, J., *Ann. d. Physik*, Bd. 11, pp. 1121, 1135, 1903.
„ *Physikal. Zs.*, No. 24, 1903.
„ „ No. 19, 1904.
„ „ No. 4, 1905.
„ „ No. 7, 1905.

Digitized by Google

ON WAVE DETECTORS.

Aschkinass, *Verhandl. d. Phys. Ges. Berlin*, Bd. 13, p. 103, 1894.
„ *Ann. d. Phys.*, Bd. 66, p. 284, 1898.
Branly, *Les radio-conducteurs: Rapport au Congrès internat. de Phys.*, Paris, 1900.
„ *Comp. rend.*, vol. 118, p. 348, 1894.
„ *La Lum. Electr.*, vol. 51, p. 526, 1894.
Eccles, *Electrician*, vol. 47, pp. 682, 715, 1900.
Ferrié, *L'Éclair. Electr.*, vol. 24, p. 499, 1901.
Fessenden, *Elektrotechn. Zs.*, Bd. 24, p. 589, 1903.
„ *Electrical World and Engineer*, 19th Sept. 1903.
Guthe u. **Trowbridge**, *Phys. Rev.*, Bd. 11, p. 22, 1900.
Van Gulik, *Ann. d. Phys.*, Bd. 66, p. 136, 1898.
Madelung, E., *Ann. d. Physik.*, No. 10, p. 861, 1905 (über die Wirkungsweise des Rutherford-Marconi Detectors).
Marconi, *Electrician*, 20th and 27th June 1902.
Neugeschwender, *Ann. d. Phys.*, Bd. 67, p. 430, 1899.
„ „ „ Bd. 68, p. 92, 1899.
„ *Physikal. Zs.*, Bd. 2, p. 550, 1901.
Reich, M., *Phys. Zs.*, No. 12, 1904 (Einige Beobachtungen am Schloemilch Detektor).
Robinson, P. E., *Ann. d. Phys.*, Bd. 11, p. 754, 1903.
Rutherford, *Proc. Roy. Soc.*, vol. 60, p. 184, 1897 (magnetic detector).
„ *Phil. Trans.*, 89, p. 1, 1897.
Schloemilch, W., *Elektrotechn. Zs.*, p. 959, 1903 (Der Schloemilch Detektor).

Digitized by Google

INDEX.

ABRAHAM, 12, 23, 31, 44, 49.
Aerial wire, 12, 14, 17, 22, 46, 47, 55, 60, 62, 63, 66, 106, 109.
Air condensers, 22.
Air, ionisation of the, 100.
Alternating currents, 43, 68.
Amplitude, 32, 33, 34, 36, 37, 38, 39, 40, 41, 44, 47, 48, 49, 59.
  curves, 41.
Antennæ. *See* Aerial wire.
  multiplex, 47.
    ratio of, to simple, 48.
Aperiodic discharges, 7.
Arco, 2.
Atmospheric discharges and earthing, 18, 84.

BJERKNESS, 12, 38, 39, 56.
Brandes, 50.
Branly, 2.
Braun, 2, 8, 9, 13, 14, 38, 44, 45, 51, 100, 102.
  direct and indirect coupling, 15.
  energy systems, 46.
  Siemens' Baltic station, 23, 29, 42, 46, 52, 55, 63, 66, 94.

CAGE antennæ, 12, 47, 48, 49, 55.
Capacity, 5–8, 53.
  of single aerial wire, 13.
Close coupling, 15, 24, 29, 33, 34, 42, 63, 93.
Closed oscillation systems, 8–10.
  condenser, 10.
Closely-coupled sender and receiver, 36.
Code, use in wireless telegraphy, 102.
Coherer, 2, 20, 21, 22, 36, 78.
  action of, 20.
  forms and descriptions of, 78 *et seq.*
  properties of, 21.
Commercial purposes, use of wireless telegraphy for, 105.
Commutator, mercurial turbine, 68.
Comparative measurements in the sender, 29.
Compensating the aerial wire, 16.
  by metallic surfaces, 17, 18.
Conclusion, 99.
Condenser circuit, charging, 67.
Condensers, 4–10, 83.
  capacity of, 5–8.
  insulation of, 58.
Construction of a wireless telegraphy station, 62.
Cost, 110.
Counter capacity, 13–19, 50, 62, 74.
Coupling, 14, 45, 46. *See* Loose coupling, *also* Close coupling.
  degree of, in practical wireless telegraphy, 16, 22.
Current for wireless telegraphy, 66, 107.
  amplitude, 49.
  generators, 77.
  transformers, 68.
Cut-outs, automatic minimum current, 71.

DAMPING, 7, 12, 13, 17, 25, 26, 27, 29, 33, 36, 37, 39, 40.
Detectors for electric waves, 81, 87. *See also* Coherer.
Determination of effective oscillations in coupled sender, 60.
Directed messages, 102.
Discharges, aperiodic and oscillatory, 7.
Dissonance, 41.
Distance, range of, 37.
Dolezalek, 43.
Dönitz, 57.
Drude, 12, 17, 18, 23, 43, 44, 45, 46, 47, 48, 50, 53, 54, 55, 63.

EARTHING, 13–19, 74.
Electrical energy, rays of, 1.
  counterpoise, 74.
Electro-magnetic energy, 3, 4.
  waves, 1, 11.
Energy, conversion of electric, 10.
  source of, in modern apparatus, 67, 77.
  systems, 50.
  transmutation, 4.
Ether, 1, 3–13.
  elasticity of, 3.
  particles, torsion of, 3.
Excess of energy necessary in wireless telegraphy, 100.

Digitized by Google

Excitation circuit for portable stations, 73.
for coupled senders, 72.

FARADAY, 1.
Feddersen, 1.
Fessenden detector, 90.
Fleming, 49.
Frequencies, 31, 36, 41, 43, 53, 85.
Frequency meter. *See* Ondameter.
Frequency necessary in wireless telegraphy, 100.

GALITZIN, 23.
Geitler's experiments, 23.
Generator for portable stations, 77.
German army, use of wireless telegraphy in, 71, 105.
Gravitation, 3.

HAMMER interruptor, 69.
Heat, theory of, 1.
Helmholtz, 1, 4, 7, 43.
Hertz, 1, 10, 11, 23, 46, 47, 49, 56, 60, 110.
oscillator, 10.
Hertzian electrical wave telegraphy, 2.
rays, 10, 11.

INDUCTORS, 67.
Intensities, 7, 35, 50, 57.
Ionisation of the air, 100.

JOULE, 17.

KELVIN, Lord, 1, 4, 8.
Kirchhoff, 1, 4, 8.
Kleiner, 7, 43.

LEYDEN jar, 4–10, 53, 68.
phenomena of discharge, 4.
system, construction of, 75.
Light, theory of, 1.
waves, 3, 103.
Lodge, 2, 13, 88, 90.
Loose coupling, 29, 34, 35, 42, 95, 99, 102, 110.
Loose-coupled sender and receiver, 38.
Loss of energy in dielectric, 53.

MAGNETIC indicator, Rutherford's, 88.
Management of a station, 62.
Mandelstam, 18, 23, 27, 28.
Marconi, 2, 11, 13, 23, 36, 37, 48, 87, 88.
apparatus, 36.
transmission of signals by, 13.
detector, 88.
transmitter, 11, 23.
Mast for aerial conductor in portable stations, 77.
Maxwell, 1.
Mayer, 43.

Measuring frequency of primary condenser circuit, 58.
oscillation of open secondary circuit, 60.
Mercurial turbine interruptor, 70.
Messages, directed, 102.
Military purposes, use of wireless telegraphy for, 105.
Models of complete installations, 108.
Modern apparatus, 67.
Morse alphabet, 20, 21.
keys, 71.
Muirhead, 88.
Multiplex antennæ, 47.
ratio of, to simple, 48.
secondary system, Drude on, 47.
spark-gaps, 44, 71, 75.
wireless telegraphy, 23, 42, 98.

Naval purposes, use of wireless telegraphy for, 105.
Neugeschwender plate, 90.

ONDAMETER, 53, 56–61.
method of using, 56.
Open oscillation system, 10–13.
Oscillations, 4, 28–38, 41–46, 49, 53, 60, 66–68, 102.
Oscillatory discharges, 7.
Overbeck, 23.

PILOT station, use of wireless telegraphy for, 103.
Popoff, 2.
Portable wireless telegraphy stations, 105 *et seq.*
Potential, difference of, 4, 5–8.
energy, 33.
amplitude, 36, 37, 40.
Poynting, 9, 12, 47.

RADIATION, 11, 14.
Range, 37, 38, 41, 42, 100.
Rayleigh, 24.
Receiver, 20–22, 108.
closely-coupled, 36.
evolution of the modern, 21.
loose-coupled, 38.
tuning, 22.
theoretical results and calculations, 36.
with Schloemilch detector and Morse register, 83 *et seq.*
Receiving apparatus, modern, 91 *et seq.*
oscillation circuits, 93.
Resistance, 5–8, 43, 45, 48, 52.
of coherer, 20.
of spark-gap and primary circuit, 43.
Resonance, 14, 29, 30, 35, 36, 39, 40, 57, 62, 105.
determining frequency by, 56.
inductors, 67.
Righi radiator, 11.

Digitized by Google

Rod conductor for electrical vibrations, 11.
ratio of thickness and length, 12.
Rutherford, 50, 88.
magnetic indicator, 88.

SCHÄFER plate detector, 90.
Schloemilch detector, 81 *et seq.*
Script from Lodge-Muirhead detector, 90.
Secrecy of messages, importance of, 102.
Selective electric wave telegraphy, 23.
Self-induction, 5–8, 51.
of aerial wire, 109.
of coils, 53.
of primary and secondary system, 15.
Sender, closely-coupled, 36.
loose-coupled, 38.
Slaby, 2.
measuring rod, 61.
Source of energy, 67.
Spark-gap, 14, 33, 43–46, 67, 71, 100.
annular multiplex, 75.
Braun's subdivided, 13.
Station. *See* Wireless telegraphy.
Stefan formula, 53, 54.
Symmetry wires, 17, 62.
Syntonising in receiving, 87.
Syntony, 14, 31, 32, 42, 63, 82.

TAPPER for coherer, 20.
Telephone, 86, 87, 90.
Theoretical results furnished by sender, 23–35.
and calculations, 37.
Thomson, Sir W. *See* Kelvin.
Tobler, 90.
Torsion curves, 3.
Transformers, 68, 70, 71, 93, 94.
Tuning of sender and receiver, 42.

USEFULNESS of wireless telegraphy, 102.

VELOCITY of light rays, 1.
of vibrations, 3.
Vibrations. *See* Oscillations, *also* Waves.
generating powerful, 8.
in ether, 3.

WARBURG, 23.
Wave-lengths, 11, 12, 55.
determination of effective, 15.
used in practice, 41.
Waves, kind and speed, 1.
velocity of, in ether, 1, 3.
damped sinonical vibrations, 8.
Weather, effect of, on wireless telegraphy, 38, 100.
Weight of complete portable stations, 77.
Wien, 16, 23, 24, 29, 32, 38, 40, 41, 43, 45, 49, 63.
Wireless telegraphy—
development, 1, 2, 110.
in German army, 105.
mean frequency used in, 100.
messages, reception of, 20.
secrecy of, 102.
speed in, 68.
sphere of application, 42, 102.
station, construction of, 62.
management of, 62.
supplementary to telegraphy by wires, 110.
Wires for induction coils, 43, 45.

ZENNECK, 17, 28, 44, 45, 46, 47, 56.

PRINTED BY NEILL AND CO., LTD., EDINBURGH.

Digitized by Google

A SELECTION FROM
CHARLES GRIFFIN & CO.'S PUBLICATIONS
OF
SCIENTIFIC AND TECHNICAL WORKS.



MESSRS. CHARLES GRIFFIN & COMPANY'S PUBLICATIONS may be obtained through any Bookseller in the United Kingdom, or will be sent on receipt of a remittance to cover published price and postage. To prevent delay, Orders should be accompanied by a Cheque or Postal Order crossed "UNION OF LONDON AND SMITH'S BANK, Chancery Lane Branch."

*** *For INDEX, see next page.*

☞ **COMPLETE TECHNICAL, MEDICAL, and GENERAL CATALOGUES forwarded Post-free on Application.**

LONDON:
EXETER STREET, STRAND.

1/3/08.
M.T. 64.

Digitized by Google

PAGE
ADAMS (W. P.), Motor Mechanism, . 33
AITKEN, (T.), Road Making, . . 79
ALFORD (C. J.), Mining Law, . . 57
ALLINGHAM (W.), Meteorology, . 41
ANDREWS (L.), Electricity Control, 48
ANGLIN (S.), Design of Structures, . 26
ARCHBUTT & DEELEY, Lubrication, 32
ATHERTON (Wm.), Design of Beams, 26
BARKER (D. W.), Works by, . 40, 41
BAUER (M.), Precious Stones, . . 68
BERINGER (J. J. & C.), Assaying, . 66
BICHEL & LARSEN, Explosives, . 58
BILES (Prof.), Marine Steam Turbine, 28
—— Design of Ships, ... 37
BJÖRLING, Peat, ... 75
BLACKMORE (E.), Mercantile Marine, 40
BLOUNT (B.) and BLOXAM (A. G.), Eng. and Manuf. Chemistry, . 46, 71
BLYTH (A. Wynter), Foods and Poisons, 72
BORCHERS (Dr.), Electric Smelting, 67
BROUGH (B. H.), Mine-Surveying, . 56
BRUCE (Robt.), Food Supply, . . 53
BUCK (R. C.), Algebra & Trigonometry, 42
BURNS (D.), Colliery Electricity, . 56
BUTTERFIELD (W. J. A.), Gas, . 77
CAIN & THORPE, Synthetic Dyestuffs, 82
CARTER (H. R.), Long Fibre Spinning, 83
CASTELL-EVANS, Chemical Tables, 79
CHATLEY (H.), Flight, ... 33
CLARK (J.), Soil Bacteria, . . . 73
CLAYWORKER'S HANDBOOK, . 75
COLE (Prof. G. A. J.), Works by, 52, 85
COLE (W. H.), Light Railways, . . 30
COLLINS, (H. F.), Lead and Silver, . 64
COX (S. H.), Prospecting for Minerals, 53
CROTCH, Telegraphic Systems, . . 49
CUNNINGHAM (B.), Works by, . 27
DAVEY (H.), Pumping Machinery, . 36
DIXON (C.), Bird-Life, ... 85
DONKIN (Bryan), Works, ... 28
DUERR (Geo.), Bleaching, &c., . . 84
DUNBAR (Prof.), Sewage Treatment, 76
DUPRÉ & HAKE, Manual of Chemistry, 70
EICHHORN, Wireless Telegraphy, . 49
ENGLISH (T.), Set Squares, . . . 46
FARNSWORTH, Cons. Steel Work, . 26
FIDLER (Prof.), Bridge-Construction, 26
FIELD (E. R.), Mining Report Book, . 57
FOSTER (Sir C. Le Neve), Works by, 54
GAIRNS (J. F.), Loco. Compounding, 30
GINSBURG (Dr.), Shipmasters' Duties, 43
GOLDING (H. A.), Bonus Tables, . 31
GROSSMANN (J.), Chem. Engineering, 70
GURDEN (R.), Traverse Tables, . 31
GUTTMANN (O.), Blasting, . . . 58
HANNAN (W.I.), Textile Fibres . . 83
HARBORD (F. W.), Steel, ... 65
HARRISON (J. W.), Sanitation, . . 78
HEYLIN (H. , Cot. Weavers' Handbk, 83
HICKS (J. A.), Mineral Oil Testing, . 61
HOBBS (L.), Engine Design, . . 27
HODGSON (R. B.), Emery Grinding, 32
HUGHES (H. W.), Coal Mining, . 55
HURST (Chas.), Works by, . . . 29
HURST (G. H.), Works by, . . . 80
JAMIESON (Prof.), MANUALS, . . 34
JOHNSON (J. C. F.), Getting Gold, . 59
JUDE (A.), Steam Turbine, . . . 28
JULIAN (H F) and SMART (E.), Cyaniding Gold and Silver Ores, . 59
KASSNER (T.), Gold Seeking, . . 59
KERR (G. L.), Works by, ... 55
KNECHT & RAWSON, Dyeing, . . 82
LAFAR, Technical Mycology, . . 74

PAGE
LAMBERT, Glue, Gelatine, &c., . . 81
LARARD (C. E.), Eng. Calculations, . 31
LAWN (J. G.), Mine Accounts, . . 57
LEEDS (F. H.), Acetylene, . . . 77
LIVERSIDGE, Engine-Room Practice, 29
MACKENZIE (T.), Mechanics, . . 42
MACLEOD (W. A.) and WALKER (C.), Metallurgical Chemistry, . . 60
McLAREN (R. S.), Elem. Mech. Eng., 33
McMILLAN (W.G.), Electro-Metallurgy, 67
—— & BORCHERS, Electric Smelting, 67
McWILLIAM, Foundry Practice, . 68
MIDDLETON (R. E.), Water Supply, 77
MILL (Dr. R. H.), New Lands, . . 53
MILLAR (W. J.), Latitude & Longitude, 43
MITCHELL (C. A.), Flesh Foods, . 74
—— & HEPWORTH (T. C.), Inks, . 81
MORGAN (J. J.), Metallurgical Tables, 66
MUNRO & JAMIESON'S Elect. Pkt-bk., 49
MUNRO (R. D.), Works by, . . . 32
NAYLOR (W.), Trades' Waste, . . 76
NICHOLSON (W.), Smoke Abatement, 76
NORTH (S.), Oil Fuel, ... 61
OPPENHEIMER (C.), Works by, 74, 75
OSMOND & STEAD, Micro. Analysis, 60
PARK, (J.), Cyanide Process, . . 59
—— Mining Geology, ... 56
PEARCE (W. J.), Painting, . . . 80
PETTIGREW (W. F.), Loco. Eng., . 30
PHILLIPS & BAUERMAN, Metallurgy, 60
POYNTING & THOMSON, Physics, . 50
PRAEGER (R. L.), Open Air Botany, . 85
RANKINE'S Works, ... 35
RAWSON, GARDNER, & LAYCOCK, Dictionary of Dyestuffs, . . . 82
REDGRAVE (G. R.), Cements, . . 76
REDWOOD (Sir Boverton), Petroleum, 61
—— & THOMSON, Handbook, . . 61
REED (Sir E. J.), Stability of Ships, . 37
REID (Geo., M.D.), Sanitation, . . 78
RICHMOND (H. D.), Works by, . 73
RIEMER (J.), Shaft Sinking, . . 58
ROBERTS-AUSTEN, Metallurgy, . 63
ROBINSON (Prof.), Hydraulics, . . 36
ROSE (T. K.), Gold, Metallurgy of, . 63
ROTHWELL, (C. F. S.), Textile Printing, 83
SCHWACKHÖFER, Fuel and Water, 46
SCHWARTZ (Dr. von), Fire Risks, . 77
SEATON (A. E.), Marine Engineering, 44
—— & ROUNTHWAITE, Marine Engineers' Pocket-Book, . . . 44
SEXTON (Prof.), Works by, . 66, 70
SHELTON (W. V.), Mechanic's Guide, 36
SINDALL, Paper Technology, . . 81
SMITH (Prof. R. H.), Works by, . . 45
SMITH, (W J.), Shipmaster's Med. Help, 43
SOLOMON (H. G.), Electricity Meters, 48
STRICKLAND F.), Petrol Motors, . 33
SUPLEE (H. H.), Mech. Pocket Book, 45
SYKES (Dr. W. J.), Brewing, . . 75
TRAILL (T. W.), Boilers, . . . 29
TROTMAN (S. R.), Leather, . . 81
TURNER (Thos.), Iron, Metallurgy of, 65
—— Ironfounding, ... 68
WALTON (T.), Works by, . . 38, 44
WEBER (Dr. C. O.), India Rubber, . 81
WELLS (S. H.), Engineering Drawing, 32
WIGLEY (T. B.), Jeweller's Art, . 68
WILLOUGHBY (Dr. E. F.), Milk, . 73
WOOD (Francis), Sanitary Engineering, 78
WORDINGHAM, Electrical Stations, . 48
WRIGHT (Dr. A.), Oils and Fats, . 71
ZERR & RUBENKAMP, Col. Manuf., 80

Digitized by Google

Griffin's Standard Publications

		PAGE
Applied Mechanics,	Rankine, Browne, Jamieson,	35, 46, 34
Civil Engineering,	Prof. Rankine,	35
Design of Structures,	S. Anglin,	26
Bridge-Construction,	Prof. Fidler,	26
Design of Beams,	W. H. Atherton,	26
Dock and Harbour Eng.,	B. Cunningham,	27
Engineering Drawing,	S. H. Wells,	32
Engine Design,	L. Hobbs,	27
Constructional Steelwork,	A. W. Farnsworth,	26
Central Electrical Stations,	C. H. Wordingham,	48
Electricity Control,	L. Andrews,	48
,, Meters,	H. G. Solomon,	48
Light Railways,	W. H. Cole,	30
Sanitary Engineering,	F. Wood,	78
Traverse Tables,	R. L. Gurden,	31
Practical Calculations,	C. Larard & H. Golding,	31
Locomotive Engineering,	W. F. Pettigrew,	30
Locomotive Compounding,	J. F. Gairns,	30
Valves and Valve-Gearing,	Chas. Hurst,	29
Marine Engineering,	A. E. Seaton,	44
The Steam Turbine,	Alexander Jude,	28
Marine Steam Turbine,	Prof. Biles,	28
Engine-Room Practice,	J. G. Liversidge,	29
Pocket-Book,	Seaton and Rounthwaite,	44
Present Day Shipbuilding,	T. Walton,	38
Design of Ships,	Prof. Harvard Biles,	37
Steel Vessels,	T. Walton,	38
Stability of Ships,	Sir E. J. Reed,	37
The Steam-Engine,	Rankine, Jamieson,	35, 34
Gas, Oil, and Air-Engines,	Bryan Donkin,	28
Petrol Motors and Cars,	F. Strickland,	33
The Problem of Flight,	H. Chatley,	33
Boilers: Land and Marine,	T. W. Traill,	29
,, "Steam" & "Kitchen,"	R. D. Munro,	32
,, Heat Efficiency of,	Bryan Donkin,	28
Oil Fuel,	Sidney H. North,	61
Machinery and Millwork,	Prof. Rankine,	35
Pumping Machinery,	H. Davey,	36
Hydraulic Machinery,	Prof. Robinson,	36
Grinding Machinery,	R. B. Hodgson,	32
Lubrication and Lubricants,	Archbutt & Deeley,	32
Rules and Tables,	Rankine and Jamieson,	35
Bonus Tables,	H. A. Golding,	31
Electrical Pocket-Book,	Munro and Jamieson,	49
The Calculus for Engineers,	Prof. Robt. H. Smith,	45
Measurement Conversions,	Prof. Robt. H. Smith,	45

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

FOURTH EDITION, *Revised, with Numerous Diagrams, Examples, and Tables, and a Chapter on Foundations. In Large 8vo. Cloth.* 16s.

THE DESIGN OF STRUCTURES:

A Practical Treatise on the Building of Bridges, Roofs, &c.

BY S. ANGLIN, C.E.,

Master of Engineering, Royal University of Ireland, late Whitworth Scholar, &c.

"We can unhesitatingly recommend this work not only to the Student, as the BEST TEXT-BOOK on the subject, but also to the professional engineer as an EXCEEDINGLY VALUABLE book of reference."—*Mechanical World.*

In Large Crown 8vo. Handsome Cloth. With 201 Illustrations. 6s. net.

AN INTRODUCTION TO

THE DESIGN OF BEAMS, GIRDERS, AND COLUMNS *IN MACHINES AND STRUCTURES.*

With Examples in Graphic Statics.

BY WILLIAM H. ATHERTON, M.Sc., M.I.MECH.E.

"A very useful source of information. . . . A work which we commend very highly."—*Nature.*

THIRD EDITION, *Thoroughly Revised. Royal 8vo. With numerous Illustrations and* 13 *Lithographic Plates. Handsome Cloth. Price* 30s.

A PRACTICAL TREATISE ON

BRIDGE-CONSTRUCTION:

Being a Text-Book on the Construction of Bridges in Iron and Steel.

FOR THE USE OF STUDENTS, DRAUGHTSMEN, AND ENGINEERS.

BY T. CLAXTON FIDLER, M. INST. C.E.,

Prof. of Engineering, University College, Dundee.

"The new edition of Mr. Fidler's work will again occupy the same CONSPICUOUS POSITION among professional text-books and treatises as has been accorded to its predecessors. SOUND, SIMPLE, AND FULL."—*The Engineer.*

In Medium 8vo. Pp. i-xv + 248, fully Illustrated. Price 10s. 6d. *net.*

CONSTRUCTIONAL STEELWORK:

Being Notes on the Practical Aspect and the Principles of Design, together with an Account of the Present Methods and Tools of Manufacture.

BY A. W. FARNSWORTH,

Associate Member of the Institute of Mechanical Engineers.

"A worthy volume, which will be found of much assistance. . . . A book of particular value."—*Practical Engineer.*

Digitized by Google

In Large 8vo. Handsome Cloth, Gilt, Uniform with *Stability of Ships* and *Steel Ships* (p. 38). With 34 Folding Plates and 468 Illustrations in the Text. 30s. net.

The Principles and Practice of
DOCK ENGINEERING.

By BRYSSON CUNNINGHAM.

GENERAL CONTENTS.

Historical and Discursive.—Dock Design.—Constructive Appliances.—Materials.—Dock and Quay Walls.—Entrance Passages and Locks.—Jetties, Wharves, and Piers.—Dock Gates and Caissons.—Transit Sheds and Warehouses.—Dock Bridges.—Graving and Repairing Docks.—Working Equipment of Docks.—INDEX.

"We have never seen a more profusely-illustrated treatise. It is a most important standard work, and should be in the hands of all dock and harbour engineers."—*Steamship.*

"Will be of the greatest service to the expert as a book of reference."—*Engineer.*

In Large 8vo. With Folding Plates and Numerous Illustrations. 16s. net.

A COMPANION VOLUME TO "DOCK ENGINEERING."

THE PRINCIPLES AND PRACTICE OF
HARBOUR ENGINEERING.

By BRYSSON CUNNINGHAM.

CONTENTS.—Introductory.—Harbour Design.—Surveying, Marine and Submarine.—Piling.—Stone, Natural and Artificial.—Breakwater Design.—Breakwater Construction.—Pierheads, Quays, and Landing Stages.—Entrance Channels.—Channel Demarcation.—INDEX.

In Large Crown 8vo. Handsome Cloth. 4s. 6d. net.

THE THERMO-DYNAMIC PRINCIPLES OF ENGINE DESIGN.

By LIONEL M. HOBBS,

Engineer-Lieutenant, R.N.; Instructor in Applied Mechanics and Marine Engine Design at the Royal Naval College, Greenwich.

CONTENTS.—Laws and Principles of Thermo-Dynamics.—Hot-Air Engines.—Gas and Oil Engines.—Refrigerating Machines.—Transmission of Power by Compressed Air.—The Steam Engine.—Unresisted Expansion and Flow through Orifices.—Flow of Gases along Pipes.—Steam Injectors and Ejectors.—Steam Turbines.—APPENDICES.—INDEX.

"Serves its purpose admirably . . . should prove of invaluable service . . . well up-to-date."—*Shipping World.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

In Handsome Cloth. With 252 Illustrations. 15s. net.

THE THEORY OF THE STEAM TURBINE.

A Treatise on the Principles of Construction of the Steam Turbine, with Historical Notes on its Development.

BY ALEXANDER JUDE.

CONTENTS.—Fundamental.—Historical Notes on Turbines.—The Velocity of Steam.—Types of Steam Turbines.—Practical Turbines.—The Efficiency of Turbines, Type I.—Trajectory of the Steam.—Efficiency of Turbines, Types II., III. and IV.—Turbine Vanes.—Disc and Vane Friction in Turbines.—Specific Heat of Superheated Steam.—Strength of Rotating Discs.—Governing Steam Turbines.—Steam Consumption of Turbines.—The Whirling of Shafts.—Speed of Turbines.—INDEX.

"One of the latest text-books . . . also one of the best . . . there is absolutely no padding."—*Sir William White* in the *Times* Engineering Supplement.

In Large Crown 8vo. Handsome Cloth. With 131 Illustrations. 6s. net.

LECTURES ON THE MARINE STEAM TURBINE.

BY PROF. J. HARVARD BILES, M.INST.N.A.,

Professor of Naval Architecture in the University of Glasgow.

"This is the best popular work on the marine steam turbine which has yet appeared."—*Steamship.*

Works by BRYAN DONKIN, M.Inst.C.E., M.Inst.Mech.E., &c.

FOURTH EDITION, Revised and Enlarged. With additional Illustrations. Large 8vo, Handsome Cloth. 25s. net.

A TEXT-BOOK ON

GAS, OIL, AND AIR ENGINES.

BY BRYAN DONKIN, M.INST.C.E., M.INST.MECH.E.

CONTENTS.—PART I.—**Gas Engines:** General Description of Action and Parts.—Heat Cycles and Classification of Gas Engines.—History of the Gas Engine.—The Atkinson, Griffin, and Stockport Engines.—The Otto Gas Engine.—Modern British Gas Engines.—Modern French Gas Engines.—German Gas Engines.—Gas Production for Motive Power.—Utilisation of Blast-furnace and Coke-oven Gases for Power.—The Theory of the Gas Engine.—Chemical Composition of Gas in an Engine Cylinder.—Utilisation of Heat in a Gas Engine.—Explosion and Combustion in a Gas Engine.—PART II.—**Petroleum Engines:** The Discovery, Utilisation, and Properties of Oil.—Method of Treating Oil.—Carburators.—Early Oil Engines.—Practical Application of Gas and Oil Engines.—PART III.—**Air Engines.**—APPENDICES.—INDEX.

"The best book now published on Gas, Oil, and Air Engines."—*Engineer.*

In Quarto, Handsome Cloth. With Numerous Plates. 25s.

THE HEAT EFFICIENCY OF STEAM BOILERS

(LAND, MARINE, AND LOCOMOTIVE).

BY BRYAN DONKIN, M.INST.C.E.

GENERAL CONTENTS.—Classification of Different Types of Boilers.—425 Experiments on English and Foreign Boilers with their Heat Efficiencies shown in Fifty Tables.—Fire Grates of Various Types.—Mechanical Stokers.—Combustion of Fuel in Boilers.—Transmission of Heat through Boiler Plates, and their Temperature.—Feed Water Heaters, Superheaters, Feed Pumps, &c.—Smoke and its Prevention.—Instruments used in Testing Boilers.—Marine and Locomotive Boilers.—Fuel Testing Stations.—Discussion of the Trials and Conclusions.—On the Choice of a Boiler, and Testing of Land, Marine, and Locomotive Boilers.—Appendices.—Bibliography.—INDEX.

"Probably the MOST EXHAUSTIVE *resumé* that has ever been collected. A PRACTICAL BOOK by a thoroughly practical man."—*Iron and Coal Trades Review.*

Digitized by Google

FOURTH EDITION, Revised. Pocket-Size, Leather, 12s. 6d.

BOILERS, MARINE AND LAND:

THEIR CONSTRUCTION AND STRENGTH.

A HANDBOOK OF RULES, FORMULÆ, TABLES, &C., RELATIVE TO MATERIAL, SCANTLINGS, AND PRESSURES, SAFETY VALVES, SPRINGS, FITTINGS AND MOUNTINGS, &C.

FOR THE USE OF ENGINEERS, SURVEYORS, BOILER-MAKERS, AND STEAM USERS.

BY T. W. TRAILL, M. INST. C. E., F. E. R. N.,

Late Engineer Surveyor-in-Chief to the Board of Trade.

"Contains an ENORMOUS QUANTITY OF INFORMATION arranged in a very convenient form. . . A MOST USEFUL VOLUME . . . supplying information to be had nowhere else."—*The Engineer.*

FIFTH EDITION. Large Crown 8vo. With numerous Illustrations. 6s. net.

ENGINE-ROOM PRACTICE:

A Handbook for Engineers and Officers in the Royal Navy and Mercantile Marine, including the Management of the Main and Auxiliary Engines on Board Ship.

BY JOHN G. LIVERSIDGE, R.N., A.M.I.C.E.

Contents.—General Description of Marine Machinery.—The Conditions of Service and Duties of Engineers of the Royal Navy.—Entry and Conditions of Service of Engineers of the Leading S.S. Companies.—Raising Steam.—Duties of a Steaming Watch on Engines and Boilers.—Shutting off Steam.—Harbour Duties and Watches.—Adjustments and Repairs of Engines.—Preservation and Repairs of "Tank" Boilers.—The Hull and its Fittings.—Cleaning and Painting Machinery.—Reciprocating Pumps, Feed Heaters, and Automatic Feed-Water Regulators.—Evaporators.—Steam Boats.—Electric Light Machinery.—Hydraulic Machinery.—Air-Compressing Pumps.—Refrigerating Machines.—Machinery of Destroyers.—The Management of Water-Tube Boilers.—Regulations for Entry of Assistant Engineers, R.N.—Questions given in Examinations for Promotion of Engineers, R.N.—Regulations respecting Board of Trade Examinations for Engineers, &c.

"This VERY USEFUL BOOK. . . . ILLUSTRATIONS are of GREAT IMPORTANCE in a work of this kind, and it is satisfactory to find that SPECIAL ATTENTION has been given in this respect."—*Engineers' Gazette.*

FIFTH EDITION, Thoroughly Revised and Greatly Enlarged. With Numerous Illustrations. Price 10s. 6d.

VALVES AND VALVE-GEARING:

A Practical Text-book for the use of Engineers, Draughtsmen, and Students.

BY CHARLES HURST, PRACTICAL DRAUGHTSMAN.

PART I.—Steam Engine Valves.
PART II.—Gas Engine Valves and Gears.
PART III.—Air Compressor Valves and Gearing.
PART IV.—Pump Valves.

"MR. HURST'S VALVES and VALVE-GEARING will prove a very valuable aid, and tend to the production of Engines of SCIENTIFIC DESIGN and ECONOMICAL WORKING. . . . Will be largely sought after by Students and Designers."—*Marine Engineer.*

"As a practical treatise on the subject, the book stands without a rival."—*Mechanical World.*

Hints on Steam Engine Design and Construction. By CHARLES HURST, "Author of Valves and Valve Gearing." SECOND EDITION, Revised. In Paper Boards, 8vo., Cloth Back. Illustrated. Price 1s. 6d. net.

CONTENTS.—I. Steam Pipes.—II. Valves.—III. Cylinders.—IV. Air Pumps and Condensers.—V. Motion Work.—VI. Crank Shafts and Pedestals.—VII. Valve Gear.—VIII. Lubrication.—IX. Miscellaneous Details.—INDEX.

"A handy volume which every practical young engineer should possess."—*The Modern Engineer.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

SECOND EDITION, Revised. With numerous Plates reduced from Working Drawings and 280 Illustrations in the Text. 21s.

A MANUAL OF
LOCOMOTIVE ENGINEERING:

A Practical Text-Book for the Use of Engine Builders, Designers and Draughtsmen, Railway Engineers, and Students.

BY WILLIAM FRANK PETTIGREW, M.INST.C.E.

With a Section on American and Continental Engines.

BY ALBERT F. RAVENSHEAR, B.SC.,

Of His Majesty's Patent Office.

Contents.—Historical Introduction, 1763-1863.—Modern Locomotives: Simple.—Modern Locomotives: Compound.—Primary Consideration in Locomotive Design.—Cylinders, Steam Chests, and Stuffing Boxes.—Pistons, Piston Rods, Crossheads, and Slide Bars.—Connecting and Coupling Rods.—Wheels and Axles, Axle Boxes, Hornblocks, and Bearing Springs.—Balancing.—Valve Gear.—Slide Valves and Valve Gear Details.—Framing, Bogies and Axle Trucks, Radial Axle Boxes.—Boilers.—Smokebox, Blast Pipe, Firebox Fittings.—Boiler Mountings.—Tenders.—Railway Brakes.—Lubrication.—Consumption of Fuel, Evaporation and Engine Efficiency.—American Locomotives.—Continental Locomotives.—Repairs, Running, Inspection, and Renewals.—Three Appendices.—Index.

"The work CONTAINS ALL THAT CAN BE LEARNT from a book upon such a subject. It will at once rank as THE STANDARD WORK UPON THIS IMPORTANT SUBJECT."—*Railway Magazine.*

In Large 8vo. Fully Illustrated. 8s. 6d. net.

LOCOMOTIVE COMPOUNDING AND SUPERHEATING.

BY J. F. GAIRNS.

CONTENTS.—Introductory.—Compounding and Superheating for Locomotives.—A Classification of Compound Systems for Locomotives.—The History and Development of the Compound Locomotive.—Two-Cylinder Non-Automatic Systems.—Two-Cylinder Automatic Systems.—Other Two-Cylinder Systems.—Three-Cylinder Systems.—Four-Cylinder Tandem Systems.—Four-Cylinder Two-Crank Systems (other than Tandem).—Four-Cylinder Balanced Systems.—Four-Cylinder Divided and Balanced Systems.—Articulated Compound Engines.—Triple-Expansion Locomotives.—Compound Rack Locomotives.—Concluding Remarks Concerning Compound Locomotives.—The Use of Superheated Steam for Locomotives.—INDEX.

"A welcome addition to the library of the railway engineer."—*Engineering Times.*

In Large 8vo. Handsome Cloth. With Plates and Illustrations. 16s.

LIGHT RAILWAYS

AT HOME AND ABROAD.

BY WILLIAM HENRY COLE, M.INST.C.E.,

Late Deputy-Manager, North-Western Railway, India.

Contents.—Discussion of the Term "Light Railways."—English Railways, Rates, and Farmers.—Light Railways in Belgium, France, Italy, other European Countries, America and the Colonies, India, Ireland.—Road Transport as an alternative.—The Light Railways Act, 1896.—The Question of Gauge.—Construction and Working.—Locomotives and Rolling-Stock.—Light Railways in England, Scotland, and Wales.—Appendices and Index.

"Will remain, for some time yet a STANDARD WORK in everything relating to Light Railways."—*Engineer.*

"The whole subject is EXHAUSTIVELY and PRACTICALLY considered. The work can be cordially recommended as INDISPENSABLE to those whose duty it is to become acquainted with one of the prime necessities of the immediate future."—*Railway Official Gazette.*

Digitized by Google

In Crown 8vo. Handsome Cloth. Fully Illustrated. 6s. net.

PRACTICAL CALCULATIONS FOR ENGINEERS.

BY CHARLES E. LARARD,

A.M.Inst.C.E., M.I.Mech.E., Wh.Exh.,
Head of the Mechanical Engineering Department at the Northampton Institute, London, E.C.

AND H. A. GOLDING, A.M.I.Mech.E.

CONTENTS.—SECTION I.—Contracted Methods of Calculation.—Technical Mensuration.—Practical Calculation by Logarithms.—The Slide Rule and its Applications.—Squared Paper and its Uses. SECTION II.—Pulleys and Wheels in Train.—Speed Ratios and Practical Examples.—Principle of Moments Applied to Practical Problems.—Work and Power.—Energy and Speed Fluctuations.—Transmission of Work through Machines.—Friction and Efficiency.—Transmission of Power.—Shafting.—Motion on a Circle.—Momentum, Acceleration, and Force Action. SECTION III.—Temperature Scales.—Units of Heat.—Specific Heat.—Heat and Work.—Heat Value of Fuels.—Heat Losses in Engine and Boiler Plant.—Properties of Steam.—Moisture and Dryness Fraction.—Steam and Fuel Calculations.—Boiler Efficiency.—Size of Boiler.—Engine Calculations.—Power, Indicated and Brake.—Calculations for Dimensions.—Steam Consumption and Willans Law.—Efficiencies, Comparative Costs of Power Production.—Commercial Efficiency. SECTION IV.—The Commercial side of Engineering.—Calculation of Weights.—Division of Costs, Material and Labour, Shop Charges and Establishment Charges.—Estimates.—Profit.—Use of Squared Paper in the Estimating Department and to the General Management.

"Exactly what it should be in order to make it useful to students and practitioners of engineering."—*Manchester Guardian.*

SIXTH EDITION. Folio, strongly half-bound, 21s.

TRAVERSE TABLES:

Computed to Four Places of Decimals for every Minute of Angle up to 100 of Distance.

For the Use of Surveyors and Engineers.

BY RICHARD LLOYD GURDEN,

Authorised Surveyor for the Governments of New South Wales and Victoria.

*** *Published with the Concurrence of the Surveyors-General for New South Wales and Victoria.*

"Those who have experience in exact SURVEY-WORK will best know how to appreciate the enormous amount of labour represented by this valuable book. The computations enable the user to ascertain the sines and cosines for a distance of twelve miles to within half an inch, and this BY REFERENCE TO BUT ONE TABLE, in place of the usual Fifteen minute computations required. This alone is evidence of the assistance which the Tables ensure to every user, and as every Surveyor in active practice has felt the want of such assistance FEW KNOWING OF THEIR PUBLICATION WILL REMAIN WITHOUT THEM."
—*Engineer*

Strongly Bound in Super Royal 8vo. Cloth Boards. 7s. 6d. net.

BONUS TABLES:

For Calculating Wages on the Bonus or Premium Systems.

For Engineering, Technical and Allied Trades.

BY HENRY A. GOLDING, A.M.INST.M.E.,

Technical Assistant to Messrs. Bryan Donkin and Clench, Ltd., and Assistant Lecturer in Mechanical Engineering at the Northampton Institute, London, E.C.

"Cannot fail to prove practically serviceable to those for whom they have been designed."—*Scotsman.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

SECOND EDITION. Large 8vo, Handsome Cloth. With Illustrations, Tables, &c. 21s. net.

Lubrication & Lubricants:

A Treatise on the Theory and Practice of Lubrication, and on the Nature, Properties, and Testing of Lubricants.

BY

LEONARD ARCHBUTT, F.I.C., F.C.S.,
Chemist to the Mid. Ry. Co.

AND

R. M. DEELEY, M.I.Mech.E., F.G.S.
Chief Loco. Super., Mid. Ry. Co.

CONTENTS.—I. Friction of Solids.—II. Liquid Friction or Viscosity, and Plastic Friction.—III. Superficial Tension.—IV. The Theory of Lubrication.—V. Lubricants, their Sources, Preparation, and Properties.—VI. Physical Properties and Methods of Examination of Lubricants.—VII. Chemical Properties and Methods of Examination of Lubricants.—VIII. The Systematic Testing of Lubricants by Physical and Chemical Methods.—IX. The Mechanical Testing of Lubricants.—X. The Design and Lubrication of Bearings.—XI. The Lubrication of Machinery.—INDEX.

"Contains practically ALL THAT IS KNOWN on the subject. Deserves the careful attention of all Engineers."—*Railway Official Gazette.*

FOURTH EDITION. *Very fully Illustrated. Cloth,* 4s. 6d.

STEAM - BOILERS:

THEIR DEFECTS, MANAGEMENT, AND CONSTRUCTION,

BY R. D. MUNRO,

Chief Engineer of the Scottish Boiler Insurance and Engine Inspection Company,

"A valuable companion for workmen and engineers engaged about Steam Boilers, ought to be carefully studied, and ALWAYS AT HAND."—*Coll. Guardian.*

BY THE SAME AUTHOR.

KITCHEN BOILER EXPLOSIONS: Why

they Occur, and How to Prevent their Occurrence. A Practical Handbook based on Actual Experiment. With Diagram and Coloured Plate. 3s.

In Crown 8vo, Cloth. Fully Illustrated. 5s. *net.*

EMERY GRINDING MACHINERY.

A Text-Book of Workshop Practice in General Tool Grinding, and the Design, Construction, and Application of the Machines Employed.

BY R. B. HODGSON, A.M.INST.MECH.E.

"Eminently practical . . . cannot fail to attract the notice of the users of this class of machinery, and to meet with careful perusal."—*Chem. Trade Journal.*

FIFTH EDITION. In Two Parts, Published Separately.

A TEXT-BOOK OF

Engineering Drawing and Design.

BY SIDNEY H. WELLS, WH.SC., A.M.I.C.E., A.M.I.MECH.E.

VOL. I.—PRACTICAL GEOMETRY, PLANE, AND SOLID. 4s. 6d.

VOL. II.—MACHINE AND ENGINE DRAWING AND DESIGN. 4s. 6d.

With many Illustrations, specially prepared for the Work, and numerous Examples, for the Use of Students in Technical Schools and Colleges.

"A CAPITAL TEXT-BOOK, arranged on an EXCELLENT SYSTEM, calculated to give an intelligent grasp of the subject, and not the mere faculty of mechanical copying. . . . Mr. Wells shows how to make COMPLETE WORKING-DRAWINGS, discussing fully each step in the design."—*Electrical Review*

Digitized by Google

IN THREE PARTS. Crown 8vo, Handsome Cloth. Very Fully Illustrated.

MOTOR-CAR MECHANISM AND MANAGEMENT.

BY W. POYNTER ADAMS, M.INST.E.E.

PART I.—THE PETROL CAR. 5s. net.

SECOND EDITION. With important new Appendix, illustrating and defining parts of actual cars in use.

Contents.—SECTION I.—THE MECHANISM OF THE PETROL CAR.—The Engine.—The Engine Accessories.—Electrical Ignition and Accessories.—Multiple Cylinder Engines.—The Petrol.—The Chassis and Driving Gear.—SECTION II.—THE MANAGEMENT OF THE PETROL CAR.—The Engine.—The Engine Accessories.—Electrical Ignition.—The Chassis and Driving Gear.—General Management.—APPENDIX.—GLOSSARY.—INDEX.

"Should be carefully studied by those who have anything to do with motors."—*Automobile and Carriage Builders' Journal.*

*** PART II. The Electrical Car, and PART III. The Steam Car will be issued shortly.

In Large 8vo. Handsome Cloth. Very Fully Illustrated. 18s. net

A MANUAL OF PETROL MOTORS AND MOTOR-CARS.

Comprising the Designing, Construction, and Working of Petrol Motors.

By F. STRICKLAND.

GENERAL CONTENTS.—PART I.: ENGINES.—Historical.—Power Required.—General Arrangement of Engines.—Ignition.—Carburettors.—Cylinders, Pistons, Valves, &c.—Crank Shafts, Crank Chambers, Cams, Runners, Guides, &c.—Pumps.—Flywheels.—Pipe Arrangements.—Silencers.—Engine Control, Balancing.—Motor Cycle Engines.—Marine Motors.—Two-Cycle Motors.—Paraffin Carburettors.—Gas Producers. PART II.: CARS.—General Arrangements.—Clutches.—Transmission.—Differential Gears.—Universal Joints.—Axles.—Springs.—Radius Rods.—Brakes.—Wheels.—Frames.—Steering Gear.—Radiator.—Steps, Mudguards, Bonnets, &c.—Lubrication.—Ball Bearings.—Bodies.—Factors of Safety.—Calculations of Stresses.—Special Change Speed Gears.—Special Cars.—Commercial Vehicles.—Racing Cars.—INDEX.

"Thoroughly practical and scientific. . . . We have pleasure in recommending it to all."—*Mechanical Engineer.*

In Large 8vo. Cloth. Fully Illustrated. 10s. 6d. net.

THE PROBLEM OF FLIGHT.

BY HERBERT CHATLEY, B.SC.(ENG.), LONDON,
Lecturer in Applied Mechanics, Portsmouth Technical Institute.

CONTENTS.—The Problem of Flight.—The Helix.—The Aëroplane.—The Aviplane.—Dirigible Baloons.—Form and Fittings of the Airship.—APPENDICES (*The Possibility of Flight, Weight, A Flexible Wing, Theory of Balance, Bibliography*).—INDEX.

"An epitome of the knowledge available on the subject."—*Scotsman.*

In Crown 8vo. Handsome Cloth. With 105 Illustrations. 5s. net.

MECHANICAL ENGINEERING FOR BEGINNERS.

BY R. S. MCLAREN.

CONTENTS.—Materials.—Bolts and Nuts, Studs, Set Screws.—Boilers.—Steam Raising Accessories.—Steam Pipes and Valves.—The Steam Engine.—Power Transmission.—Condensing Plant.—The Steam Turbine.—Electricity.—Hydraulic Machinery.—Gas and Oil Engines.—Strength of Beams, and Useful Information.—INDEX.

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

WORKS BY

ANDREW JAMIESON, M.INST.C.E., M.I.E.E., F.R.S.E.,

Formerly Professor of Electrical Engineering, The Glas. and W. of Scot. Tech. Coll.

PROFESSOR JAMIESON'S ADVANCED TEXT-BOOKS.

In Large Crown 8vo. Fully Illustrated.

STEAM AND STEAM-ENGINES, INCLUDING TURBINES AND BOILERS. For the Use of Engineers and for Students preparing for Examinations. With 800 pp., over 400 Illustrations, 11 Plates, many B. of E., C. and G., Questions and Answers, and all Inst. C.E. Exams. on *Theory of Heat Engines.* FIFTEENTH EDITION, Revised. 10s. 6d.

"The BEST BOOK yet published for the use of Students."—*Engineer.*

APPLIED MECHANICS & MECHANICAL ENGINEERING. *Including All the Inst. C.E. Exams.* in (1) Applied Mechanics; (2) Strength and Elasticity of Materials; (3a) Theory of Structures; (ii) Theory of Machines; Hydraulics. Also B. of E.; C. and G. Questions.

Vol. I.—Comprising 568 pages, 300 Illustrations, and Questions: Part I., The Principle of Work and its Applications; Part II.: Friction, Lubrication of Bearings, &c.; Different kinds of Gearing and their Applications to Workshop Tools, &c. FIFTH EDITION. 8s. 6d.

"FULLY MAINTAINS the reputation of the Author."—*Pract. Engineer.*

Vol. II.—Comprising Parts III. to VI., with over 800 pages, 371 Illustrations; Motion and Energy, Theory of Structures or Graphic Statics; Strength and Elasticity of Materials; Hydraulics and Hydraulic Machinery. FIFTH EDITION. 12s. 6d.

"WELL AND LUCIDLY WRITTEN."—*The Engineer.*

*** *Each of the above volumes is complete in itself, and sold separately.*

PROFESSOR JAMIESON'S INTRODUCTORY MANUALS

Crown 8vo. With Illustrations and Examination Papers.

STEAM AND THE STEAM-ENGINE (Elementary Manual of). For First-Year Students, forming an Introduction to the Author's larger Work. ELEVENTH EDITION, Revised and Enlarged. 3/6.

"Should be in the hands of EVERY engineering apprentice."—*Practical Engineer.*

MAGNETISM AND ELECTRICITY (Practical Elementary Manual of). For First-Year Students. With Stud. Inst. C.E. and B. of E. Exam. Questions. SEVENTH EDITION, Revised and Enlarged. 3/6.

"A THOROUGHLY TRUSTWORTHY Text-book. PRACTICAL and clear."—*Nature.*

APPLIED MECHANICS (Elementary Manual of). For First-Year Students. With B. of E., C. and G.; and Stud. Inst. C.E. Questions. EIGHTH EDITION, Revised and Greatly Enlarged. 3/6.

"The work has VERY HIGH QUALITIES, which may be condensed into the one word 'CLEAR.'"—*Science and Art.*

A POCKET-BOOK of ELECTRICAL RULES and TABLES. For the Use of Electricians and Engineers. By JOHN MUNRO, C.E., and Prof. JAMIESON. Pocket Size. Leather, 8s. 6d. EIGHTEENTH EDITION. [See p. 49.

Digitized by Google

WORKS BY W. J. MACQUORN RANKINE, LL.D., F.R.S.

Thoroughly Revised by W. J. MILLAR, C.E.

A MANUAL OF APPLIED MECHANICS: Comprising the Principles of Statics and Cinematics, and Theory of Structures, Mechanism, and Machines. With Numerous Diagrams. Crown 8vo, Cloth. SEVENTEENTH EDITION. 12s. 6d.

A MANUAL OF CIVIL ENGINEERING: Comprising Engineering Surveys, Earthwork, Foundations, Masonry, Carpentry, Metal Work, Roads, Railways, Canals, Rivers, Waterworks, Harbours, &c. With Numerous Tables and Illustrations. Crown 8vo, Cloth. TWENTY-THIRD EDITION. 16s.

A MANUAL OF MACHINERY AND MILLWORK: Comprising the Geometry, Motions, Work, Strength, Construction, and Objects of Machines, &c. With nearly 300 Illustrations. Crown 8vo, Cloth. SEVENTH EDITION. 12s. 6d.

A MANUAL OF THE STEAM-ENGINE AND OTHER PRIME MOVERS. With a Section on GAS, OIL, and AIR ENGINES, by BRYAN DONKIN, M.Inst.C.E. With Folding Plates and Numerous Illustrations. Crown 8vo, Cloth. SEVENTEENTH EDITION. 12s. 6d.

USEFUL RULES AND TABLES: For Architects, Builders, Engineers, Founders, Mechanics, Shipbuilders, Surveyors, &c. With APPENDIX for the use of ELECTRICAL ENGINEERS. By Professor JAMIESON, M.Inst.C.E., M.I.E.E. SEVENTH EDITION. 10s. 6d.

A MECHANICAL TEXT-BOOK: A Practical and Simple Introduction to the Study of Mechanics. By Professor RANKINE and E. F. BAMBER, C.E. With Numerous Illustrations. Crown 8vo, Cloth. FIFTH EDITION. 9s.

*** *The* "MECHANICAL TEXT-BOOK" *was designed by* Professor RANKINE *as an* INTRODUCTION *to the above Series of Manuals.*

MISCELLANEOUS SCIENTIFIC PAPERS. Part I. Temperature, Elasticity, and Expansion of Vapours, Liquids, and Solids. Part II. Energy and its Transformations. Part III. Wave-Forms, Propulsion of Vessels, &c. With Memoir by Professor TAIT, M.A. With fine Portrait on Steel, Plates, and Diagrams. Royal 8vo. Cloth. 31s. 6d.

"No more enduring Memorial of Professor Rankine could be devised than the publication of these papers in an accessible form. . . . The Collection is most valuable on account of the nature of his discoveries, and the beauty and completeness of his analysis." —*Architect.*

Digitized by Google

THIRD EDITION, *Thoroughly Revised and Enlarged. With 60 Plates and Numerous Illustrations. Handsome Cloth. 34s.*

HYDRAULIC POWER

AND

HYDRAULIC MACHINERY.

BY

HENRY ROBINSON, M. INST. C.E., F.G.S.,

FELLOW OF KING'S COLLEGE, LONDON; PROF. EMERITUS OF CIVIL ENGINEERING, KING'S COLLEGE, ETC., ETC.

CONTENTS —Discharge through Orifices.—Flow of Water through Pipes.—Accumulators. —Presses and Lifts.—Hoists.—Rams.—Hydraulic Engines.—Pumping Engines.—Capstans. — Traversers. — Jacks. — Weighing Machines. — Riveters and Shop Tools. — Punching, Shearing, and Flanging Machines. — Cranes. — Coal Discharging Machines. — Drills and Cutters.—Pile Drivers, Excavators, &c.—Hydraulic Machinery applied to Bridges, Dock Gates, Wheels and Turbines.—Shields. — Various Systems and Power Installations — Meters, &c.—INDEX.

"The standard work on the application of water power."—*Cassier's Magazine.*

Second Edition, Greatly Enlarged. With Frontispiece, several Plates, and over 250 Illustrations. 21s. net.

THE PRINCIPLES AND CONSTRUCTION OF

PUMPING MACHINERY

(STEAM AND WATER PRESSURE).

With Practical Illustrations of ENGINES and PUMPS applied to MINING, TOWN WATER SUPPLY, DRAINAGE of Lands, &c., also Economy and Efficiency Trials of Pumping Machinery.

BY **HENRY DAVEY,**

Member of the Institution of Civil Engineers, Member of the Institution of Mechanical Engineers, F.G.S., &c.

CONTENTS —Early History of Pumping Engines—Steam Pumping Engines—Pumps and Pump Valves—General Principles of Non-Rotative Pumping Engines—The Cornish Engine, Simple and Compound—Types of Mining Engines—Pit Work—Shaft Sinking—Hydraulic Transmission of Power in Mines—Electric Transmission of Power—Valve Gears of Pumping Engines — Water Pressure Pumping Engines — Water Works Engines — Pumping Engine Economy and Trials of Pumping Machinery—Centrifugal and other Low-Lift Pumps—Hydraulic Rams, Pumping Mains, &c.—INDEX.

"By the 'one English Engineer who probably knows more about Pumping Machinery than ANY OTHER.' . . . A VOLUME RECORDING THE RESULTS OF LONG EXPERIENCE AND STUDY."—*The Engineer.*

"Undoubtedly THE BEST AND MOST PRACTICAL TREATISE on Pumping Machinery THAT HAS YET BEEN PUBLISHED."—*Mining Journal.*

Digitized by Google

AT PRESS. In Large 8vo. Handsome Cloth. Profusely Illustrated.
IN TWO VOLUMES, Each Complete in itself, and
SOLD SEPARATELY.

THE DESIGN

AND

CONSTRUCTION OF SHIPS.

BY JOHN HARVARD BILES, M.INST.N.A.,

Professor of Naval Architecture in Glasgow University.

CONTENTS OF VOLUME I.—PART I.: General Considerations.—Methods of Determination of the Volume and Centre of Gravity of a known Solid.—Graphic Rules for Integration.—Volumes and Centre of Gravity of Volumes.—Delineation and Descriptive Geometry of a Ship's Form.—Description and Instances of Ship's Forms.—Description of Types of Ships. PART II.: Calculation of Displacement, Centre of Buoyancy and Areas.—Metacentres.—Trim.—Coefficients and Standardising.—Results of Ship Calculations.—Instruments Used to Determine Areas, Moments, and Moments of Inertia of Plane Curves.—Cargo Capacities.—Effects on Draught, Trim, and Initial Stability due to Flooding Compartments.—Tonnage.—Freeboard.—Launching.—Application of the Integraph to Ship Calculations.—Straining due to Unequal Longitudinal Distribution of Weight and Buoyancy.—Consideration of Stresses in a Girder.—Application of Stress Formulæ to the Section of a Ship.—Shearing Forces and Bending Moments on a Ship amongst Waves.—Stresses on the Structure when Inclined to the Upright or to the Line of Advance of the Waves.—Distribution of Pressure on the Keel Blocks of a Vessel in Dry Dock.—Consideration of Compression in Ship Structure.

BY PROFESSOR BILES.

LECTURES ON THE MARINE STEAM TURBINE.

With 131 Illustrations. Price 6s. net.

See page 28.

Royal 8vo, Handsome Cloth. With numerous Illustrations and Tables. 25s.

THE STABILITY OF SHIPS.

BY

SIR EDWARD J. REED, K.C.B., F.R.S., M.P.,

KNIGHT OF THE IMPERIAL ORDERS OF ST. STANILAUS OF RUSSIA; FRANCIS JOSEPH OF AUSTRIA; MEDJIDIE OF TURKEY; AND RISING SUN OF JAPAN; VICE-PRESIDENT OF THE INSTITUTION OF NAVAL ARCHITECTS.

"Sir EDWARD REED'S 'STABILITY OF SHIPS' is INVALUABLE. The NAVAL ARCHITECT will find brought together and ready to his hand, a mass of information which he would otherwise have to seek in an almost endless variety of publications, and some of which he would possibly not be able to obtain at all elsewhere."—*Steamship.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

WORKS BY THOMAS WALTON, NAVAL ARCHITECT.

FOURTH EDITION. Illustrated with Plates, Numerous Diagrams, and Figures in the Text.

STEEL SHIPS:

THEIR CONSTRUCTION AND MAINTENANCE.

A Manual for Shipbuilders, Ship Superintendents, Students, and Marine Engineers.

BY THOMAS WALTON, NAVAL ARCHITECT,

AUTHOR OF "KNOW YOUR OWN SHIP."

CONTENTS.—I. Manufacture of Cast Iron, Wrought Iron, and Steel.—Composition of Iron and Steel, Quality, Strength, Tests, &c. II. Classification of Steel Ships. III. Considerations in making choice of Type of Vessel.—Framing of Ships. IV. Strains experienced by Ships.—Methods of Computing and Comparing Strengths of Ships. V. Construction of Ships.—Alternative Modes of Construction.—Types of Vessels.—Turret, Self Trimming, and Trunk Steamers, &c.—Rivets and Rivetting, Workmanship. VI. Pumping Arrangements. VII. Maintenance.—Prevention of Deterioration in the Hulls of Ships.—Cement, Paint, &c.—INDEX.

"So thorough and well written is every chapter in the book that it is difficult to select any of them as being worthy of exceptional praise. Altogether, the work is excellent, and will prove of great value to those for whom it is intended."—*The Engineer.*

In Handsome Cloth. Very fully Illustrated. 7s. 6d. net.

PRESENT-DAY SHIPBUILDING.

For Shipyard Students, Ships' Officers, and Engineers.

BY THOS. WALTON.

GENERAL CONTENTS.—Classification.—Materials used in Shipbuilding.—Alternative Modes of Construction.—Details of Construction.—Framing, Plating, Rivetting, Stem Frames, Twin-Screw Arrangements, Water Ballast Arrangements, Loading and Discharging Gear, &c.—Types of Vessels, including Atlantic Liners, Cargo Steamers, Oil carrying Steamers, Turret and other Self Trimming Steamers, &c.—INDEX.

"Simple language . . . clear and easily followed illustrations."—*Times Engineering Supplement.*

"We heartily recommend it to all who have to do with ships."—*Steamship.*

NINTH EDITION. *Illustrated. Handsome Cloth, Crown 8vo. 7s. 6d.*

The Chapters on Tonnage and Freeboard have been brought thoroughly up to date, and embody the latest (1906) Board of Trade Regulations on these subjects.

KNOW YOUR OWN SHIP.

BY THOMAS WALTON, NAVAL ARCHITECT.

Specially arranged to suit the requirements of Ships' Officers, Shipowners, Superintendents, Draughtsmen, Engineers, and Others,

CONTENTS. — Displacement and Deadweight. — Moments. — Buoyancy. — Strain. — Structure. — Stability. — Rolling. — Ballasting. — Loading.—Shifting Cargoes.—Effect of Admission of Water into Ship.—Trim Tonnage.—Freeboard (Load-line).—Calculations.—Set of Calculations from Actual Drawings.—INDEX.

"The work is of the highest value, and all who go down to the sea in ships should make themselves acquainted with it."—*Shipping World* (on the new edition).

Digitized by Google

GRIFFIN'S NAUTICAL SERIES.

EDITED BY EDW. BLACKMORE,
Master Mariner, First Class Trinity House Certificate, Assoc. Inst. N.A.;
AND WRITTEN, MAINLY, by SAILORS for SAILORS.

"THIS ADMIRABLE SERIES."—*Fairplay.* 'A VERY USEFUL SERIES."—*Nature.*

"EVERY SHIP should have the WHOLE SERIES as a REFERENCE LIBRARY. HANDSOMELY BOUND, CLEARLY PRINTED and ILLUSTRATED."—*Liverpool Journ. of Commerce.*

The British Mercantile Marine: An Historical Sketch of its Rise and Development. By the EDITOR, CAPT. BLACKMORE. 3s. 6d.
"Captain Blackmore's SPLENDID BOOK . . . contains paragraphs on every point of interest to the Merchant Marine. The 243 pages of this book are THE MOST VALUABLE to the sea captain that have EVER been COMPILED."—*Merchant Service Review.*

Elementary Seamanship. By D. WILSON-BARKER, Master Mariner, F.R.S.E., F.R.G.S. With numerous Plates, two in Colours, and Frontispiece. FOURTH EDITION, Thoroughly Revised. With additional Illustrations. 6s.
"This ADMIRABLE MANUAL, by CAPT. WILSON BARKER, of the 'Worcester,' seems to us PERFECTLY DESIGNED."—*Athenæum.*

Know Your Own Ship: A Simple Explanation of the Stability, Construction, Tonnage, and Freeboard of Ships. By THOS. WALTON, Naval Architect. NINTH EDITION. 7s. 6d.
"MR. WALTON'S book will be found VERY USEFUL."—*The Engineer.*

Navigation: Theoretical and Practical. By D. WILSON-BARKER and WILLIAM ALLINGHAM. SECOND EDITION, Revised. 3s. 6d.
"PRECISELY the kind of work required for the New Certificates of competency. Candidates will find it INVALUABLE."—*Dundee Advertiser.*

Marine Meteorology: For Officers of the Merchant Navy. By WILLIAM ALLINGHAM, First Class Honours, Navigation, Science and Art Department. With Illustrations and Maps, and *facsimile* reproduction of log page. 7s. 6d.
"Quite the BEST PUBLICATION on this subject."—*Shipping Gazette.*

Latitude and Longitude: How to find them. By W. J. MILLAR, C.E. SECOND EDITION, Revised. 2s.
"Cannot but prove an acquisition to those studying Navigation."—*Marine Engineer.*

Practical Mechanics: Applied to the requirements of the Sailor. By THOS. MACKENZIE, Master Mariner, F.R.A.S. THIRD EDITION, Revised. 3s. 6d.
"WELL WORTH the money . . . EXCEEDINGLY HELPFUL."—*Shipping World.*

Trigonometry: For the Young Sailor, &c. By RICH. C. BUCK, of the Thames Nautical Training College, H.M.S. "Worcester." THIRD EDITION, Revised. Price 3s. 6d.
"This EMINENTLY PRACTICAL and reliable volume."—*Schoolmaster.*

Practical Algebra. By RICH. C. BUCK. Companion Volume to the above, for Sailors and others. SECOND EDITION, Revised. Price 3s. 6d.
"It is JUST THE BOOK for the young sailor mindful of progress."—*Nautical Magazine.*

The Legal Duties of Shipmasters. By BENEDICT WM. GINSBURG, M.A., LL.D., of the Inner Temple and Northern Circuit: Barrister-at-Law. SECOND EDITION, Thoroughly Revised and Enlarged. Price 4s. 6d.
"INVALUABLE to masters. . . . We can fully recommend it '—*Shipping Gazette.*

A Medical and Surgical Help for Shipmasters. Including First Aid at Sea. By WM. JOHNSON SMITH, F.R.C.S., Principal Medical Officer, Seamen's Hospital, Greenwich. THIRD EDITION, Thoroughly Revised. 6s.
"SOUND, JUDICIOUS, REALLY HELPFUL."—*The Lancet.*

Digitized by Google

GRIFFIN'S NAUTICAL SERIES.

Introductory Volume. Price 3s. 6d.

THE

British Mercantile Marine.

BY EDWARD BLACKMORE,

MASTER MARINER; ASSOCIATE OF THE INSTITUTION OF NAVAL ARCHITECTS; MEMBER OF THE INSTITUTION OF ENGINEERS AND SHIPBUILDERS IN SCOTLAND; EDITOR OF GRIFFIN'S "NAUTICAL SERIES."

GENERAL CONTENTS.—HISTORICAL: From Early Times to 1486—Progress under Henry VIII.—To Death of Mary—During Elizabeth's Reign—Up to the Reign of William III.—The 18th and 19th Centuries—Institution of Examinations — Rise and Progress of Steam Propulsion — Development of Free Trade—Shipping Legislation, 1862 to 1875—"Locksley Hall" Case—Shipmasters' Societies—Loading of Ships—Shipping Legislation, 1884 to 1894—Statistics of Shipping. THE PERSONNEL: Shipowners—Officers—Mariners—Duties and Present Position. EDUCATION: A Seaman's Education: what it should be—Present Means of Education—Hints. DISCIPLINE AND DUTY—Postscript—The Serious Decrease in the Number of British Seamen, a Matter demanding the Attention of the Nation.

"INTERESTING and INSTRUCTIVE . . . may be read WITH PROFIT and ENJOYMENT."—*Glasgow Herald.*

"EVERY BRANCH of the subject is dealt with in a way which shows that the writer 'knows the ropes' familiarly."—*Scotsman.*

"This ADMIRABLE book . . . TEEMS with useful information—Should be in the hands of every Sailor."—*Western Morning News.*

FOURTH EDITION, *Thoroughly Revised. With Additional Illustrations. Price 6s.*

A MANUAL OF

ELEMENTARY SEAMANSHIP.

BY

D. WILSON-BARKER, MASTER MARINER; F.R.S.E., F.R.G.S., &c., &c.

YOUNGER BROTHER OF THE TRINITY HOUSE.

With Frontispiece, Numerous Plates (Two in Colours), and Illustrations in the Text.

GENERAL CONTENTS.—The Building of a Ship; Parts of Hull, Masts, &c.—Ropes, Knots, Splicing, &c. — Gear, Lead and Log, &c. — Rigging, Anchors — Sailmaking — The Sails, &c. — Handling of Boats under Sail — Signals and Signalling—Rule of the Road—Keeping and Relieving Watch—Points of Etiquette—Glossary of Sea Terms and Phrases—Index.

*** The volume contains the NEW RULES OF THE ROAD.

"This ADMIRABLE MANUAL, by CAPT. WILSON-BARKER of the 'Worcester,' seems to us PERFECTLY DESIGNED, and holds its place excellently in 'GRIFFIN'S NAUTICAL SERIES.' . . . Although intended for those who are to become Officers of the Merchant Navy, it will be found useful by ALL YACHTSMEN."—*Athenæum.*

*** For complete List of GRIFFIN'S NAUTICAL SERIES, see p. 39.

Digitized by Google

GRIFFIN'S NAUTICAL SERIES.

SECOND EDITION, *Revised and Illustrated. Price 3s. 6d.*

NAVIGATION:

PRACTICAL AND THEORETICAL.

BY DAVID WILSON-BARKER, R.N.R., F.R.S.E., &c., &c.,

AND

WILLIAM ALLINGHAM,

FIRST-CLASS HONOURS, NAVIGATION, SCIENCE AND ART DEPARTMENT.

With Numerous Illustrations and Examination Questions.

GENERAL CONTENTS.—Definitions—Latitude and Longitude—Instruments of Navigation—Correction of Courses—Plane Sailing—Traverse Sailing—Day's Work — Parallel Sailing — Middle Latitude Sailing — Mercator's Chart—Mercator Sailing—Current Sailing—Position by Bearings—Great Circle Sailing—The Tides—Questions—Appendix: Compass Error—Numerous Useful Hints. &c.—Index.

"PRECISELY the kind of work required for the New Certificates of competency in grades from Second Mate to extra Master. . . . Candidates will find it INVALUABLE."—*Dundee Advertiser.*

"A CAPITAL LITTLE BOOK . . . specially adapted to the New Examinations. The Authors are CAPT. WILSON-BARKER (Captain-Superintendent of the Nautical College, H.M.S. 'Worcester,' who has had great experience in the highest problems of Navigation), and MR. ALLINGHAM, a well-known writer on the Science of Navigation and Nautical Astronomy." —*Shipping World.*

Handsome Cloth. Fully Illustrated. Price 7s. 6d.

MARINE METEOROLOGY,

FOR OFFICERS OF THE MERCHANT NAVY.

BY WILLIAM ALLINGHAM,

Joint Author of "Navigation, Theoretical and Practical."

With numerous Plates, Maps, Diagrams, and Illustrations, and a facsimile Reproduction of a Page from an actual Meteorological Log-Book.

SUMMARY OF CONTENTS.

INTRODUCTORY.—Instruments Used at Sea for Meteorological Purposes.—Meteorological Log-Books.—Atmospheric Pressure.—Air Temperatures.—Sea Temperatures.—Winds.—Wind Force Scales.—History of the Law of Storms.—Hurricanes, Seasons, and Storm Tracks.—Solution of the Cyclone Problem.—Ocean Currents.—Icebergs.—Synchronous Charts.—Dew, Mists, Fogs, and Haze.—Clouds.—Rain, Snow, and Hail.—Mirage, Rainbows, Coronas, Halos, and Meteors.—Lightning, Corposants, and Auroras.—QUESTIONS.—APPENDIX.—INDEX.

"Quite the BEST publication, AND certainly the MOST INTERESTING, on this subject ever presented to Nautical men."—*Shipping Gazette.*

*** For Complete List of GRIFFIN'S NAUTICAL SERIES, see p. 39.

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

GRIFFIN'S NAUTICAL SERIES.

THIRD EDITION, REVISED. With Numerous Illustrations. Price 3s. 6d.

Practical Mechanics:

Applied to the Requirements of the Sailor.

BY THOS. MACKENZIE,

Master Mariner, F.R.A.S.

GENERAL CONTENTS.—Resolution and Composition of Forces—Work done by Machines and Living Agents—The Mechanical Powers: The Lever; Derricks as Bent Levers—The Wheel and Axle: Windlass; Ship's Capstan; Crab Winch—Tackles: the "Old Man"—The Inclined Plane; the Screw—The Centre of Gravity of a Ship and Cargo—Relative Strength of Rope: Steel Wire, Manilla, Hemp, Coir—Derricks and Shears—Calculation of the Cross-breaking Strain of Fir Spar—Centre of Effort of Sails—Hydrostatics: the Diving-bell; Stability of Floating Bodies; the Ship's Pump, &c.

"THIS EXCELLENT BOOK . . . contains a LARGE AMOUNT of information."—*Nature.*

"WELL WORTH the money . . . will be found EXCEEDINGLY HELPFUL."—*Shipping World.*

"NO SHIPS' OFFICERS' BOOKCASE will henceforth be complete without CAPTAIN MACKENZIE'S 'PRACTICAL MECHANICS.' Notwithstanding my many years' experience at sea, it has told me *how much more there is to acquire.*"—(Letter to the Publishers from a Master Mariner).

"I must express my thanks to you for the labour and care you have taken in 'PRACTICAL MECHANICS.' . . . IT IS A LIFE'S EXPERIENCE. . . . What an amount we frequently see wasted by rigging purchases without reason and accidents to spars, &c., &c.! 'PRACTICAL MECHANICS' WOULD SAVE ALL THIS."—(Letter to the Author from another Master Mariner).

WORKS BY RICHARD C. BUCK,

of the Thames Nautical Training College, H.M.S. 'Worcester.'

A Manual of Trigonometry:

With Diagrams, Examples, and Exercises. Price 3s. 6d.

THIRD EDITION, Revised and Corrected.

*** Mr. Buck's Text-Book has been SPECIALLY PREPARED with a view to the New Examinations of the Board of Trade, in which Trigonometry is an obligatory subject.

"This EMINENTLY PRACTICAL and RELIABLE VOLUME."—*Schoolmaster.*

A Manual of Algebra.

Designed to meet the Requirements of Sailors and others.

SECOND EDITION, Revised. Price 3s. 6d.

*** These elementary works on ALGEBRA and TRIGONOMETRY are written specially for those who will have little opportunity of consulting a Teacher. They are books for "SELF-HELP." All but the simplest explanations have, therefore, been avoided, and ANSWERS to the Exercises are given. Any person may readily, by careful study, become master of their contents, and thus lay the foundation for a further mathematical course, if desired. It is hoped that to the younger Officers of our Mercantile Marine they will be found decidedly serviceable. The Examples and Exercises are taken from the Examination Papers set for the Cadets of the "Worcester."

"Clearly arranged, and well got up. . . . A first-rate Elementary Algebra."—*Nautical Magazine.*

*** For complete List of GRIFFIN'S NAUTICAL SERIES, see p. 39.

Digitized by Google

GRIFFIN'S NAUTICAL SERIES.

SECOND EDITION, Thoroughly Revised and Extended. In Crown 8vo. Handsome Cloth. Price 4s. 6d.

THE LEGAL DUTIES OF SHIPMASTERS.

BY

BENEDICT WM. GINSBURG, M.A., LL.D. (CANTAB.),
Of the Inner Temple and Northern Circuit; Barrister-at-Law.

General Contents.—The Qualification for the Position of Shipmaster—The Contract with the Shipowner—The Master's Duty in respect of the Crew: Engagement Apprentices; Discipline; Provisions, Accommodation, and Medical Comforts; Payment of Wages and Discharge—The Master's Duty in respect of the Passengers—The Master's Financial Responsibilities—The Master's Duty in respect of the Cargo—The Master's Duty in Case of Casualty—The Master's Duty to certain Public Authorities—The Master's Duty in relation to Pilots, Signals, Flags, and Light Dues—The Master's Duty upon Arrival at the Port of Discharge—Appendices relative to certain Legal Matters: Board of Trade Certificates, Dietary Scales, Stowage of Grain Cargoes, Load Line Regulations, Life-saving Appliances, Carriage of Cattle at Sea, &c., &c.—Copious Index.

"No intelligent Master should fail to add this to his list of necessary books. A few lines of it may SAVE A LAWYER'S FEE, BESIDES ENDLESS WORRY."—*Liverpool Journal of Commerce.*

"SENSIBLE, plainly written, in CLEAR and NON-TECHNICAL LANGUAGE, and will be found of MUCH SERVICE by the Shipmaster."—*British Trade Review.*

SECOND EDITION, Revised. With Diagrams. Price 2s.

Latitude and Longitude:
How to Find them.

BY W. J. MILLAR, C.E.,
Late Secretary to the Inst. of Engineers and Shipbuilders in Scotland.

"CONCISELY and CLEARLY WRITTEN . . . cannot but prove an acquisition to those studying Navigation."—*Marine Engineer.*

"Young Seamen will find it HANDY and USEFUL, SIMPLE and CLEAR."—*The Engineer.*

FIRST AID AT SEA.

THIRD EDITION, Revised. With Coloured Plates and Numerous Illustrations, and comprising the latest Regulations Respecting the Carriage of Medical Stores on Board Ship. Price 6s.

A MEDICAL AND SURGICAL HELP
FOR SHIPMASTERS AND OFFICERS
IN THE MERCHANT NAVY.

BY WM. JOHNSON SMITH, F.R.C.S.,
Principal Medical Officer, Seamen's Hospital, Greenwich.

*** The attention of all interested in our Merchant Navy is requested to this exceedingly useful and valuable work. It is needless to say that it is the outcome of many years PRACTICAL EXPERIENCE amongst Seamen.

"SOUND, JUDICIOUS, REALLY HELPFUL."—*The Lancet.*

*** For Complete List of GRIFFIN'S NAUTICAL SERIES, see p. 39.

Digitized by Google

GRIFFIN'S NAUTICAL SERIES.

NINTH EDITION. *Revised, with Chapters on Trim, Buoyancy, and Calculations. Numerous Illustrations. Handsome Cloth, Crown 8vo. Price 7s. 6d.*

KNOW YOUR OWN SHIP.

BY THOMAS WALTON, NAVAL ARCHITECT.

Specially arranged to suit the requirements of Ships' Officers, Shipowners, Superintendents, Draughtsmen, Engineers, and Others.

This work explains, in a simple manner, such importants ubjects as:—Displacement.—Deadweight.—Tonnage.—Freeboard.—Moments.—Buoyancy.—Strain.—Structure.—Stability.—Rolling.—Ballasting.—Loading.—Shifting Cargoes.—Admission of Water.—Sail Area.—&c.

"The little book will be found EXCEEDINGLY HANDY by most officers and officials connected with shipping. . . . Mr. Walton's work will obtain LASTING SUCCESS, because of its unique fitness for those for whom it has been written."—*Shipping World.*

BY THE SAME AUTHOR.

Steel Ships: Their Construction and Maintenance.

(See page 38.)

SIXTEENTH EDITION, *Thoroughly Revised. Large 8vo, Cloth. pp.* i-xxiv+712. *With* 250 *Illustrations, reduced from Working Drawings, and* 8 *Plates.* 21*s. net.*

A MANUAL OF

MARINE ENGINEERING:

COMPRISING THE DESIGNING, CONSTRUCTION, AND WORKING OF MARINE MACHINERY.

By A. E. SEATON, M.I.C.E., M.I.Mech.E., M.I.N.A.

GENERAL CONTENTS.—PART I.—Principles of Marine Propulsion. PART II.—Principles of Steam Engineering. PART III.—Details of Marine Engines: Design and Calculations for Cylinders, Pistons, Valves, Expansion Valves, &c. PART IV.—Propellers. PART V.—Boilers. PART VI.—Miscellaneous.

"The Student, Draughtsman, and Engineer will find this work the MOST VALUABLE HANDBOOK of Reference on the Marine Engine now in existence."—*Marine Engineer.*

NINTH EDITION, Thoroughly Revised. Pocket-Size, Leather. 8s. 6d.

A POCKET-BOOK OF

MARINE ENGINEERING RULES AND TABLES,

FOR THE USE OF

Marine Engineers, Naval Architects, Designers, Draughtsmen, Superintendents and Others.

BY A. E. SEATON, M.I.C.E., M.I.Mech.E., M.I.N.A.;

AND

H. M. ROUNTHWAITE, M.I.Mech.E., M.I.N.A.

"The best book of its kind, and the information is both up-to-date and reliable."—*Engineer.*

Digitized by Google

WORKS BY PROF. ROBERT H. SMITH, Assoc.M.I.C.E.,

M.I.Mech.E., M.I.El.E., M.I.Min.E., Whit. Sch., M.Ord.Meiji.

SECOND EDITION, *Revised. In Crown 8vo, extra, with Diagrams and Folding-Plate.* 8s. 6d.

THE CALCULUS FOR ENGINEERS AND PHYSICISTS,

Applied to Technical Problems.

WITH EXTENSIVE

CLASSIFIED REFERENCE LIST OF INTEGRALS.

By PROF. ROBERT H. SMITH.

"PROF. R. H. SMITH'S book will be serviceable in rendering a hard road AS EASY AS PRACTICABLE for the non-mathematical Student and Engineer."—*Athenæum.*

"Interesting diagrams, with practical illustrations of actual occurrence, are to be found here in abundance. THE VERY COMPLETE CLASSIFIED REFERENCE TABLE will prove very useful in saving the time of those who want an integral in a hurry."—*The Engineer.*

In 4to, Boards. 7s. 6d.

MEASUREMENT CONVERSIONS

(English and French):

43 GRAPHIC TABLES OR DIAGRAMS, ON 28 PLATES.

Showing at a glance the MUTUAL CONVERSION of MEASUREMENTS in DIFFERENT UNITS

Of Lengths, Areas, Volumes, Weights, Stresses, Densities, Quantities of Work, Horse Powers, Temperatures, &c.

For the use of Engineers, Surveyors, Architects, and Contractors.

*** Prof. SMITH'S CONVERSION-TABLES form the most unique and comprehensive collection ever placed before the profession. By their use much time and labour will be saved, and the chances of error in calculation diminished. It is believed that henceforth no Engineer's Office will be considered complete without them.

THIRD EDITION. Pocket Size, Leather Limp, with Gilt Edges and Rounded Corners, printed on Special Thin Paper, with Illustrations, pp. i-xii + 834. Price 18s. net.

(THE NEW "NYSTROM")

THE MECHANICAL ENGINEER'S REFERENCE BOOK

A Handbook of Tables, Formulæ and Methods for Engineers, Students and Draughtsmen.

BY HENRY HARRISON SUPLEE, B.Sc., M.E.

"We feel sure it will be of great service to mechanical engineers."—*Engineering.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

SECOND EDITION. In Large 8vo. Handsome Cloth. 16s.

CHEMISTRY FOR ENGINEERS.

BY

BERTRAM BLOUNT, F.I.C., F.C.S., A.I.C.E. AND A. G. BLOXAM, F.I.C., F.C.S.

GENERAL CONTENTS.—Introduction—Chemistry of the Chief Materials of Construction—Sources of Energy—Chemistry of Steam-raising—Chemistry of Lubrication and Lubricants—Metallurgical Processes used in the Winning and Manufacture of Metals.

"The authors have SUCCEEDED beyond all expectation, and have produced a work which should give FRESH POWER to the Engineer and Manufacturer."—*The Times.*

By the same Authors, "CHEMISTRY FOR MANUFACTURERS," see p. 71.

THE ELEMENTS OF CHEMICAL ENGINEERING. By J. GROSSMANN, M.A., Ph.D., F.I.C. With a Preface by Sir WILLIAM RAMSAY, K.C.B., F.R.S. In Handsome Cloth. With nearly 50 Illustrations. 3s. 6d. net. [See page 70.

In Demy Quarto. With Diagrams and Worked Problems. 2s. 6d. net.

PROPORTIONAL SET SQUARES

APPLIED TO GEOMETRICAL PROBLEMS.

BY LIEUT.-COL. THOMAS ENGLISH, Late Royal Engineers.

WORKS BY WALTER R. BROWNE, M.A., M.INST.C.E.

THE STUDENT'S MECHANICS:

An Introduction to the Study of Force and Motion.

With Diagrams. Crown 8vo. Cloth, 4s. 6d.

"Clear in style and practical in method, 'THE STUDENT'S MECHANICS' is cordially to be recommended from all points of view."—*Athenæum.*

FOUNDATIONS OF MECHANICS.

Papers reprinted from the *Engineer*. In Crown 8vo, 1s.

Demy 8vo, with Numerous Illustrations, 9s.

FUEL AND WATER:

A Manual for Users of Steam and Water.

BY PROF. FRANZ SCHWACKHÖFER OF VIENNA, AND WALTER R. BROWNE, M.A., C.E.

GENERAL CONTENTS.—Heat and Combustion—Fuel, Varieties of—Firing Arrangements: Furnace, Flues, Chimney—The Boiler, Choice of—Varieties—Feed-water Heaters—Steam Pipes—Water: Composition, Purification—Prevention of Scale, &c., &c.

"The Section on Heat is one of the best and most lucid ever written."—*Engineer.*

Digitized by Google

GRIFFIN'S LOCAL GOVERNMENT HANDBOOKS.

WORKS SUITABLE FOR MUNICIPAL AND COUNTY ENGINEERS, ANALYSTS, AND OTHERS.

See also Davies' *Hygiene*, p. 99, and MacLeod's *Calculations*, p. 110 General Catalogue.

Gas Manufacture (The Chemistry of). A Handbook on the Production, Purification, and Testing of Illuminating Gas, and the Assay of Bye-Products. By W. J. A. BUTTERFIELD, M.A., F.I.C., F.C.S. With Illustrations. FOURTH EDITION, Revised. Vol. I., 7s. 6d. net. Vol. II., *in preparation*. [See page 77.

Water Supply: A Practical Treatise on the Selection of Sources and the Distribution of Water. By REGINALD E. MIDDLETON, M.Inst.C.E., M.Inst.Mech.E., F.S.I With Numerous Plates and Diagrams. Crown 8vo. 8s. 6d. net. [See page 77.

Central Electrical Stations: Their Design, Organisation, and Management. By C. H. WORDINGHAM, A.K.C., M.I.C.E. SECOND EDITION. 24s. net. [See p. 48.

Electricity Control. By LEONARD ANDREWS, A.M.Inst.C.E., M.I.E.E. 12s. 6d. net. [See page 48.

Electricity Meters. By HENRY G. SOLOMON, A.M.Inst.E.E. 16s. net. [See page 49.

Trades' Waste: Its Treatment and Utilisation, with Special Reference to the Prevention of Rivers' Pollution. By W. NAYLOR, F.C.S., A.M.Inst.C.E With Numerous Plates, Diagrams, and Illustrations. 21s. net. [See page 76

Calcareous Cements: Their Nature, Preparation, and Uses. With some Remarks upon Cement Testing. By GILBERT REDGRAVE, Assoc.Inst.C.E., and CHAS. SPACKMAN, F.C.S. SECOND EDITION. With Illustrations, Analytical Data, and Appendices on Costs, &c. 15s. net. [See page 76.

Road Making and Maintenance: A Practical Treatise for Engineers, Surveyors, and others. With an Historical Sketch of Ancient and Modern Practice. By THOMAS AITKEN, Assoc.M.Inst.C.E., &c. SECOND EDITION, Revised and Enlarged. 21s. net. [See page 79.

Light Railways at Home and Abroad. By WILLIAM HENRY COLE, M.Inst.C.E., late Deputy Manager, North-Western Railway, India. Large 8vo, Handsome Cloth, Plates and illustrations. 16s. [See page 30.

Practical Sanitation: A Handbook for Sanitary Inspectors and others interested in Sanitation. By GEO. REID, M.D., D.P.H., Medical Officer, Staffordshire County Council. With Appendix (re-written) on Sanitary Law, by Herbert Manley, M.A., M.B., D.P.H., Barrister-at-Law. THIRTEENTH EDITION, Thoroughly Revised. 6s. [See page 78.

Sanitary Engineering: A Practical Manual of Town Drainage and Sewage and Refuse Disposal. By FRANCIS WOOD, A.M.Inst.C.E., F.G.S. SECOND EDITION, Revised. Fully Illustrated. 8s. 6d. net. [See page 75.

Dairy Chemistry: A Practical Handbook for Dairy Managers, Chemists, and Analysts. By H. DROOP RICHMOND, F.I.C., Chemist to the Aylesbury Dairy Company. SECOND EDITION, Revised. With Tables, Illustrations, &c. Handsome Cloth. [See page 73.

Dairy Analysis: The Laboratory Book of. By H. DROOP RICHMOND, F.I.C. Fully Illustrated, Cloth. 2s. 6d. net. [See page 73.

Milk: Its Production and Uses. With Chapters on Dairy Farming, The Diseases of Cattle, and on the Hygiene and Control of Supplies. By EDWARD F. WILLOUGHBY, M.D. (Lond.), D.P.H. (Lond. and Camb.), 6s. net. [See page 73.

Flesh Foods: With Methods for their Chemical, Microscopical, and Bacteriological Examination. A Handbook for Medical Men, Inspectors, Analysts, and others. By C. AINSWORTH MITCHELL, B.A., F.I.C., Mem. Council Soc. of Public Analysts. With numerous Illustrations and a coloured Plate. 10s. 6d. [See page 74.

Foods: Their Composition and Analysis. By A. WYNTER BLYTH, M.R.C.S., F.C.S., Public Analyst for the County of Devon, and M. W. BLYTH, B.A., B.Sc. With Tables, Folding Plate, and Frontispiece. FIFTH EDITION, Thoroughly Revised. 21s. [See page 72.

Digitized by Google

ELECTRICAL ENGINEERING.

SECOND EDITION, *Revised. In Large 8vo. Handsome Cloth. Profusely Illustrated with Plates, Diagrams, and Figures. 24s. net.*

CENTRAL ELECTRICAL STATIONS:

Their Design, Organisation, and Management.

BY CHAS. H. WORDINGHAM, A.K.C., M.INST.C.E., M.INST.MECH.E.,
Late Memb. of Council Inst. E.E., and Electrical Engineer to the City of Manchester;
Electrical Engineer-in-Chief to the Admiralty.

ABRIDGED CONTENTS.

Introductory.—Central Station Work as a Profession.—As an Investment.—The Establishment of a Central Station.—Systems of Supply.—Site.—Architecture.—Plant.—Boilers.—Systems of Draught and Waste Heat Economy.—Coal Handling, Weighing, and Storing.—The Transmission of Steam.—Generators.—Condensing Appliances.—Switching Gear, Instruments, and Connections.—Distributing Mains.—Insulation, Resistance, and Cost.—Distributing Networks.—Service Mains and Feeders.—Testing Mains.—Meters and Appliances.—Standardising and Testing Laboratory.—Secondary Batteries.—Street Lighting.—Cost.—General Organisation.—Mains Department.—Installation Department.—Standardising Department.—Drawing Office.—Clerical Department.—The Consumer.—Routine and Main Laying.—INDEX.

"One of the MOST VALUABLE CONTRIBUTIONS to Central Station literature we have had for some time."—*Electricity.*

In Large 8vo. Handsome Cloth. Profusely Illustrated. 12s. 6d. net.

ELECTRICITY CONTROL.

A Treatise on Electric Switchgear and Systems of Electric Transmission.

BY LEONARD ANDREWS,
Associate Member of the Institution of Civil Engineers, Member of the Institution of Electrical Engineers, &c

General Principles of Switchgear Design.—Constructional Details.—Circuit Breakers or Arc Interrupting Devices.—Automatically Operated Circuit-Breakers.—Alternating Reverse Current Devices.—Arrangement of 'Bus Bars, and Apparatus for Parallel Running.—General Arrangement of Controlling Apparatus for High Tension Systems.—General Arrangement of Controlling Apparatus for Low Tension Systems.—Examples of Complete Installations.—Long Distance Transmission Schemes.

"Not often does the specialist have presented to him so satisfactory a book as this. . . . We recommend it without hesitation to Central Station Engineers, and, in fact, to anyone interested in the subject."—*Power.*

Large 8vo, Cloth, with 334 Pages and 307 Illustrations. 16s. net.

ELECTRICITY METERS.

BY HENRY G. SOLOMON, A.M.Inst.E.E.

CONTENTS.—Introductory.—General Principles of Continuous-Current Meters.—Continuous-Current Quantity Meters.—Continuous-Energy Motor Meters.—Different Types.—Special Purposes, *i.e.*, Battery Meters, Switchboard Meters, Tramcar Meters.—General Principles of Single- and Polyphase Induction Meters.—Single-phase Induction Meters.—Polyphase Meters.—Tariff Systems.—Prepayment Meters.—Tariff and Hour Meters.—Some Mechanical Features in Meter Design.—Testing Meters.—INDEX.

"An earnest and successful attempt to deal comprehensively with modern methods of measuring current or power in electrical installations."—*Engineering.*

Digitized by Google

In Large Crown 8vo. Handsome Cloth. Fully Illustrated.

TELEGRAPHIC SYSTEMS,
AND OTHER NOTES.

A Handbook of the Principles on which Telegraphic Practice is Based.

BY ARTHUR CROTCH,
Of the Engineer-in-Chief's Department, G.P.O.

CONTENTS.—Batteries, Primary and Secondary.—Morse Systems: Duplex, Diplex, Quadruplex, Multiplex.—Type-Printing Systems: Hughes, Bandot, Murray.—Test and Battery Boxes.—Concentrators.—Intercommunication Systems.—Central Battery Arrangements.—Repeaters, Hughes, Fast Speed, Duplex and Single, Forked: Quadruplex, Forked Quadruplex, Split Quadruplex, and Side Relayed.—Submarine Telegraphy.—Wireless Telegraphy.—Testing: Wheatstone Bridge, Tangent Galvanometer, Morning Test, &c.—Protective Devices, &c.

In Large 8vo. Profusely Illustrated. 8s. 6d. net.

WIRELESS TELEGRAPHY.

BY GUSTAVE EICHHORN, PH.D.

CONTENTS.—Oscillations.—Closed and Open Oscillation Systems.—Coupled Systems.—The Coupling Compensating the Aerial Wire.—The Receiver.—Comparative Measurement in the Sender.—Theoretical Results and Calculations in respect of Sender and Receiver.—Close- and Loose-Coupled Sender and Receiver.—Formulæ.—The Ondameter.—Modern Apparatus and Methods of Working.—Conclusion.—Bibliography.—INDEX.

"Well written . . . and combines with a good deal of description a careful investigation of the fundamental theoretical phenomena."—*Nature.*

EIGHTEENTH EDITION. Leather, Pocket Size, with 764 pages. 8s. 6d.

A POCKET-BOOK OF
ELECTRICAL RULES & TABLES

FOR THE USE OF ELECTRICIANS AND ENGINEERS.

BY JOHN MUNRO, C.E., & PROF. JAMIESON, M.INST.C.E., F.R.S.E.

"WONDERFULLY PERFECT. . . . Worthy of the highest commendation we can give it."—*Electrician.*

GRIFFIN'S ELECTRICAL PRICE-BOOK: For Electrical, Civil, Marine, and Borough Engineers, Local Authorities, Architects, Railway Contractors, &c. Edited by H. J. DOWSING. SECOND EDITION. 8s. 6d.

ELECTRIC SMELTING AND REFINING. By Dr. W. BORCHERS and W. G. MCMILLAN. [See page 67.

ELECTRO-METALLURGY, A Treatise on. By WALTER G. MCMILLAN, F.I.C., F.C.S. [See page 67.

ELECTRICAL PRACTICE IN COLLIERIES. By D. BURNS, M.E., M.Inst.M.E. [See page 56.

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

By PROFESSORS J. H. POYNTING & J. J. THOMSON.

In Five Volumes. Large 8vo. Sold Separately.

A TEXT-BOOK OF PHYSICS.

BY

J. H. POYNTING, SC.D., F.R.S., Late Fellow of Trinity College, Cambridge; Professor of Physics, Birmingham University.

AND

J. J. THOMSON, M.A., F.R.S., Fellow of Trinity College, Cambridge; Prof. of Experimental Physics in the University of Cambridge.

INTRODUCTORY VOLUME. FOURTH EDITION, Revised. Fully Illustrated. 10s. 6d.

PROPERTIES OF MATTER.

CONTENTS.—Gravitation.—The Acceleration of Gravity.—Elasticity.—Stresses and Strains.—Torsion.—Bending of Rods.—Spiral Springs.—Collision.—Compressibility of Liquids.—Pressures and Volumes of Gases.—Thermal Effects Accompanying Strain.—Capillarity.—Surface Tension.—Laplace's Theory of Capillarity.—Diffusion of Liquids—Diffusion of Gases.—Viscosity of Liquids.—INDEX.

"Students of physics cannot fail to derive benefit from the book."—*Knowledge.*

"We regard this book as quite indispensable not merely to teachers but to physicists of every ade above the lowest."—*University Correspondent.*

VOLUME II. FOURTH EDITION. Fully Illustrated. Price 8s. 6d

SOUND.

CONTENTS.—The Nature of Sound and its chief Characteristics.—The Velocity of Sound in Air and other Media.—Reflection and Refraction of Sound.—Frequency and Pitch of Notes.—Resonance and Forced Oscillations.—Analysis of Vibrations.—The Transverse Vibrations of Stretched Strings or Wires.—Pipes and other Air Cavities.—Rods.—Plates.—Membranes.—Vibrations maintained by Heat.—Sensitive Flames and Jets.—Musical Sand.—The Superposition of Waves.—INDEX.

"The work . . . may be recommended to anyone desirous of possessing an EASY UP-TO-DATE STANDARD TREATISE on Acoustics."—*Literature.*

"Very clearly written. . . . The names of the authors are a guarantee of the SCIENTIFIC ACCURACY and UP-TO DATE CHARACTER of the work."—*Educational Times.*

VOLUME III. SECOND EDITION, Revised. Fully Illustrated. Price 15s.

HEAT.

CONTENTS.—Temperature.—Expansion of Solids.—Liquids.—Gases.—Circulation and Convection.—Quantity of Heat; Specific Heat.—Conductivity.—Forms of Energy; Conservation; Mechanical Equivalent of Heat.—The Kinetic Theory.—Change of State; Liquid Vapour.—Critical Points.—Solids and Liquids.—Atmospheric Conditions.—Radiation.—Theory of Exchanges.—Radiation and Temperature.—Thermodynamics.—Isothermal and Adiabatic Changes.—Thermodynamics of Changes of State, and Solutions.—Thermodynamics of Radiation.—INDEX.

"Well up-to-date, and extremely clear and exact throughout. . . . As clear as it would be possible to make such a text-book"—*Nature.*

Remaining Volumes in Preparation—

LIGHT; MAGNETISM AND ELECTRICITY.

THE MEAN DENSITY OF THE EARTH: An Essay to which the Adams Prize was adjudged in 1893 in the University of Cambridge. By J. H. POYNTING, Sc.D., F.R.S., Late Fellow of Trinity College, Cambridge; Professor of Physics, Birmingham University. In Large 8vo, with Bibliography, Illustrations in the Text, and Seven Lithographed Plates. 12s. 6d.

"Cannot fail to be of GREAT and GENERAL INTEREST."—*Athenæum.*

Digitized by Google

Griffin's Geological, Prospecting, Mining, and Metallurgical Publications.

		PAGE
Geology, Stratigraphical,	R. Etheridge, F.R.S.,	52
,, Practical Aids,	Prof. Grenville Cole,	52
,, Open Air Studies,	,, ,,	85
Mining Geology,	Prof. James Park, F.G.S.,	56
Prospecting for Minerals,	S. Herbert Cox, A.R.S.M.,	53
Food Supply,	Robt. Bruce,	53
Ore and Stone Mining,	Foster and Brough,	54
Elements of Mining,	Sir C. Le Neve Foster,	54
Coal Mining,	H. W. Hughes, F.G.S.,	55
Practical Coal Mining,	G. L. Kerr, M.Inst.M.E.,	55
Elementary ,,	,, ,,	55
Elect. Colliery Practice,	D. Burns,	56
Mine-Surveying,	Bennett H. Brough, A.R.S.M.,	56
Mine Air, Investigation of,	Foster and Haldane,	54
Mining Law,	C. J. Alford,	57
Blasting and Explosives,	O. Guttmann, A.M.I.C.E.,	58
Testing Explosives,	Bichel and Larsen,	58
Shaft Sinking,	Riemer and Brough,	58
Mine Accounts,	J. G. Lawn, A.R.S.M.,	57
Mining Eng. Report Book,	E. R. Field, M.Inst.M.M.,	57
Petroleum,	Sir Boverton Redwood,	61
A Handbook on Petroleum,	Thomson and Redwood,	61
Oil Fuel,	Sidney H. North,	61
Mineral Oil Testing,	J. Hicks,	61
Metallurgical Analysis,	Macleod and Walker,	60
Microscopic Analysis,	F. Osmond & J. E. Stead, F.R.S.,	60
Metallurgy (General),	Phillips and Bauerman,	60
,, (Elementary),	Prof. Humboldt Sexton,	66
Getting Gold,	J. C. F. Johnson, F.G.S.,	59
Cyanide Process,	Prof. James Park, F.G.S.,	59
Cyaniding,	Julian and Smart,	59
Electric Smelting,	Borchers and McMillan,	67
Electro-Metallurgy,	W. G. McMillan, F.I.C.,	67
Assaying,	J. J. & C. Beringer,	66
Metallurgical Analysis,	J. J. Morgan, F.C.S.,	66
Metallurgy (Introduction to),	Sir W. Roberts-Austen, K.C.B.,	63
Gold, Metallurgy of,	Dr. Kirke Rose, A.R.S.M.,	63
Lead and Silver, ,,	H. F. Collins, A.R.S.M.,	64
Iron, Metallurgy of,	Prof. Thos. Turner, A.R.S.M.,	65
Steel, ,,	F. W. Harbord,	65
General Foundry Practice,	McWilliam and Longmuir,	68
Iron-Founding,	Prof. Thomas Turner,	68
Precious Stones,	Dr. Max Bauer,	68

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

Demy 8vo, Handsome cloth, 34s.

Stratigraphical Geology & Palæontology,

ON THE BASIS OF PHILLIPS.

By ROBERT ETHERIDGE, F.R.S.,

OF THE NATURAL HIST. DEPARTMENT, BRITISH MUSEUM, LATE PALÆONTOLOGIST TO THE GEOLOGICAL SURVEY OF GREAT BRITAIN, PAST PRESIDENT OF THE GEOLOGICAL SOCIETY, ETC.

With Map, Numerous Tables, and Thirty-six Plates.

"No such compendium of geological knowledge has ever been brought together before."—*Westminster Review.*

"If PROF. SEELEY's volume was remarkable for its originality and the breadth of its views, Mr. ETHERIDGE fully justifies the assertion made in his preface that his book differs in construction and detail from any known manual. . . . Must take HIGH RANK AMONG WORKS OF REFERENCE."—*Athenæum.*

AIDS IN PRACTICAL GEOLOGY:

WITH A SECTION ON PALÆONTOLOGY.

By PROFESSOR GRENVILLE COLE, M.R.I.A., F.G.S.

FIFTH EDITION, Thoroughly Revised. With Frontispiece and Illustrations. Cloth. 10s. 6d.

GENERAL CONTENTS.—

PART I.—SAMPLING OF THE EARTH'S CRUST.
PART II.—EXAMINATION OF MINERALS.
PART III.—EXAMINATION OF ROCKS.
PART IV.—EXAMINATION OF FOSSILS.

"DESERVING OF THE HIGHEST PRAISE. Here indeed are 'Aids' INNUMERABLE and INVALUABLE. All the directions are given with the utmost clearness and precision."—*Athenæum.*

"That the work deserves its title, that it is full of 'AIDS,' and in the highest degree PRACTICAL,' will be the verdict of all who use it."—*Nature.*

OPEN-AIR STUDIES IN GEOLOGY:

An Introduction to Geology Out-of-doors.

By PROFESSOR GRENVILLE COLE, M.R.I.A., F.G.S.

For details, see Griffin's Introductory Science Series, p. 85.

Crown 8vo. Handsome Cloth. 2s. 6d.

RESEARCHES ON THE PAST AND PRESENT HISTORY OF THE EARTH'S ATMOSPHERE.

Including the latest Discoveries and their Practical Applications.

By DR. THOMAS LAMB PHIPSON.

PART I.—The Earth's Atmosphere in Remote Geological Periods.
PART II.—The Atmosphere of our present period. Appendices; Index.

"The book should prove of interest to general readers, as well as to meteorologists and other students of science."—*Nature.*

Digitized by Google

GRIFFIN'S "NEW LAND" SERIES.

Practical Hand-Books for the Use of Prospectors, Explorers, Settlers, Colonists, and all Interested in the opening up and Development of New Lands.

EDITED BY GRENVILLE A. J. COLE, M.R.I.A., F.G.S.,
Professor of Geology in the Royal College of Science for Ireland, and Examiner in the University of London.

In Crown 8vo. Handsome Cloth. 5s.
With Numerous Maps Specially Drawn and Executed for this Work.

NEW LANDS:
THEIR RESOURCES AND PROSPECTIVE ADVANTAGES.

BY HUGH ROBERT MILL, D.Sc., LL.D., F.R.S.E.,

"A want admirably supplied. . . . Has the advantage of being written by a professed Geographer."—*Geographical Journal.*

With many Engravings and Photographs. Handsome Cloth, 4s. 6d.

FOOD SUPPLY.

BY ROBERT BRUCE,
Agricultural Superintendent to the Royal Dublin Society.

With Appendix on Preserved Foods by C. A. MITCHELL, B.A., F.I.C.

"The work is one which will appeal to those intending to become farmers at home or in the Colonies, and who desire to obtain a general idea of the true principles of farming in ALL ITS BRANCHES."—*Journal of the Royal Colonial Inst.*

FOURTH EDITION, *Revised. With Illustrations. Handsome Cloth, 5s.*

PROSPECTING FOR MINERALS.

A Practical Handbook for Prospectors, Explorers, Settlers, and all Interested in the Opening up and Development of New Lands.

BY S. HERBERT COX, Assoc.R.S.M., M.Inst.M.M., F.G.S.,
Professor of Mining at the Royal School of Mines.

GENERAL CONTENTS.—Introduction and Hints on Geology—The Determination of Minerals: Use of the Blow-pipe, &c.—Rock-forming Minerals and Non-Metallic Minerals of Commercial Value: Rock Salt, Borax, Marbles, Lithographic Stone, Quartz and Opal, &c., &c.—Precious Stones and Gems—Stratified Deposits: Coal and Ores—Mineral Veins and Lodes—Irregular Deposits—Dynamics of Lodes: Faults, &c.—Alluvial Deposits—Noble Metals: Gold, Platinum, Silver, &c.—Lead—Mercury—Copper—Tin—Zinc—Iron—Nickel, &c.—Sulphur, Antimony, Arsenic, &c.—Combustible Minerals—Petroleum—General Hints on Prospecting—Glossary—Index.

"This ADMIRABLE LITTLE WORK . . . written with SCIENTIFIC ACCURACY in a CLEAR and LUCID style. . . . An IMPORTANT ADDITION to technical literature . . . —*Mining Journal.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

WORKS BY

SIR CLEMENT LE NEVE FOSTER, D.Sc., F.R.S.

SIXTH EDITION. With Frontispiece and 716 Illustrations. Price 34s.

ORE & STONE MINING.

BY SIR C. LE NEVE FOSTER, D.Sc., F.R.S.,
LATE PROFESSOR OF MINING, ROYAL COLLEGE OF SCIENCE.
REVISED, AND BROUGHT UP-TO-DATE
BY BENNETT H. BROUGH, F.G.S., ASSOC.R.S.M.

GENERAL CONTENTS.

INTRODUCTION. Mode of Occurrence of Minerals.—Prospecting.—Boring.—Breaking Ground.—Supporting Excavations.—Exploitation.—Haulage or Transport.—Hoisting or Winding.—Drainage.—Ventilation.—Lighting.—Descent and Ascent.—Dressing—Principles of Employment of Mining Labour.—Legislation affecting Mines and Quarries.—Condition of the Miner.—Accidents.—Index.

"We have seldom had the pleasure to review a work so thorough and complete as the present one. Both in manner and in matter it is FAR SUPERIOR TO ANYTHING ON ITS SPECIAL SUBJECT HITHERTO PUBLISHED IN ENGLAND."—*Athenæum.*

"Not only is this work the acknowledged text-book on metal mining in Great Britain and the Colonies, but that it is so regarded in the United States of America is evidenced by the fact that it is the book on that subject recommended to the students in most of the mining schools of that country."—*The Times.*

In Crown 8vo. Handsome Cloth. With nearly 300 Illustrations, many of them being full page reproductions of views of great interest. Price 7s. 6d. net.

THE ELEMENTS OF MINING AND QUARRYING.

An Introductory Text-Book for Mining Students.

BY SIR C. LE NEVE FOSTER, D.Sc., F.R.S.,
Late Professor of Mining at the Royal College of Science.

GENERAL CONTENTS. — INTRODUCTION. — Occurrence of Minerals. — Prospecting.—Boring.—Breaking Ground.—Supporting Excavations.—Exploitation.—Haulage or Transport.—Hoisting or Winding.—Drainage.—Ventilation.—Lighting.—Descent and Ascent.—Dressing, &c.—INDEX.

"A remarkably clear survey of the whole field of mining operations."—*Engineer.*

"Rarely does it fall to the lot of a reviewer to have to accord such unqualified praise as this book deserves. . . . The profession generally have every reason to be grateful to Sir C. Le Neve Foster for having enriched educational literature with so admirable an elementary Text-book."—*Mining Journal.*

In Large Crown 8vo. Fully Illustrated. 6s. net.

THE INVESTIGATION OF MINE AIR:

An Account by Several Authors of the Nature, Significance, and Practical Methods of Measurement of the Impurities met with in the Air of Collieries and Metalliferous Mines.

EDITED BY
SIR CLEMENT LE NEVE FOSTER, D.Sc., F.R.S.,
AND J. S. HALDANE, M.D., F.R.S.

"We know of nothing essential that has been omitted. The book is liberally supplied with illustrations of apparatus."—*Colliery Guardian.*

Digitized by Google

WORKS ON COAL-MINING.

FIFTH EDITION, Revised and Greatly Enlarged. With 4 Plates and 690 Illustrations. Price 24s. net.

A TEXT-BOOK OF COAL-MINING:

FOR THE USE OF COLLIERY MANAGERS AND OTHERS ENGAGED IN COAL-MINING.

BY HERBERT WILLIAM HUGHES, F.G.S.,
Assoc. Royal School of Mines, General Manager of Sandwell Park Colliery.

GENERAL CONTENTS.—Geology.—Search for Coal.—Breaking Ground.—Sinking.—Preliminary Operations.—Methods of Working.—Haulage.—Winding.—Pumping.—Ventilation.—Lighting.—Works at Surface.—Preparation of Coal for Market.—INDEX.

"Quite THE BEST BOOK of its kind . . . as PRACTICAL in aim as a book can be . . . The illustrations are EXCELLENT."—*Athenæum.*

"We cordially recommend the work."—*Colliery Guardian.*

"Will soon come to be regarded as the STANDARD WORK of its kind."—*Birmingham Daily Gazette.*

FOURTH EDITION, Thoroughly Revised and Greatly Enlarged. Re-set throughout. Large Crown 8vo. Handsome Cloth. 12s. 6d

PRACTICAL COAL-MINING:

A MANUAL FOR MANAGERS, UNDER-MANAGERS, COLLIERY ENGINEERS, AND OTHERS.

With Worked-out Problems on Haulage, Pumping, Ventilation, &c.

BY GEORGE L. KERR, M.E., M.INST.M.E.

CONTENTS.—The Sources and Nature of Coal.—The Search for Coal.—Sinking.—Explosives.—Mechanical Wedges.—Rock Drills and Coal-cutting Machines.—Coal-cutting by Machinery.—Transmission of Power.—Modes of Working.—Timbering Roadways.—Winding Coal.—Haulage.—Pumping.—Ventilation.—Safety Lamps.—Surface Arrangements, Surveying, Levelling, &c.

"An ESSENTIALLY PRACTICAL WORK, and can be confidently recommended. No department of Coal-Mining has been overlooked."—*Engineers' Gazette.*

In Crown 8vo. Handsome Cloth. With 200 Illustrations. 3s. 6d.

ELEMENTARY COAL-MINING:

FOR THE USE OF STUDENTS, MINERS, AND OTHERS PREPARING FOR EXAMINATIONS.

BY GEORGE L. KERR, M.E., M.INST.M.E.

CONTENTS.—Sources and Nature of Coal.—Exploration and Boring for Coal.—Breaking Ground.—Explosives, Blasting, &c.—Sinking and Fitting of Shafts.—Modes of Working.—Timbering Roadways.—Winding and Drawing.—Haulage.—Pumping and Drainage.—Ventilation.—Cleaning and Sorting Coal.—Surveying, &c.

"An abundance of information conveyed in a popular and attractive form. . . . Will be of great use to all who are in any way interested in coal mining."—*Scottish Critic.*

Digitized by Google

THIRTEENTH EDITION, Revised. With Numerous Diagrams. Cloth, 7s. 6d.

A TREATISE ON MINE-SURVEYING:

For the use of Managers of Mines and Collieries, Students at the Royal School of Mines, &c.

BY BENNETT H. BROUGH, ASSOC.R.S.M., F.G.S.,
Formerly Instructor of Mine-Surveying, Royal School of Mines.

CONTENTS. — General Explanations. — Measurement of Distances. — Miners Dial.—Variation of the Magnetic Needle.—Surveying with the Magnetic Needle in the Presence of Iron.—Surveying with the Fixed Needle.—The German Dial.—The Theodolite.—Traversing Underground.—Surface Surveys with the Theodolite.—Plotting the Survey.—Calculation of Areas.—Levelling.—Connection of the Underground and Surface Surveys.—Measuring Distances by Telescope.—Setting-out.—Mine-Surveying Problems.—Mine Plans.—Application of the Magnetic Needle in Mining.—Photographic Surveys.—APPENDICES.—INDEX.

"Its CLEARNESS of STYLE, LUCIDITY of DESCRIPTION, and FULNESS of DETAIL have long ago won for it a place unique in the literature of this branch of mining engineering, and the present edition fully maintains the high standard of its predecessors. To the student, and to the mining engineer alike, ITS VALUE is inestimable. The illustrations are excellent."—*The Mining Journal.*

SECOND EDITION, Revised. Crown 8vo. Handsome Cloth. Illustrated. 6s.

MINING GEOLOGY.

A TEXT-BOOK FOR MINING STUDENTS AND MINERS.

BY PROF. JAMES PARK, F.G.S., M.Inst.M.M.,
Professor of Mining and Director of the Otago University School of Mines; late Director Thames School of Mines, and Geological Surveyor and Mining Geologist to the Government or New Zealand

GENERAL CONTENTS.—Introduction.—Classification of Mineral Deposits.—Ore Veins, their Filling, Age, and Structure.—The Dynamics of Lodes and Beds.—Ore Deposits Genetically Considered—Ores and Minerals Considered Economically.—Mine Sampling and Ore Valuation.—The Examination and Valuation of Mines.—INDEX.

"A work which should find a place in the library of every mining engineer."—*Mining World.*

SECOND EDITION. *In Crown 8vo. Handsome Cloth. With 30 New Illustrations. 7s. 6d net.*

ELECTRICAL PRACTICE IN COLLIERIES.

BY D. BURNS, M.E., M.INST.M.E.,
Certificated Colliery Manager, and Lecturer on Mining and Geology to the Glasgow and West of Scotland Technical College.

Units of Measurement, Conductors, &c.—The Theory of the Dynamo.—The Dynamo, Details of Construction and Working.—Motors.—Lighting Installations in Collieries.—Pumping by Electricity.—Electrical Haulage.—Coal Cutting.—Miscellaneous Applications of Electricity in Mines.—Coal Mines Regulation Act (Electricity).—INDEX.

"A clear and concise introduction to electrical practice in collieries."—*Mining Journal.*

Digitized by Google

WORKS FOR MINERS AND STUDENTS.

In Crown 8vo, Handsome Cloth. 8s. 6d. net.

MINING LAW OF THE BRITISH EMPIRE.

By CHARLES J. ALFORD, F.G.S., M.Inst.M.M.

CONTENTS.—The Principles of Mining Law.—The Mining Law of Great Britain.—British India.—Ceylon.—Burma.—The Malay Peninsula.—British North Borneo.—Egypt.—Cyprus.—The Dominion of Canada.—British Guiana.—The Gold Coast Colony and Ashanti.—Cape of Good Hope.—Natal.—Orange River Colony.—Transvaal Colony.—Rhodesia.—The Commonwealth of Australia.—New Zealand, &c.—INDEX.

"Should be specially useful to all those engaged in the direction of mining enterprises."—*Financial Times.*

"Cannot fail to be useful . . . we cordially recommend the book."—*Mining World*

In Large 8vo. FOURTH EDITION. *Price* 10*s.* 6*d.*

Mine Accounts and Mining Book-Keeping.

For Students, Managers, Secretaries, and others.

With Examples taken from Actual Practice of Leading Companies.

By JAMES GUNSON LAWN, A.R.S.M., A.M.Inst.C.E., F.G.S.,

Head of the Mining Department, Camborne School of Mines.

EDITED BY SIR C. LE NEVE FOSTER, D.Sc., F.R.S.

CONTENTS.—Introduction.—PART I. ENGAGEMENT AND PAYMENT OF WORKMEN.—Engagement of Workmen and Period between Pay Days.—Data determining Gross Amount due to Men.—Deductions.—Pay Sheets, Due Bills.—Pay Tickets. PART II. PURCHASES AND SALES.—Purchase and Distribution of Stores.—Sales of Product. PART III. WORKING SUMMARIES AND ANALYSES.—Summaries of Minerals Raised, Dressed, and Sold, and of Labour.—Analyses of Costs.—Accounts forwarded to Head Office. PART IV. LEDGER, BALANCE-SHEET, AND COMPANY BOOKS.—Head Office Books.—Redemption of Capital.—General Considerations and Companies Books. PART V. REPORTS AND STATISTICS.—Reports of Workings and Machinery of Mining Companies.—Mining Statistics.—BIBLIOGRAPHY.—INDEX.

"It seems IMPOSSIBLE to suggest how Mr. LAWN's book could be made more COMPLETE or more VALUABLE, careful, and exhaustive."—*Accountants' Magazine.*

SECOND EDITION. In Pocket Size, Strongly Bound in Leather, 3s. 6d.
Provided with Detachable Blank Pages for MS.

THE MINING ENGINEERS' REPORT BOOK

AND DIRECTORS' AND SHAREHOLDERS' GUIDE TO MINING REPORTS.

By EDWIN R. FIELD, M.INST.M.M.

With Notes on the Valuation of Property, and Tabulating Reports, Useful Tables, and Examples of Calculations, &c.

"An ADMIRABLY compiled book which Mining Engineers and Managers will find EXTREMELY USEFUL."—*Mining Journal.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

WORKS ON SINKING, EXPLOSIVES, &c.

In Medium 8vo, Handsome Cloth. With 18 Figures in the Text, and 19 Folding Plates. 10s. 6d. net.

SHAFT-SINKING
IN DIFFICULT CASES.

By J. RIEMER,

Translated from the German

J. W. BROUGH, A.M.Inst.C.E.

Contents.—Shaft Sinking by Hand.—Shaft Sinking by Boring.—The Freezing Method.—The Sinking Drum Process.—Bibliography.—Index.

"The translater deserves the thanks of the mining community for placing this valuable work before them. . . . The work is one which every mining engineer should include in his library."—*Mining World.*

Second Edition, Revised. In Large 8vo, with Numerous Illustrations and Folding Plates. 10s. 6d.

BLASTING:
AND THE USE OF EXPLOSIVES.

By OSCAR GUTTMANN, M.Inst.C.E., F.I.C., F.C.S.

Contents. — Historical Sketch. — Blasting Materials. — Qualities and Handling of Explosives.—The Choice of Blasting Materials.—Preparation of Blasts.—Chamber Mines.—Charging of Boreholes.—Determination of Charge.—Blasting in Boreholes.—Firing.—Results of Working.—Various Blasting Operations.—Index.

"Should prove a *vade-mecum* to Mining Engineers and all engaged in practical work." —*Iron and Coal Trades Review.*

In Medium 8vo, Cloth. With many Illustrations in the Text. Four Full Page Plates and Four Folding Tables. 6s. net.

NEW METHODS OF
TESTING EXPLOSIVES.

By C. E. BICHEL.

Translated from the German and Edited

By AXEL LARSEN, M.Inst.C.E.

Contents. — Introductory. — Historical. — Testing Stations. — Power Gauges. — Products of Combustion. — Rate of Detonation. — Length and Duration of Flame.—After-Flame Ratio.—Transmission of Explosion.—Conclusions.—Efficiency.

"Its pages bristle with suggestions and actual experimental results to an extent seldom found in a volume of five times its size."—*Arms and Explosives.*

Digitized by Google

SECOND EDITION, *Revised Throughout. In Medium 8vo. With Numerous Plates, Maps, and Illustrations.* 21*s. net.*

CYANIDING GOLD & SILVER ORES.

A Practical Treatise on the Cyanide Process; its Application, Methods of Working, Design and Construction of Plant, and Costs.

BY H. FORBES JULIAN,

Mining and Metallurgical Engineer: Specialist in Gold: Late Technical Adviser of the Deutsche Gold und Silber Scheide Anstalt, Frankfort-on-Maine.

AND EDGAR SMART, A.M.I.C.E.,

Civil and Metallurgical Engineer.

"A handsome volume of 400 pages which will be a valuable book of reference for all associated with the process."—*Mining Journal.*

"The authors are to be congratulated upon the production of what should prove to be a standard work."—*Page's Magazine.*

In Large Crown 8vo. With 13 Plates and many Illustrations in the Text. Handsome Cloth. 7*s.* 6*d. net.*

THE CYANIDE PROCESS OF GOLD EXTRACTION.

A Text-Book for the Use of Metallurgists and Students at Schools of Mines, &c.

BY JAMES PARK, F.G.S., M.INST.M.M.,

Professor of Mining and Director of the Otago University School of Mines; late Director Thames School of Mines, and Geological Surveyor and Mining Geologist to the Government of New Zealand.

FOURTH ENGLISH EDITION. Thoroughly Revised and Greatly Enlarged. With additional details concerning the Siemens-Halske and other recent processes.

"Deserves to be ranked as amongst the BEST OF EXISTING TREATISES."—*Mining Journal.*

THIRD EDITION, Revised. *With Plates and Illustrations. Cloth,* 3*s.* 6*d.*

GETTING GOLD:

A GOLD-MINING HANDBOOK FOR PRACTICAL MEN.

BY J. C. F. JOHNSON, F.G.S., A.I.M.E.,

Life Member Australasian Mine-Managers' Association.

GENERAL CONTENTS.—Introductory: Prospecting (Alluvial and General)—Lode or Reef Prospecting—Genesiology of Gold—Auriferous Lodes—Drifts—Gold Extraction—Lixiviation—Calcination—Motor Power and its Transmission—Company Formation—Mining Appliances and Methods—Australasian Mining Regulations.

"PRACTICAL from beginning to end . . . deals thoroughly with the Prospecting, Sinking, Crushing, and Extraction of gold."—*Brit. Australasian.*

In Crown 8vo. Illustrated. Fancy Cloth Boards. 4*s.* 6*d.*

GOLD SEEKING IN SOUTH AFRICA:

A Handbook of Hints for intending Explorers, Prospectors, and Settlers.

BY THEO KASSNER,

Mine Manager, Author of the Geological Sketch Map of the De Kaap Gold Fields.

With a Chapter on the Agricultural Prospects of South Africa.

"As fascinating as anything ever penned by Jules Verne."—*African Commerce.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

Large 8vo. Handsome Cloth. With Illustrations.
12s. 6d. net.

METALLURGICAL ANALYSIS & ASSAYING:

A THREE YEARS' COURSE FOR STUDENTS OF SCHOOLS OF MINES.

By W. A. MACLEOD, B.A., B.Sc., A.O.S.M. (N.Z.),

Formerly Assist.-Director, Thames School of Mines (N.Z.), and Lecturer in Chemistry, University of Tasmania; Director of Queensland Government School of Mines, Charters Towers;

And CHAS. WALKER, F.C.S.,

Formerly Assist.-Demonstrator in Chemistry, Sydney University; Lecturer in Chemistry and Metallurgy, Charters Towers School of Mines

Part I.—Qualitative Analysis and Preparation and Properties of Gases. Part II.—Qualitative and Quantitative Analysis. Part III.—Assaying, Technical Analysis (Gas, Water, Fuels, Oils, &c.).

"The publication of this volume tends to prove that the teaching of metallurgical analysis and assaying in Australia rests in competent hands."—*Nature.*

In Crown 8vo, Beautifully Illustrated with nearly 100 Microphotographs of Steel, &c. 7s. 6d. net.

MICROSCOPIC ANALYSIS OF METALS.

By FLORIS OSMOND & J. E. STEAD, F.R.S., F.I.C.

Contents.—Metallography considered as a method of Assay.—Micrographic Analysis of Carbon Steels.—Preparation of Specimens.—Polishing.—Constituents of Steel; Ferrite; Cementite; Pearlite; Sorbite; Martensite; Hardenite; Troostite; Austenite.—Identification of Constituents.—Detailed Examination of Carbon Steels.—Conclusions, Theoretical and Practical.—Apparatus employed.—Appendix.

"There has been no work previously published in English calculated to be so useful to the student in metallographic research."—*Iron and Steel Trades' Journal.*

Third Edition. With Folding Plates and Many Illustrations. 36s.

ELEMENTS OF METALLURGY.

A PRACTICAL TREATISE ON THE ART OF EXTRACTING METALS FROM THEIR ORES.

By J. ARTHUR PHILLIPS, M.Inst.C.E., F.C.S., F.G.S., &c.

And H. BAUERMAN, V.P.G.S.

General Contents.—Refractory Materials.—Fire-Clays.—Fuels, &c.—Aluminium.—Copper.—Tin.—Antimony.—Arsenic.—Zinc.—Mercury.—Bismuth.—Lead.—Iron.—Cobalt.—Nickel.—Silver.—Gold.—Platinum.

"Of the Third Edition, we are still able to say that, as a Text-book of Metallurgy, it is the best with which we are acquainted."—*Engineer.*

"A work which is equally valuable to the Student as a Text-book, and to the practical Smelter as a Standard Work of Reference. . . . The Illustrations are admirable examples of Wood Engraving."—*Chemical News.*

Digitized by Google

SECOND EDITION, *Revised, Enlarged, and Re-set Throughout on Larger Page. With Valuable Bibliography, New Maps, Illustrations, &c.* 45*s. net.*

IN TWO VOLUMES.

A TREATISE ON

PETROLEUM.

BY SIR BOVERTON REDWOOD,
D.Sc., F.R.S.E., Assoc.Inst.C.E., F.I.C.

CONTENTS.—SECTION I.: Historical Account of the Petroleum Industry.—SECTION II.: Geological and Geographical Distribution of Petroleum and Natural Gas.—SECTION III.: The Chemical and Physical Properties of Petroleum and Natural Gas.—SECTION IV.: The Origin of Petroleum and Natural Gas.—SECTION V.: The Production of Petroleum, Natural Gas, and Ozokerite.—SECTION VI.: The Refining of Petroleum.—SECTION VII.: The Shale Oil and Allied Industries.—SECTION VIII.: The Transport, Storage, and Distribution of Petroleum.—SECTION IX.: The Testing of Crude Petroleum, Petroleum and Shale Oil Products, Ozokerite, and Asphalt.—SECTION X.: The Uses of Petroleum and its Products.—SECTION XI.: Statutory, Municipal, and other Regulations relating to the Testing, Storage, Transport, and Use of Petroleum and its Products.—APPENDICES.—BIBLIOGRAPHY.—INDEX.

"It is indisputably the most comprehensive and complete treatise on petroleum, and this statement is true, no matter on what branch of the industry a test of its merits is made. It is the only book in existence which gives the oil man a clear and reliable outline of the growth and present-day condition of the entire petroleum world. . . . There is a wonderfully complete collection of plates and illustrations."—*Petroleum World.*

SECOND EDITION, *Revised. With Illustrations. Price* 8*s.* 6*d. net.*

A HANDBOOK ON PETROLEUM.

FOR INSPECTORS UNDER THE PETROLEUM ACTS,

And for those engaged in the Storage, Transport, Distribution, and Industrial Use of Petroleum and its Products, and of Calcium Carbide. With suggestions on the Construction and Use of Mineral Oil Lamps.

BY CAPTAIN J. H. THOMSON,
H.M. Chief Inspector of Explosives,
AND SIR BOVERTON REDWOOD,
Author of "A Treatise on Petroleum."

"A volume that will enrich the world's petroleum literature, and render a service to the British branch of the industry. . . . Reliable, indispensable, a brilliant contribution."—*Petroleum.*

In Crown 8vo. Fully Illustrated. 2s. 6d. net.

THE LABORATORY BOOK OF MINERAL OIL TESTING.

BY J. A. HICKS,
Chemist to Sir Boverton Redwood.

Should be on the shelves of every analytical chemist in practice."—*Chemical Trade Journal.*

In Large Crown 8vo, Cloth. Fully Illustrated 5s. net.

OIL FUEL:

ITS SUPPLY, COMPOSITION, AND APPLICATION.

BY SIDNEY H. NORTH,
LATE EDITOR OF THE "PETROLEUM REVIEW."

CONTENTS.—The Sources of Supply.—Economic Aspect of Liquid Fuel.—Chemical Composition of Fuel Oils.—Conditions of Combustion in Oil Fuel Furnaces.—Early Methods and Experiments.—Modern Burners and Methods.—Oil Fuel for Marine Purposes.—For Naval Purposes.—On Locomotives.—For Metallurgical and other Purposes.—Appendices.—INDEX.

"Everyone interested in this important question will welcome Mr. North's excellent text-book."—*Nature.*

THE PETROLEUM LAMP: Its Choice and Use. A Guide to the Safe Employment of the Paraffin Lamp. By CAPT. J. H. THOMSON and Sir BOVERTON REDWOOD. Illustrated. 1s. net.

"A work which will meet every purpose for which it has been written."—*Petroleum.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

Griffin's Metallurgical Series.

STANDARD WORKS OF REFERENCE

FOR

Metallurgists, Mine-Owners, Assayers, Manufacturers, and all interested in the development of the Metallurgical Industries.

EDITED BY

Sir W. ROBERTS-AUSTEN, K.C.B., D.C.L., F.R.S.

In Large 8vo, Handsome Cloth. With Illustrations.

INTRODUCTION to the STUDY of METALLURGY. By the EDITOR. SIXTH EDITION. (See p. 63.)

GOLD (The Metallurgy of). By THOS. KIRKE ROSE, D.Sc., Assoc. R.S.M., F.C.S., Chemist and Assayer of the Royal Mint. FIFTH EDITION. 21s. (See p. 63.)

LEAD AND SILVER (The Metallurgy of). By H. F. COLLINS, Assoc.R.S.M., M.Inst.M.M. Part I., Lead, 16s; Part II., Silver, 16s. (See p. 64.)

IRON (The Metallurgy of). By T. TURNER, A.R.S.M., F.I.C., F.C.S. THIRD EDITION, Revised. 16s. net. (See p. 65.)

STEEL (The Metallurgy of). By F. W. HARBORD, Assoc.R.S.M., F.I.C., with a Section on Mechanical Treatment by J. W. HALL, A.M.Inst.C.E. THIRD EDITION. 25s. net. (See p. 65.)

Will be Published at Short Intervals.

METALLURGICAL MACHINERY: the Application of Engineering to Metallurgical Problems. By HENRY CHARLES JENKINS, Wh.Sc., Assoc.R.S.M., Assoc.M.Inst.C.E., of the Royal College of Science. (See p. 64).

COPPER (The Metallurgy of). By THOS. C. CLOUD, Assoc. R.S.M.

ALLOYS. By EDWARD T. LAW, Assoc.R.S.M.

*** Other Volumes in Preparation.

Digitized by Google

GRIFFIN'S METALLURGICAL SERIES.

SIXTH EDITION, thoroughly Revised and considerably Enlarged. Large 8vo, with numerous Illustrations and Micro-Photographic Plates of different varieties of Steel.

An Introduction to the Study of

METALLURGY.

BY

Sir W. ROBERTS-AUSTEN, K.C.B., D.C.L., F.R.S., A.R.S.M.,

Late Chemist and Assayer of the Royal Mint, and Professor of Metallurgy in the Royal College of Science.

GENERAL CONTENTS.—The Relation of Metallurgy to Chemistry.—Physical Properties of Metals.—Alloys. The Thermal Treatment of Metals.—Fuel and Thermal Measurements.—Materials and Products of Metallurgical Processes.—Furnaces.—Means of Supplying Air to Furnaces.—Thermo-Chemistry.—Typical Metallurgical Processes.—The Micro-Structure of Metals and Alloys.—Economic Considerations.

"No English text-book at all approaches this in the COMPLETENESS with which the most modern views on the subject are dealt with. Professor Austen's volume will be INVALUABLE, not only to the student, but also to those whose knowledge of the art is far advanced."—*Chemical News.*

FIFTH EDITION, Revised, Considerably Enlarged, and in part Re-written. With Frontispiece and numerous Illustrations. 21s.

THE METALLURGY OF GOLD.

BY

T. KIRKE ROSE, D.Sc.Lond., Assoc.R.S.M.

Chemist and Assayer of the Royal Mint.

GENERAL CONTENTS.—The Properties of Gold and its Alloys.—Chemistry of the Compounds of Gold.—Mode of Occurrence and Distribution of Gold.—Shallow Placer Deposits.—Deep Placer Deposits.—Quartz Crushing in the Stamp Battery.—Amalgamation in the Stamp Battery.—Other Forms of Crushing and Amalgamating Machinery.—Concentration in Gold Mills.—Dry Crushing.—Re-grinding.—Roasting.—Chlorination: The Plattner Process, The Barrel Process, The Vat-Solution Process.—The Cyanide Process.—Chemistry of the Cyanide Process.—Refining and Parting of Gold Bullion.—Assay of Gold Ores.—Assay of Gold Bullion.—Statistics of Gold Production.—Bibliography.—INDEX.

"A COMPREHENSIVE PRACTICAL TREATISE on this important subject."—*The Times.*

"The MOST COMPLETE description of the CHLORINATION PROCESS which has yet been published."—*Mining Journal.*

"Adapted for all who are interested in the Gold Mining Industry, being free from technicalities as far as possible, but is more particularly of value to those engaged in the industry."—*Cape Times.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

GRIFFIN'S METALLURGICAL SERIES.

EDITED BY SIR W. ROBERTS-AUSTEN, K.C.B., F.R.S., D.C.L.

In Large 8vo. Handsome Cloth. With Illustrations.

In Two Volumes, Each Complete in Itself and Sold Separately.

THE METALLURGY OF LEAD AND SILVER.

BY H. F. COLLINS, ASSOC.R.S.M., M.INST.M.M.

Part I.—LEAD:

A Complete and Exhaustive Treatise on the Manufacture of Lead, with Sections on Smelting and Desilverisation, and Chapters on the Assay and Analysis of the Materials involved. Price 16s.

SUMMARY OF CONTENTS.—Sampling and Assaying Lead and Silver.—Properties and Compounds of Lead.—Lead Ores.—Lead Smelting.—Reverberatories.—Lead Smelting in Hearths.—The Roasting of Lead Ores.—Blast Furnace Smelting; Principles, Practice, and Examples; Products.—Flue Dust, its Composition Collection and Treatment.—Costs and Losses, Purchase of Ores.—Treatment of Zinc, Lead Sulphides, Desilverisation, Softening and Refining.—The Pattinson Process.—The Parkes Process.—Cupellation and Refining, &c., &c.

"A THOROUGHLY SOUND and useful digest. May with EVERY CONFIDENCE be recommended."—*Mining Journal.*

Part II.—SILVER.

Comprising Details regarding the Sources and Treatment of Silver Ores, together with Descriptions of Plant, Machinery, and Processes of Manufacture, Refining of Bullion, Cost of Working, &c. Price 16s.

SUMMARY OF CONTENTS.—Properties of Silver and its Principal Compounds.—Silver Ores.—The Patio Process.—The Kazo, Fondon, Kröhnke, and Tina Processes.—The Pan Process.—Roast Amalgamation.—Treatment of Tailings and Concentration.—Retorting, Melting, and Assaying.—Chloridising-Roasting.—The Augustin, Claudet, and Ziervogel Processes.—The Hypo-Sulphite Leaching Process.—Refining.—Matte Smelting.—Pyritic Smelting.—Matte Smelting in Reverberatories.—Silver-Copper Smelting and Refining.—INDEX.

"The author has focussed A LARGE AMOUNT OF VALUABLE INFORMATION into a convenient form. . . . The author has evidently considerable practical experience, and describes the various processes clearly and well.'—*Mining Journal.*

IN PREPARATION.

METALLURGICAL MACHINERY:

The Application of Engineering to Metallurgical Problems.

BY HENRY CHARLES JENKINS,

Wh.Sc., Assoc.R.S M., Assoc.M.Inst.C.E.

Digitized by Google

GRIFFIN'S METALLURGICAL SERIES.

THIRD EDITION, Revised. With Numerous Illustrations. Large 8vo. Handsome Cloth. 25s. net.

With Additional Chapter on The Electric Smelting of Steel.

THE METALLURGY OF STEEL.

BY F. W. HARBORD, ASSOC.R.S.M., F.I.C.,

Consulting Metallurgist and Analytical Chemist to the Indian Government, Royal Indian Engineering College, Coopers Hill.

With 37 Plates, 280 Illustrations in the Text, and nearly 100 Micro-Sections of Steel, and a Section on

THE MECHANICAL TREATMENT OF STEEL.

BY J. W. HALL, A.M.INST.C.E.

ABRIDGED CONTENTS.—The Plant, Machinery, Methods and Chemistry of the Bessemer and of the Open Hearth Processes (Acid and Basic).—The Mechanical Treatment of Steel comprising Mill Practice, Plant and Machinery.—The Influence of Metalloids, Heat Treatment, Special Steels, Microstructure, Testing, and Specifications.

"A work which we venture to commend as an invaluable compendium of information upon the metallurgy of steel."—*Iron and Coal Trades' Review.*

The *Engineer* says, at the conclusion of a review of this book:—"We cannot conclude without earnestly recommending all who may be interested as makers or users of steel, which practically means the whole of the engineering profession, to make themselves acquainted with it as speedily as possible, and this may be the more easily done as the published price, considering the size of the book, is extremely moderate."

THIRD EDITION, Thoroughly Revised. With over 100 Additional Pages, and many Plates. 16s. net.

THE METALLURGY OF IRON.

BY THOMAS TURNER, ASSOC.R.S.M., F.I.C.,

Professor of Metallurgy in the University of Birmingham.

IN LARGE 8VO, HANDSOME CLOTH, WITH NUMEROUS ILLUSTRATIONS (MANY FROM PHOTOGRAPHS).

General Contents.—Early History of Iron.—Modern History of Iron.—The Age of Steel.—Chief Iron Ores.—Preparation of Iron Ores.—The Blast Furnace.—The Air used in the Blast Furnace.—Reactions of the Blast Furnace.—The Gaseous Products of the Blast Furnace—The Fuel used in the Blast Furnace.—Slags and Fuxes of Iron Smelting.—Properties of Cast Iron.—Foundry Practice.—Wrought Iron.—Indirect Production of Wrought Iron.—The Puddling Process.—Further Treatment of Wrought Iron.—Corrosion of Iron and Steel.

"A MOST VALUABLE SUMMARY of knowledge relating to every method and stage in the manufacture of cast and wrought iron . . . rich in chemical details. . . . EXHAUSTIVE and THOROUGHLY UP-TO-DATE."—*Bulletin of the American Iron and Steel Association.*

"This is A DELIGHTFUL BOOK, giving, as it does, reliable information on a subject becoming every day more elaborate."—*Colliery Guardian.*

"A THOROUGHLY USEFUL BOOK, which brings the subject UP TO DATE. OF GREAT VALUE to those engaged in the iron industry."—*Mining Journal.*

*** For Professor Turner's *Lectures on Iron-Founding*, see page 68.

Digitized by Google

TENTH EDITION. With Tables and Illustrations. Crown 8vo. Cloth, 10s. 6d.

A TEXT-BOOK OF ASSAYING:

For the use of Students, Mine Managers, Assayers, &c.

BY J. J. BERINGER, F.I.C., F.C.S.,

Public Analyst for, and Lecturer to the Mining Association of, Cornwall.

AND C. BERINGER, F.C.S.,

Late Chief Assayer to the Rio Tinto Copper Company, London,

GENERAL CONTENTS. — PART I. — INTRODUCTORY; MANIPULATION: Sampling; Drying; Calculation of Results—Laboratory-books and Reports. METHODS: Dry Gravimetric; Wet Gravimetric—Volumetric Assays: Titrometric, Colorimetric, Gasometric—Weighing and Measuring—Reagents—Formulæ, Equations, &c.—Specific Gravity.

PART II.—METALS: Detection and Assay of Silver, Gold, Platinum, Mercury, Copper, Lead, Thallium, Bismuth, Antimony, Iron, Nickel, Cobalt, Zinc, Cadmium, Tin, Tungsten, Titanium, Manganese, Chromium, &c.—Earths, Alkalies.

PART III.—NON-METALS: Oxygen and Oxides; The Halogens—Sulphur and Sulphates—Arsenic, Phosphorus, Nitrogen—Silicon, Carbon, Boron—Useful Tables.

"A REALLY MERITORIOUS WORK, that may be safely depended upon either for systematic instruction or for reference."—*Nature.*

"This work is one of the BEST of its kind."—*Engineer.*

FOURTH EDITION, *Revised. Handsome Cloth. With Numerous Illustrations. 6s.*

A TEXT-BOOK OF

ELEMENTARY METALLURGY.

Including the Author's PRACTICAL LABORATORY COURSE.

BY A. HUMBOLDT SEXTON, F.I.C., F.C.S.,

Professor of Metallurgy in the Glasgow and West of Scotland Technical College.

GENERAL CONTENTS.—Introduction.—Properties of the Metals.—Combustion.—Fuels.—Refractory Materials.—Furnaces.—Occurrence of the Metals in Nature.—Preparation of the Ore for the Smelter.—Metallurgical Processes.—Iron.—Steel.—Copper.—Lead.—Zinc and Tin.—Silver.—Gold.—Mercury.—Alloys.—Applications of ELECTRICITY to Metallurgy.—LABORATORY COURSE.

"Just the kind of work for Students COMMENCING the study of Metallurgy, or for ENGINEERING Students."—*Practical Engineer.*

"EXCELLENTLY got-up and WELL-ARRANGED."—*Chemical Trade Journal.*

In Large 8vo. Handsome Cloth. Price 4s.

TABLES FOR

QUANTITATIVE METALLURGICAL ANALYSIS.

FOR LABORATORY USE.

ON THE PRINCIPLE OF "GROUP" SEPARATIONS.

BY J. JAMES MORGAN, F.C.S., M.S.C.I.

"The Author may be CONGRATULATED on the way his work has been carried out."—*The Engineer.*

"Will COMMEND ITSELF highly in Laboratory Practice. Its CLEARNESS and PRECISION mark the book out as a highly useful one."—*Mining Journal.*

Digitized by Google

SECOND EDITION, Revised, Enlarged, and in part Re-written.
With Additional Sections on MODERN THEORIES OF ELECTROLYSIS COSTS, &c. Price 10s. 6d.

A TREATISE ON
ELECTRO-METALLURGY:

Embracing the Application of Electrolysis to the Plating, Depositing, Smelting, and Refining of various Metals, and to the Reproduction of Printing Surfaces and Art-Work, &c.

BY

WALTER G. McMILLAN, F.I.C., F.C.S.,

Secretary to the Institution of Electrical Engineers; late Lecturer in Metallurgy at Mason College, Birmingham.

With numerous Illustrations. Large Crown 8vo. Cloth.

"This excellent treatise, . . . one of the BEST and MOST COMPLETE manuals hitherto published on Electro-Metallurgy."—*Electrical Review.*

"This work will be a STANDARD."—*Jeweller.*

"Any metallurgical process which REDUCES the COST of production must of necessity prove of great commercial importance. . . . We recommend this manual to ALL who are interested in the PRACTICAL APPLICATION of electrolytic processes."—*Nature.*

SECOND EDITION, Thoroughly Revised and Enlarged. In large 8vo.
With Numerous Illustrations and Three Folding-Plates. 21s. *net.*

ELECTRIC SMELTING & REFINING:

A Practical Manual of the Extraction and Treatment of Metals by Electrical Methods.

Being the "ELEKTRO-METALLURGIE" of DR. W. BORCHERS.

Translated from the Latest German Edition by WALTER G. McMILLAN, F.I.C., F.C.S.

CONTENTS.

PART I.—ALKALIES AND ALKALINE EARTH METALS: Magnesium, Lithium, Beryllium, Sodium, Potassium, Calcium, Strontium, Barium, the Carbides of the Alkaline Earth Metals.

PART II.—THE EARTH METALS: Aluminium, Cerium, Lanthanum, Didymium.

PART III.—THE HEAVY METALS: Copper, Silver, Gold, Zinc and Cadmium, Mercury, Tin, Lead, Bismuth, Antimony, Chromium, Molybdenum, Tungsten, Uranium, Manganese, Iron, Nickel, and Cobalt, the Platinum Group.

"COMPREHENSIVE and AUTHORITATIVE . . . not only FULL of VALUABLE INFORMATION, but gives evidence of a THOROUGH INSIGHT into the technical VALUE and POSSIBILITIES of all the methods discussed."—*The Electrician.*

"DR. BORCHERS' WELL-KNOWN WORK . . . must OF NECESSITY BE ACQUIRED by every one interested in the subject. EXCELLENTLY put into English with additional matter by Mr. McMILLAN."—*Nature.*

"Will be of GREAT SERVICE to the practical man and the Student."—*Electric Smelting.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

In Medium 8vo. Handsome Cloth. Fully Illustrated. 15s. net.

GENERAL FOUNDRY PRACTICE:

A Practical Handbook for Iron, Steel and Brass Founders, Metallurgists, and Students of Metallurgy.

By A. McWILLIAM, A.R.S.M., and PERCY LONGMUIR.

CONTENTS.—Introduction.—General Properties of Matter.—Moulding Sands.—Facing Sands and Facings.—Foundry Tools.—Moulding Boxes.—Handling Material in the Foundry.—Open Sand Moulding.—Cores.—Elementary Aspects of Moulding.—Green Sand Moulding.—Securing Cores in Moulds.—Moulding from Guides.—Bench, Oddside, and Plate Moulding.—Machine Moulding.—Dry Sand Moulding.—Loam Moulding.—Chill Casting.—Casting on other Metals.—Burning.—Weighting and Binding Materials.—Shrinkage, Contraction, and Warping.—Dressing Castings.—Common Faults due to Mould and Pattern.—Malleable or Wrought Iron, Steel and Malleable Cast Iron.—Cast Iron.—Refractory Materials.—Fuels and Furnaces.—Mixing by Analysis.—Remelting.—Working the Cupola.—Further Treatment of Cast Iron.—High Temperature Measurement.—Steel.—Notes on Metals other than Iron.—Alloys.—Mechanical Testing.—Micrographic Analysis.—Common Faults.—Foundry Management.—INDEX.

"The student of foundry work . . . needs no other text-book. . . . The book contains a tremendous amount of information, and is well written."—*Engineering Times.*

Extra Crown 8vo. With 48 Illustrations. 3s. 6d. net.

LECTURES ON IRON-FOUNDING.

By THOMAS TURNER, M.Sc., A.R.S.M., F.I.C.,

Professor of Metallurgy in the University of Birminghan.

CONTENTS.—Varieties of Iron and Steel.—Application of Cast Iron.—History.—Production.—Iron Ores.—Composition.—The Blast Furnace.—Materials.—Reactions.—Grading Pig Iron.—Carbon, Silicon, Sulphur, Phosphorus, Manganese, Aluminium, Arsenic, Copper, and Titanium.—The Foundry.—General Arrangement.—Re-melting Cast Iron.—The Cupola.—Fuel Used.—Changes due to Re-melting.—Moulds and Moulding.—Foundry Ladles.—Pouring and Pouring Temperature.—Common Troubles.—Influence of Shape and Size on Strength of Castings.—Tests.

"Ironfounders will find much information in the book."—*Iron Trade Circular (Ryland's).*

In Large 4to, Library Style. Beautifully Illustrated with 20 Plates, many in Colours, and 94 Figures in the Text. £2, 2s. net.

PRECIOUS STONES:

Their Properties, Occurrences, and Uses.

A Treatise for Dealers, Manufacturers, Jewellers, and for all Collectors and others interested in Gems.

By DR. MAX BAUER, OF THE UNIVERSITY OF MARBURG.

TRANSLATED BY L. J. SPENCER, M.A. (CANTAB.), F.G.S.

"The plates are remarkable for their beauty, delicacy, and truthfulness. A glance at them alone is a lesson on precious stones, whilst the perusal of the work itself should add a new interest to any casket of jewels or cabinet of gems, or even to a jewellers' window."—*Athenæum.*

In Large Crown 8vo. With Numerous Illustrations. 8s. 6d.

THE ART OF THE GOLDSMITH AND JEWELLER.

A Manual on the Manipulation of Gold and the Manufacture of Personal Ornaments.

By THOS. B. WIGLEY,

Headmaster of the Jewellers and Silversmiths' Assoc. Tech. School, Birmingham.

ASSISTED BY J. H. STANSBIE, B.Sc. (LOND.), F.I.C.,

Lecturer at the Birmingham Municipal Technical School.

Digitized by Google

Griffin's Chemical and Technological Publications.

		PAGE
Inorganic Chemistry,	Profs. Dupré and Hake,	70
Analysis,	Prof. Humboldt Sexton,	70
Chemical Engineering,	Dr. J. Grossmann,	46
Chemistry,	Blount and Bloxam,	46, 71
Foods and Poisons,	A. Wynter Blyth,	72
Tables for Chemists,	Prof. Castell-Evans,	79
Dairy Chemistry, &c.,	H. D. Richmond,	73
Milk,	E. F. Willoughby,	73
Flesh Foods,	C. A. Mitchell,	74
Practical Sanitation,	Dr. G. Reid,	78
Sanitary Engineering,	F. Wood,	78
Lessons on Sanitation,	J. W. Harrison,	78
Technical Mycology,	Lafar and Salter,	74
Soil Bacteria,	J. Clark,	73
Ferments and Toxines,	C. Oppenheimer,	74, 75
Brewing,	Dr. W. J. Sykes,	75
Trades' Waste,	W. Naylor,	76
Smoke Abatement,	Wm. Nicholson,	76
Cements,	G. R. Redgrave,	76
Water Supply,	R. E. Middleton,	77
Road Making,	Thos. Aitken,	79
Gas Manufacture,	W. Atkinson Butterfield,	77
Acetylene,	Leeds and Butterfield,	77
Fire Risks,	Dr. Schwartz,	77
Petroleum,	Sir Boverton Redwood,	61
——(Handbook),	Thomson and Redwood,	61
Ink Manufacture,	Mitchell and Hepworth,	81
Paper Technology,	R. W. Sindall,	81
Glue, Gelatine, &c.,	Thos. Lambert,	81
Leather,	R. S. Trotman,	81
Oils, Soaps, Candles,	Wright & Mitchell,	71
Lubrication & Lubricants,	Archbutt and Deeley,	32
India Rubber,	Dr. Carl O. Weber,	81
Painters' Colours, Oils, &c.,	G. H. Hurst,	80
Painters' Laboratory Guide,	,, ,,	80
Painting and Decorating,	W. J. Pearce,	80
Dyeing,	Knecht and Rawson,	82
Dictionary of Dyes,	Rawson and Gardner,	82
The Synthetic Dyestuffs,	Cain and Thorpe,	82
Spinning,	H. R. Carter,	83
Textile Printing,	Seymour Rothwell,	83
Textile Fibres of Commerce,	W. I. Hannan,	83
Dyeing and Cleaning,	G. H. Hurst,	84
Bleaching, Calico-Printing,	Geo. Duerr,	84

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

THIRD EDITION, Revised, Enlarged, and Re-issued. Price 6s. net.

A SHORT MANUAL OF

INORGANIC CHEMISTRY.

BY A. DUPRÉ, Ph.D., F.R.S.,

AND WILSON HAKE, Ph.D., F.I.C., F.C.S.,

Of the Westminster Hospital Medical School.

"AN EXAMPLE OF THE ADVANTAGES OF THE SYSTEMATIC TREATMENT of a Science over the fragmentary style so generally followed. BY A LONG WAY THE BEST of the small Manuals for Students."—*Analyst.*

In Handsome Cloth. With nearly 50 Illustrations. 3s. 6d. net.

THE ELEMENTS OF CHEMICAL ENGINEERING.

BY J. GROSSMANN, M.A., PH.D., F.I.C.

WITH A PREFACE BY

SIR WILLIAM RAMSAY, K.C.B., F.R.S.

CONTENTS.—The Beaker and its Technical Equivalents.—Distilling Flasks, Liebig's Condensers.—Fractionating Tubes and their Technical Equivalents.—The Air-Bath and its Technical Equivalents.—The Blowpipe and Crucible and their Technical Equivalents.—The Steam Boiler and other Sources of Power.—General Remarks on the Application of Heat in Chemical Engineering.—The Funnel and its Technical Equivalents.—The Mortar and its Technical Equivalents.—Measuring Instruments and their Technical Equivalents.—Materials Used in Chemical Engineering and their Mode of Application.—Technical Research and the Designing of Plant.—Conclusion.—Chemicals and Materials.—INDEX.

"Excellent. . . . Every student of chemistry attending a technical course should obtain a copy.—*Chemical News.*

LABORATORY HANDBOOKS BY A. HUMBOLDT SEXTON,

Professor of Metallurgy in the Glasgow and West of Scotland Technical College.

OUTLINES OF QUANTITATIVE ANALYSIS.

FOR THE USE OF STUDENTS.

With Illustrations. FIFTH EDITION. Crown 8vo, Cloth, 3s.

"A COMPACT LABORATORY GUIDE for beginners was wanted, and the want has been WELL SUPPLIED. . . . A good and useful book."—*Lancet.*

OUTLINES OF QUALITATIVE ANALYSIS.

FOR THE USE OF STUDENTS.

With Illustrations. FOURTH EDITION, Revised. Crown 8vo, Cloth, 3s. 6d.

"The work of a thoroughly practical chemist."—*British Medical Journal.*

"Compiled with great care, and will supply a want."—*Journal of Education.*

ELEMENTARY METALLURGY:

Including the Author's Practical Laboratory Course.

[See p. 66.

Digitized by Google

"The authors have SUCCEEDED beyond all expectations, and have produced a work which should give FRESH POWER to the Engineer and Manufacturer."—*The Times.*

In Two Vols., Large 8vo. With Illustrations. Sold Separately.

CHEMISTRY FOR ENGINEERS AND MANUFACTURERS.

A PRACTICAL TEXT-BOOK.

BY

BERTRAM BLOUNT, F.I.C., & A. G. BLOXAM, F.I.C.

VOLUME I. Price 10s. 6d.

CHEMISTRY OF ENGINEERING, BUILDING, AND METALLURGY.

General Contents.—**INTRODUCTION—Chemistry of the Chief Materials of Construction—Sources of Energy—Chemistry of Steam-raising—Chemistry of Lubrication and Lubricants—Metallurgical Processes used in the Winning and Manufacture of Metals.**

VOLUME II. Price 16s.

SECOND EDITION, Thoroughly Revised. Illustrated. 16s.

THE CHEMISTRY OF MANUFACTURING PROCESSES.

General Contents.—**Sulphuric Acid Manufacture—Alkali, &c.—Destructive Distillation—Artificial Manure—Petroleum—Lime and Cement—Clay and Glass—Sugar and Starch—Brewing and Distilling—Oils, Resins, and Varnishes—Soap and Candles—Textiles and Bleaching—Colouring Matters, Dyeing, and Printing—Paper and Pasteboard—Pigments and Paints—Leather, Glue, and Size—Explosives and Matches—Minor Manufactures.**

"Certainly a GOOD and USEFUL BOOK, constituting a PRACTICAL GUIDE for students by affording a clear conception of the numerous processes as a whole."—*Chemical Trade Journal.*

SECOND EDITION. In Large 8vo. Handsome Cloth. With 800 pages and 154 Illustrations. 25s. net.

OILS, FATS, BUTTERS, AND WAXES:

THEIR PREPARATION AND PROPERTIES, AND MANUFACTURE THEREFROM OF CANDLES, SOAPS, AND OTHER PRODUCTS.

BY C. R. ALDER WRIGHT, D.Sc., F.R.S.,

Late Lecturer on Chemistry, St. Mary's Hospital Medical School; Examiner in "Soap" to the City and Guilds of London Institute.

Thoroughly Revised, Enlarged, and in Part Rewritten

BY C. AINSWORTH MITCHELL, B.A., F.I.C., F.C.S.

"Will be found ABSOLUTELY INDISPENSABLE."—*The Analyst.*

"Will rank as the STANDARD ENGLISH AUTHORITY on OILS and FATS for many years to come."—*Industries and Iron.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

FIFTH EDITION, Thoroughly Revised, Greatly Enlarged and Re-written. With additional Tables, Plates, and Illustrations. 21s.

FOODS:

THEIR COMPOSITION AND ANALYSIS.

BY A. WYNTER BLYTH, M.R.C.S., F.I.C., F.C.S.,
Barrister-at-Law, Public Analyst for the County of Devon, and Medical Officer of Health for St. Marylebone.

AND M. WYNTER BLYTH, B.A., B.Sc., F.C.S.

GENERAL CONTENTS.—History of Adulteration.—Legislation.—Apparatus.—"Ash."—Sugar.—Confectionery.—Honey.—Treacle.—Jams and Preserved Fruits.—Starches.—Wheaten-Flour.—Bread.—Oats.—Barley.—Rye.—Rice.—Maize.—Millet.—Potatoes.—Peas.—Lentils.—Beans.—Milk.—Cream.—Butter.—Oleo-Margarine.—Cheese.—Lard.—Tea.—Coffee.—Cocoa and Chocolate.—Alcohol.—Brandy.—Rum.—Whisky.—Gin.—Arrack.—Liqueurs.—Absinthe.—Yeast.—Beer.—Wine.—Vinegar.—Lemon and Lime Juice.—Mustard.—Pepper.—Sweet and Bitter Almonds.—Annatto.—Olive Oil.—Water Analysis.—Appendix: Adulteration Acts, &c.

"Simply INDISPENSABLE in the Analyst's laboratory."—*The Lancet.*

"A new edition of Mr. Wynter Blyth's Standard work, ENRICHED WITH ALL THE RECENT DISCOVERIES AND IMPROVEMENTS, will be accepted as a boon."—*Chemical News.*

FOURTH EDITION, Thoroughly Revised. In Large 8vo, Cloth, with Tables and Illustrations. 21s. net.

POISONS:

THEIR EFFECTS AND DETECTION.

BY A. WYNTER BLYTH, M.R.C.S., F.I.C., F.C.S.,
Barrister-at-Law, Public Analyst for the County of Devon, and Medical Officer of Health for St. Marylebone.

GENERAL CONTENTS.

I.—Historical Introduction. II.—Classification—Statistics—Connection between Toxic Action and Chemical Composition—Life Tests—General Method of Procedure—The Spectroscope—Examination of Blood and Blood Stains. III.—Poisonous Gases. IV.—Acids and Alkalies. V.—More or less Volatile Poisonous Substances. VI.—Alkaloids and Poisonous Vegetable Principles. VII.—Poisons derived from Living or Dead Animal Substances. VIII.—The Oxalic Acid Group. IX.—Inorganic Poisons. *Appendix:* Treatment, by Antidotes or otherwise, of Cases of Poisoning.

"Undoubtedly THE MOST COMPLETE WORK on Toxicology in our language."—*The Analyst (on the Third Edition).*

"As a PRACTICAL GUIDE, we know NO BETTER work."—*The Lancet (on the Third Edition).*

*** In the THIRD EDITION, Enlarged and partly Re-written, NEW ANALYTICAL METHODS have been introduced, and the CADAVERIC ALKALOIDS, or PTOMAINES, bodies playing so great a part in Food-poisoning and in the Manifestations of Disease, have received special attention.

Digitized by Google

SECOND EDITION. With Numerous Tables, Fully Illustrated.

DAIRY CHEMISTRY

FOR DAIRY MANAGERS, CHEMISTS, AND ANALYSTS

A Practical Handbook for Dairy Chemists and others having Control of Dairies.

BY H. DROOP RICHMOND, F.I.C.,

CHEMIST TO THE AYLESBURY DAIRY COMPANY.

Contents.—I. Introductory.—The Constituents of Milk. II. The Analysis of Milk. III. Normal Milk: its Adulterations and Alterations, and their Detection. IV The Chemical Control of the Dairy. V, Biological and Sanitary Matters. VI. Butter. VII. Other Milk Products. VIII. The Milk of Mammals other than the Cow.—Appendices.—Tables.—Index.

". . . In our opinion the book is the BEST CONTRIBUTION ON THE SUBJECT THAT HAS YET APPEARED in the English language."—*Lancet* (on the First Edition).

Fully Illustrated. With Photographs of Various Breeds of Cattle, &c. 6s. *net.*

MILK: ITS PRODUCTION & USES.

With Chapters on Dairy Farming, The Diseases of Cattle, and on the Hygiene and Control of Supplies.

BY EDWARD F. WILLOUGHBY,

M.D. (Lond.), D.P.H. (Lond. and Camb.).

"We cordially recommend it to everyone who has anything at all to do with milk."—*Dairy World.*

In Crown 8vo, Fully Illustrated. 2s. 6d. net.

THE LABORATORY BOOK OF

DAIRY ANALYSIS.

BY H. DROOP RICHMOND, F.I.C.,

Analyst to the Aylesbury Dairy Co., Ltd.

"Without doubt the best contribution to the literature of its subject that has ever been written."—*Medical Times.*

AT PRESS. In Crown 8vo. Handsome Cloth. Illustrated.

SOIL BACTERIA.

BY JAMES CLARK, M.A., D.Sc., A.R.C.S.,

Principal of the Central Technical Schools for Cornwall.

CONTENTS.—The Micro-organisms of the Soil, their Appearance, Growth, Reproduction, Activity and Conditions of Existence.—Soil Bacteria and their Relations to Organic Matter.—Decomposition and Putrefaction.—Formation and Nature of Humus; Decomposition of Farm-yard Manure.—Effects of Tillage Operations and of Various Manures on the Decomposition of the Organic Matters in the Soil.—Fixation of Free Nitrogen by Bacteria Living in Symbiosis with Higher Plants.—Nitragin.—Fixation of Free Nitrogen by the Soil.—Alinit.—Nitrification.—Denitrification.—Conditions and Treatment Favourable for the Increase of Soil Nitrogen and for the Process of Nitrification.—Soil Bacteria which are of Minor Importance.

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

Crown 8vo, Handsome Cloth. Fully Illustrated. 10s. 6d.

FLESH FOODS:

With Methods for their Chemical, Microscopical, and Bacteriological Examination.

A Practical Handbook for Medical Men, Analysts, Inspectors and others.

BY C. AINSWORTH MITCHELL, B.A., F.I.C., F.C.S.,
Member of Council, Society of Public Analysts.

With Numerous Tables, Illustrations, and a Coloured Plate.

"A compilation which will be most useful for the class for whom it is intended."—*Athenæum.*
"A book which NO ONE whose duties involve considerations of food supply CAN AFFORD TO BE WITHOUT."—*Municipal Journal.*

In Large 8vo. Handsome Cloth.

AGRICULTURAL CHEMISTRY AND ANALYSIS:

A PRACTICAL HANDBOOK FOR THE USE OF AGRICULTURAL STUDENTS.

BY J. M. H. MUNRO, D.Sc., F.I.C., F.C.S.,
Professor of Chemistry, Downton College of Agriculture.

[*In Preparation.*

In Large 8vo. Handsome Cloth. With numerous Illustrations.

Each Volume Complete in Itself, and Sold Separately.

TECHNICAL MYCOLOGY:

The Utilisation of Micro-organisms in the Arts and Manufactures.

BY DR. FRANZ LAFAR,
Prof. of Fermentation-Physiology and Bacteriology in the Technical High School, Vienna.

With an Introduction by DR. EMIL CHR. HANSEN, Principal of the Carlsberg Laboratory, Copenhagen.

TRANSLATED BY CHARLES T. C. SALTER.

Vol. I.—SCHIZOMYCETIC FERMENTATION. 15s.
Vol. II., Part I.—EUMYCETIC FERMENTATION. 7s. 6d.

"The first work of the kind which can lay claim to completeness in the treatment of a fascinating subject. The plan is admirable, the classification simple, the style is good, and the tendency of the whole volume is to convey sure information to the reader."—*Lancet.*

Crown 8vo, Handsome Cloth. With Diagrams. 7s. 6d. net.

[*Companion Volume to "FERMENTS," by the same Author.*]

TOXINES AND ANTITOXINES.

BY CARL OPPENHEIMER, PH.D., M.D.,
Of the Physiological Institute at Erlangen.

TRANSLATED FROM THE GERMAN BY
C. AINSWORTH MITCHELL, B.A., F.I.C., F.C.S.

With Notes, and Additions by the Author, since the publication of the German Edition.

"For wealth of detail, we have no small work on Toxines which equals the one under review."—*Medical Times.*

Digitized by Google

In Crown 8vo, Handsome Cloth. Price 7s. 6d. net.

FERMENTS
AND THEIR ACTIONS.

A Text-book on the Chemistry and Physics of Fermentative Changes.

BY CARL OPPENHEIMER, PH. D., M. D.,
Of the Physiological Institute at Erlangen.

TRANSLATED FROM THE GERMAN BY

C. AINSWORTH MITCHELL, B.A., F.I.C., F.C.S.

ABRIDGED CONTENTS.—Introduction.—Definition.—Chemical Nature of Ferments.—Influence of External Factors.—Mode of Action.—Physiological Action.—Secretion.—Importance of Ferments to Vital Action.—Proteolytic Ferments.—Trypsin.—Bacteriolytic and Hæmolytic Ferments.—Vegetable Ferments.—Coagulating Ferments.—Saccharifying Ferments.—Diastases.—Polysaccharides.—Enzymes.—Ferments which decompose Glucosides.—Hydrolytic Ferments.—Lactic Acid Fermentation.—Alcoholic Fermentation.—Biology of Alcoholic Fermentation.—Oxydases.—Oxidising Fermentation.—Bibliography.—INDEX.

"Such a veritable *multum in parvo* has never yet appeared."—*Brewers' Journal.*

THIRD EDITION. In Handsome Cloth. Fully Illustrated. 21s. net.

PRINCIPLES AND PRACTICE OF BREWING.
FOR THE USE OF STUDENTS AND PRACTICAL MEN.

BY WALTER J. SYKES.

REVISED BY ARTHUR R. LING, F.I.C., F.C.S.,
Editor of the Journal of the Institute of Brewing.

CONTENTS.—Physical Principles Involved.—The Chemistry of Brewing.—The Microscope.—Vegetable Biology.—Fermentation.—Water.—Barley and Malting.—Arrangement of Brewery Plant.—Quantities of Materials.—Fermentation.—Antiseptics.—Finings.—Characteristics of Beer.—Diseases of Beer.—INDEX.

In Crown 8vo. Handsome Cloth. Fully Illustrated. 6s. net.

PEAT: Its Use and Manufacture.

BY PHILIP R. BJÖRLING, Consulting Hydraulic Engineer,
AND FREDERICK T. GISSING.

GENERAL CONTENTS.—Introduction.—The Formation of Peat.—Area and Depth of Bogs in Principal Countries.—Manufacture of Peat Fuel, &c.—Cut Peat, Dredged Peat, and Manufactured Peat.—Machinery employed in the Manufacture of Peat Fuel.—Peat Moss Litter, and the Machinery employed in its Manufacture.—Peat Charcoal and its Manufacture.—Cost of making Peat Fuel and Charcoal.—Other Productions derived from Peat, such as Tar, Manure, Candles, Dyes, Paper, &c.—BIBLIOGRAPHY.—INDEX.

"A vast amount of valuable information . . . excellent illustrations."—*Times Engineering Supplement.*

"The treatment throughout is clear and interesting . . . excellent plates."—*Engineering.*

In Crown 8vo. Handsome Cloth. With 30 Illustrations. 6s. net.

THE CLAYWORKER'S HANDBOOK.

An Epitome of the Materials and Methods employed in Brickmaking and Pottery.

BY THE AUTHOR OF "THE CHEMISTRY OF CLAYWORKING," &C.

GENERAL CONTENTS.—Materials used in Clayworking; Clays, Engobes, Glazes, Colours, Water, Fuel, Oils, and Lubricants.—The Preparation of the Clay, Mining and Quarrying, Weathering, Washing, Grinding, Tempering, and Pugging.—Machinery; Boilers, Engines, General Machinery, Sieves, Mixing Machinery, Presses, &c.—Dryers and Drying.—Engobing and Glazing.—Setting or Charging, Transport.—Kilns.—Firing.—Discharging, Sorting, and Packing.—Defects and Waste.—Tests, Analysis and Control.—BIBLIOGRAPHY.—TABLES.—INDEX.

"We can thoroughly recommend this handy little book to all our readers."—*Brick and Pottery Trades' Journal.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

AUTHORISED ENGLISH TRANSLATION.

In Large 8vo. Cloth. With about 150 Illustrations and 350 pages.

A MANUAL OF

THE PRINCIPLES OF SEWAGE TREATMENT.

BY PROF. DUNBAR,

Director of the Institute of State Hygiene, Hamburg.

TRANSLATED BY HARRY T. CALVERT, M.Sc., PH.D., F.I.C.,

Of the West Riding of Yorkshire Water Board.

*** Professor Dunbar presents the subject in a logical and thoroughly scientific manner, and deals, not only with German conditions, but also very largely with those of this country and America, many of the admirable illustrations being English and American.

Beautifully Illustrated, with Numerous Plates, Diagrams, and Figures in the Text. 21s. net.

TRADES' WASTE:

ITS TREATMENT AND UTILISATION.

Handbook for Borough Engineers, Surveyors, Architects, and Analysts.

BY W. NAYLOR, F.C.S., A.M.INST.C.E.,

Chief Inspector of Rivers, Ribble Joint Committee.

CONTENTS.—I. Introduction.—II. Chemical Engineering.—III.—Wool De-greasing and Grease Recovery.—IV. Textile Industries; Calico Bleaching and Dyeing.—V. Dyeing and Calico-Printing.—VI. Tanning and Fellmongery.—VII. Brewery and Distillery Waste.—VIII. Paper Mill Refuse.—IX. General Trades' Waste.—INDEX.

"There is probably no person in England to-day better fitted to deal rationally with such a subject."—*British Sanitarian.*

In Handsome Cloth. With 59 Illustrations. 6s. net.

SMOKE ABATEMENT.

A Manual for the Use of Manufacturers, Inspectors, Medical Officers of Health, Engineers, and Others.

BY WILLIAM NICHOLSON,

Chief Smoke Inspector to the Sheffield Corporation.

CONTENTS.—Introduction.—General Legislation against the Smoke Nuisance.—Local Legislation.—Foreign Laws.—Smoke Abatement.—Smoke from Boilers, Furnaces, and Kilns.—Private Dwelling-House Smoke.—Chimneys and their Construction.—Smoke Preventers and Fuel Savers.—Waste Gases from Metallurgical Furnaces.—Summary and Conclusions.—INDEX.

"We welcome such an adequate statement on an important subject."—*British Medical Journal.*

SECOND EDITION. In Medium 8vo. Thoroughly Revised and Re-Written. 15s. net.

CALCAREOUS CEMENTS:

THEIR NATURE, PREPARATION, AND USES.

With some Remarks upon Cement Testing.

BY GILBERT R. REDGRAVE, ASSOC. INST. C.E.,

Assistant Secretary for Technology, Board of Education, South Kensington,

AND CHARLES SPACKMAN, F.C.S.

"We can thoroughly recommend it as a first-class investment."—*Practical Engineer.*

Digitized by Google

With Four Folding Plates and Numerous Illustrations. Large 8vo. 8s. 6d. net.

WATER SUPPLY:

A Practical Treatise on the Selection of Sources and the Distribution of Water.

By REGINALD E. MIDDLETON, M.Inst.C.E., M.Inst.Mech.E., F.S.I.

Abridged Contents.—Introductory.—Requirements as to Quality.—Requirements as to Quantity.—Storage Reservoirs.—Purification.—Service Reservoirs.—The Flow of Water through Pipes. — Distributing Systems. — Pumping Machines. — Special Requirements.

"As a companion for the student, and a constant reference for the technical man, we anticipate it will take an important position on the bookshelf."—*Practical Engineer.*

In Large Crown 8vo. Fully Illustrated. In Two Volumes.

Volume I. Fourth Edition. Price 7s. 6d. net.
" II. Third Edition. Ready Shortly.

THE CHEMISTRY OF

GAS MANUFACTURE:

A Hand-Book on the Production, Purification, and Testing of Illuminating Gas, and the Assay of the Bye-Products of Gas Manufacture.

By W. J. ATKINSON BUTTERFIELD, M.A., F.I.C., F.C.S.,
Formerly Head Chemist, Gas Works, Beckton, London, E.

"The best work of its kind which we have ever had the pleasure of reviewing."—*Journal of Gas Lighting.*

With Diagrams and Illustrations. 5s. net.

ACETYLENE:

THE PRINCIPLES OF ITS GENERATION AND USE.

By F. H. LEEDS, F.I.C., F.C.S.,
Member of the Society of Public Analysts and of the Acetylene Association;

And W. J. ATKINSON BUTTERFIELD, M.A., F.I.C., F.C.S.,
Consulting Chemist, Author of "The Chemistry of Gas Manufacture."

"Brimful of information."—*Chem. Trade Journal.*

"We can thoroughly recommend the book to the manufacturer as a reliable work of reference, to the user as supplying valuable hints on apparatus and methods of procedure, and to the student as a safe and certain guide."—*Acetylene.*

Large 8vo. Handsome Cloth. Price 16s. net.

FIRE AND EXPLOSION RISKS:

A Handbook of the Detection, Investigation, and Prevention of Fires and Explosions.

By Dr. VON SCHWARTZ.

Translated from the Revised German Edition

By C. T. C. SALTER.

Abridged General Contents.—Fires and Explosions of a General Character — Dangers arising from Sources of Light and Heat.—Dangerous Gases.—Risks Attending Special Industries. — Materials Employed. — Agricultural Products. — Fats, Oils, and Resins.—Mineral Oils and Tar.—Alcohol, &c.—Metals, Oxides, Acids, &c.—Lightning Ignition Appliances, Fireworks.

"The work affords a wealth of information on the chemistry of fire and kindred topics."—*Fire and Water.*

"A complete and useful survey of a subject of wide interest and vital importance."—*Oil and Colourman's Journal.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

THIRTEENTH EDITION, Thoroughly Revised. The Appendix on Sanitary Law being Entirely Re-Written for this Edition. Price 6s.

PRACTICAL SANITATION:

A HAND-BOOK FOR SANITARY INSPECTORS AND OTHERS INTERESTED IN SANITATION.

By GEORGE REID, M.D., D.P.H.,

Fellow, Mem. Council, and Examiner, Sanitary Institute of Great Britain, and Medical Officer to the Staffordshire County Council.

With an Appendix on Sanitary Law.

By HERBERT MANLEY, M.A., M.B., D.P.H.,

Barrister-at-Law.

GENERAL CONTENTS.—Introduction.—Water Supply: Drinking Water, Pollution of Water.—Ventilation and Warming.—Principles of Sewage Removal.—Details of Drainage; Refuse Removal and Disposal.—Sanitary and Insanitary Work and Appliances.—Details of Plumbers' Work.—House Construction.—Infection and Disinfection.—Food, Inspection of; Characteristics of Good Meat; Meat, Milk, Fish, &c., unfit for Human Food.—Appendix: Sanitary Law; Model Bye-Laws, &c.

"A VERY USEFUL HANDBOOK, with a very useful Appendix. We recommend it not only to SANITARY INSPECTORS, but to HOUSEHOLDERS and ALL interested in Sanitary Matters."—*Sanitary Record.*

In Handsome Cloth. With 53 Illustrations. 3s. 6d. net.

LESSONS ON SANITATION.

By JOHN WM. HARRISON, M.R.SAN.I.,

Mem. Incor. Assoc. Mun. and County Engineers; Surveyor, Wombwell, Yorks.

CONTENTS.—Water Supply.—Ventilation.—Drainage.—Sanitary Building Construction.—Infectious Diseases.—Food Inspection.—Duties of an Inspector of Nuisances and Common Lodging-Houses.—Infectious Diseases Acts.—Factory and Workshop Acts.—Housing of the Working-Classes Act.—Shop Hours Acts.—Sale of Food and Drugs Acts. The Margarine Acts.—Sale of Horseflesh, &c., Rivers Pollution.—Canal Boats Act.—Diseases of Animals.—Dairies, Cowsheds and Milkshops Order.—Model Bye-Laws.—Miscellaneous.—INDEX.

"Accurate, reliable, and compiled with conciseness and care."—*Sanitary Record.*

SECOND EDITION, Revised. In Crown 8vo. Handsome Cloth. Profusely Illustrated. 8s. 6d. net.

SANITARY ENGINEERING:

A Practical Manual of Town Drainage and Sewage and Refuse Disposal.

For Sanitary Authorities, Engineers, Inspectors, Architects, Contractors, and Students.

By FRANCIS WOOD, A.M.INST.C.E., F.G.S.,

Borough Engineer and Surveyor, Fulham; late Borough Engineer, Bacup, Lancs.

GENERAL CONTENTS.

Introduction.—Hydraulics.—Velocity of Water in Pipes.—Earth Pressures and Retaining Walls.—Powers.—House Drainage.—Land Drainage.—Sewers.—Separate System.—Sewage Pumping.—Sewer Ventilation.—Drainage Areas.—Sewers, Manholes, &c.—Trade Refuse.—Sewage Disposal Works.—Bacterial Treatment.—Sludge Disposal.—Construction and Cleansing of Sewers.—Refuse Disposal.—Chimneys and Foundations.

"The volume bristles with information which will be greedily read by those in need of assistance. The book is one that ought to be on the bookshelves of EVERY PRACTICAL ENGINEER."—*Sanitary Journal.*

"A VERITABLE POCKET COMPENDIUM of Sanitary Engineering. . . . A work which may, in many respects, be considered as COMPLETE . . . COMMENDABLY CAUTIOUS . . . INTERESTING . . . SUGGESTIVE."—*Public Health Engineer.*

Digitized by Google

VOL. I. NOW READY. IN HALF MOROCCO, 24s. NET.

In Two Volumes, each complete in itself.

PHYSICO-CHEMICAL TABLES

FOR THE USE OF ANALYSTS, PHYSICISTS, CHEMICAL MANUFACTURERS AND SCIENTIFIC CHEMISTS.

Volume I.—Chemical Engineering, Physical Chemistry.
Volume II.—Chemical Physics, Pure and Analytical Chemistry.
[Shortly.

BY JOHN CASTELL-EVANS, F.I.C., F.C.S.,

Lecturer on Inorganic Chemistry and Metallurgy at the Finsbury Technical College.

The Tables may almost claim to be exhaustive, and embody and collate all the most recent data established by experimentalists at home and abroad. The volumes will be found invaluable to all engaged in research and experimental investigation in Chemistry and Physics.

The Work comprehends as far as possible ALL RULES AND TABLES required by the Analyst, Brewer, Distiller, Acid- and Alkali-Manufacturer, &c., &c.; and also the principal data in THERMO-CHEMISTRY, ELECTRO-CHEMISTRY, and the various branches of CHEMICAL PHYSICS. Every possible care has been taken to ensure perfect accuracy, and to include the results of the most recent investigations.

SECOND EDITION. *In Large 8vo. Handsome Cloth. Beautifully Illustrated. With Plates and Figures in the Text.*

Road Making and Maintenance:

A PRACTICAL TREATISE FOR ENGINEERS, SURVEYORS, AND OTHERS.

WITH AN HISTORICAL SKETCH OF ANCIENT AND MODERN PRACTICE.

BY THOS. AITKEN, ASSOC.M.INST.C.E.,

Member of the Association of Municipal and County Engineers; Member of the Sanitary Inst.; Surveyor to the County Council of Fife, Cupar Division.

WITH NUMEROUS PLATES, DIAGRAMS, AND ILLUSTRATIONS.

CONTENTS.—Historical Sketch.—Resistance of Traction.—Laying out New Roads.—Earthworks, Drainage, and Retaining Walls.—Road Materials, or Metal.—Quarrying.—Stone Breaking and Haulage.—Road-Rolling and Scarifying.—The Construction of New, and the Maintenance of existing Roads.—Carriage Ways and Foot Ways.

"The Literary style is EXCELLENT. . . . A COMPREHENSIVE and EXCELLENT Modern Book, an UP-TO-DATE work. . . . Should be on the reference shelf of every Municipal and County Engineer or Surveyor in the United Kingdom, and of every Colonial Engineer."—*The Surveyor.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

In Large 8vo. Handsome Cloth. Profusely Illustrated.

A COMPREHENSIVE TREATISE ON

COLOUR MANUFACTURE.

Comprising the Manufacture, Investigation, and Practical Application of Colouring Matter.

BY GEORGE ZERR AND DR. R. RUBENKAMP.

TRANSLATED BY DR. C. MAYER, OF BURGDORF.

FOURTH EDITION, Revised and Enlarged. With Illustrations. 12s. 6d.

PAINTERS' COLOURS, OILS, AND VARNISHES:

A PRACTICAL MANUAL.

BY GEORGE H. HURST, F.C.S.,

Member of the Society of Chemical Industry; Lecturer on the Technology of Painters' Colours, Oils, and Varnishes, the Municipal Technical School, Manchester.

GENERAL CONTENTS.—Introductory—THE COMPOSITION, MANUFACTURE, ASSAY, and ANALYSIS of PIGMENTS, White, Red, Yellow and Orange, Green, Blue, Brown, and Black—LAKES—Colour and Paint Machinery—Paint Vehicles (Oils, Turpentine, &c., &c.)—Driers—VARNISHES.

"A THOROUGHLY PRACTICAL book, . . . the ONLY English work that satisfactorily treats of the manufacture of oils, colours, and pigments."—*Chemical Trades' Journal.*

In Crown 8vo. Handsome Cloth. With Illustrations. 5s.

THE PAINTER'S LABORATORY GUIDE.

A Student's Handbook of Paints, Colours, and Varnishes.

BY GEORGE H. HURST, F.C.S., M.S.C.I.

ABSTRACT OF CONTENTS.—Preparation of Pigment Colours.—Chemical Principles Involved.—Oils and Varnishes.—Properties of Oils and Varnishes.—Tests and Experiments.—Plants, Methods, and Machinery of the Paint and Varnish Manufactures.

"This excellent handbook, . . . the model of what a handbook should be."—*Oils, Colours, and Drysalteries.*

THIRD EDITION, Revised. In Crown 8vo. extra. With Numerous Illustrations and Plates (some in Colours), including Original Designs. 12s. 6d.

Painting and Decorating:

A Complete Practical Manual for House Painters and Decorators.

BY WALTER JOHN PEARCE,

LECTURER AT THE MANCHESTER TECHNICAL SCHOOL FOR HOUSE-PAINTING AND DECORATING

"A THOROUGHLY USEFUL BOOK . . . GOOD, SOUND, PRACTICAL INFORMATION in a CLEAR and CONCISE FORM."—*Plumber and Decorator.*

"A THOROUGHLY GOOD AND RELIABLE TEXT-BOOK. . . . SO FULL and COMPLETE that it would be difficult to imagine how anything further could be added about the Painter's craft."—*Builders' Journal.*

Digitized by Google

SECOND EDITION. In Large 8vo. Handsome Cloth. With 4 Plates and Several Illustrations. 16s. net.

THE CHEMISTRY OF INDIA RUBBER.

A Treatise on the Nature of India Rubber, its Chemical and Physical Examination, and the Determination and Valuation of India Rubber Substitutes.

Including the Outlines of a Theory on Vulcanisation.

BY CARL OTTO WEBER, PH.D.

"Replete with scientific and also with technical interest. . . . The section on physical properties is a complete *résumé* of every thing known on the subject."—*India-rubber Journal.*

In Large Crown 8vo. Fully Illustrated. 5s. net.

GLUE, GELATINE,

AND THEIR ALLIED PRODUCTS,

A Practical Handbook for the Manufacturer, Agriculturist, and Student of Technology.

BY THOMAS LAMBERT,

Analytical and Technical Chemist.

CONTENTS.—Historical.—GLUE.—GELATINE.—Size and Isinglass.—Treatment of Effluents produced in Glue and Gelatine Making.—Liquid and other Glues, Cements, &c.—Uses of Glue and Gelatine.—Residual Products.—Analysis of Raw and Finished Products.—APPENDIX.—INDEX.

"A sufficient account of modern methods of working, chiefly from a practical standpoint. A book . . . of real value."—*Chemical News.*

In Large 8vo. Handsome Cloth. Fully Illustrated. 15s. net.

LEATHER TRADES' CHEMISTRY.

A Practical Manual on the Analysis of Materials and Finished Products.

BY S. R. TROTMAN, M.A., F.I.C.,

Public Analyst for the City of Nottingham, Member of the International Association of Leather Trades' Chemists.

SYNOPSIS OF CONTENTS.—Standard Solutions.—Acids, Alkalies, &c.—Water.—Depilation and Deliming.—Fleshings, &c.—Glue.—Spent Liquors.—Mineral and Vegetable Tanning Agents.—Oils.—Soaps.—Varnishes.—Skin.—Leather.—Dyestuffs.—Degreasing Agents.—Effluents.—GLOSSARY.—INDEX.

In Medium 8vo, Handsome Cloth. Fully Illustrated. 12s. 6d. net.

PAPER TECHNOLOGY:

AN ELEMENTARY MANUAL ON THE MANUFACTURE, PHYSICAL QUALITIES, AND CHEMICAL CONSTITUENTS OF PAPER AND OF PAPERMAKING FIBRES.

With Selected Tables for Stationers, Publishers, and Others.

BY R. W. SINDALL, F.C.S.

CONTENTS.—Introduction.—Technical Difficulties relating to Paper.—Rag Papers.—Esparto, Straw, Notes on Beating.—Wood Pulp.—Wood Pulp Papers.—Packing Papers—"Art" Papers.—The Physical Qualities of Paper.—The Chemical Constituents of Paper.—The Microscope.—Fibrous Materials used in Paper-making—Analysis of a Sheet of Paper.—The C.B.S. Units.—Cellulose and its Derivatives.—History, Chronology, and Statistics.—Dictionary of Chemical Terms.—Glossary.—City and Guilds Questions.—INDEX.

"Exceedingly instructive and particularly useful."—*Paper Makers' Monthly Journal.*

In Large 8vo. Handsome Cloth. With Plates and Illustrations. 7s. 6d. net.

THE MANUFACTURE OF INK.

A Handbook of the Production and Properties of Printing, Writing, and Copying Inks.

BY C. A. MITCHELL, B.A., F.I.C., F.C.S., & T. C. HEPWORTH.

"Thoroughly well arranged . . . and of a genuinely practical order."—*British Printer.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

THE TEXTILE INDUSTRIES.

SECOND EDITION, *Thoroughly Revised Throughout. In Two Large Volumes. Handsome Cloth.*

A MANUAL OF DYEING:

FOR THE USE OF PRACTICAL DYERS, MANUFACTURERS, STUDENTS, AND ALL INTERESTED IN THE ART OF DYEING.

BY

E. KNECHT, Ph.D., F.I.C.,
Head of the Chemistry and Dyeing Department of the Technical School, Manchester; Editor of "The Journal of the Society of Dyers and Colourists;"

CHR. RAWSON, F.I.C., F.C.S.,
Late Head of the Chemistry and Dyeing Department of the Technical College, Bradford; Member Council of the Society of Dyers and Colourists;

And RICHARD LOEWENTHAL, Ph.D.

GENERAL CONTENTS.—Chemical Technology of the Textile Fabrics—Water—Washing and Bleaching—Acids, Alkalies, Mordants—Natural Colouring Matters—Artificial Organic Colouring Matters—Mineral Colours—Machinery used in Dyeing—Tinctorial Properties of Colouring Matters—Analysis and Valuation of Materials used in Dyeing, &c., &c.

"This authoritative and exhaustive work . . . . the MOST COMPLETE we have yet seen on the subject."—*Textile Manufacturer.*

In Large 8vo, Handsome Cloth. Pp. i-xv + 405. 16s. net.

THE SYNTHETIC DYESTUFFS,

AND

THE INTERMEDIATE PRODUCTS FROM WHICH THEY ARE DERIVED.

BY JOHN CANNELL CAIN, D.Sc. (MANCHESTER AND TÜBINGEN),
Technical Chemist,

AND JOCELYN FIELD THORPE, PH.D. (HEIDELBERG),
Lecturer on Colouring Matters in the Victoria University of Manchester.

Part I. Theoretical. Part II. Practical. Part III. Analytical.

"We have no hesitation in describing this treatise as one of the most valuable books that has appeared. . . . Will give an impetus to the study of Organic Chemistry generally."—*Chemical Trade Journal.*

Companion Volume to Knecht & Rawson's "Dyeing." In Large 8vo. Handsome Cloth, Library Style. 16s. net.

A DICTIONARY OF

DYES, MORDANTS, & OTHER COMPOUNDS

USED IN DYEING AND CALICO PRINTING.

With Formulæ, Properties, and Applications of the various substances described, and concise directions for their Commercial Valuation, and for the Detection of Adulterants.

BY CHRISTOPHER RAWSON, F.I.C., F.C.S.,
Consulting Chemist to the Behar Indigo Planters' Association; Co-Author of "A Manual of Dyeing;"

WALTER M. GARDNER, F.C.S.,
Head of the Department of Chemistry and Dyeing, Bradford Municipal Technical College; Editor of the "Journ. Soc. Dyers and Colourists;"

AND W. F. LAYCOCK, Ph.D., F.C.S.,
Analytical and Consulting Chemist.

"Turn to the book as one may on any subject, or any substance in connection with the trade, and a reference is sure to be found. The authors have apparently left nothing out."—*Textile Mercury.*

Digitized by Google

In Crown 8vo. Cloth. With Numerous Illustrations.

THE COTTON WEAVERS' HANDBOOK.

A Practical Guide to the Construction and Costing of Cotton Fabrics, with Studies in Design.

BY HENRY B. HEYLIN,

Of the Royal Technical Institute, Salford.

Large 8vo. Profusely Illustrated with Plates and Figures in the Text. 16s. net.

THE SPINNING AND TWISTING OF LONG VEGETABLE FIBRES

(FLAX, HEMP, JUTE, TOW, & RAMIE).

A Practical Manual of the most Modern Methods as applied to the Hackling, Carding, Preparing, Spinning, and Twisting of the Long Vegetable Fibres of Commerce.

BY HERBERT R. CARTER, Belfast and Lille.

GENERAL CONTENTS.—Long Vegetable Fibres of Commerce.—Rise and Growth of the Spinning Industry.—Raw Fibre Markets.—Purchasing Raw Material.—Storing and Preliminary Operations.—Hackling.—Sorting.—Preparing.—Tow Carding and Mixing.—Tow Combing.—Gill Spinning.—The Roving Frame.—Dry and Demi-sec Spinning.—Wet Spinning.—Spinning Waste.—Yarn Reeling.—Manufacture of Threads, Twines, and Cords.—Rope Making.—The Mechanical Department.—Modern Mill Construction.—Steam and Water Power.—Power Transmission.

"Meets the requirements of the Mill Manager or Advanced Student in a manner perhaps more than satisfactory. . . . We must highly commend the work as representing up-to-date practice."—*Nature.*

In Large 8vo, Handsome Cloth, with Numerous Illustrations. 9s. net.

TEXTILE FIBRES OF COMMERCE.

A HANDBOOK OF

The Occurrence, Distribution, Preparation, and Industrial Uses of the Animal, Vegetable, and Mineral Products used in Spinning and Weaving.

BY WILLIAM I. HANNAN,

Lecturer on Botany at the Ashton Municipal Technical School, Lecturer on Cotton Spinning at the Chorley Science and Art School, &c.

With Numerous Photo Engravings from Nature.

"USEFUL INFORMATION. . . . ADMIRABLE ILLUSTRATIONS. . . . The information is not easily attainable, and in its present convenient form will be valuable."—*Textile Recorder.*

In Large 8vo, with Illustrations and Printed Patterns. Price 21s.

TEXTILE PRINTING:

A PRACTICAL MANUAL.

Including the Processes Used in the Printing of

COTTON, WOOLLEN, SILK, and HALF-SILK FABRICS.

BY C. F. SEYMOUR ROTHWELL, F.C.S.,

Mem. Soc. of Chemical Industries; late Lecturer at the Municipal Technical School, Manchester.

"BY FAR THE BEST and MOST PRACTICAL BOOK ON TEXTILE PRINTING which has yet been brought out, and will long remain the standard work on the subject. It is essentially practical in character."—*Textile Mercury.*

"THE MOST PRACTICAL MANUAL of TEXTILE PRINTING which has yet appeared. We have no hesitation in recommending it."—*The Textile Manufacturer.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

Large 8vo. Handsome Cloth. 12s. 6d.

BLEACHING & CALICO-PRINTING.

A Short Manual for Students and Practical Men.

BY GEORGE DUERR,

Director of the Bleaching, Dyeing, and Printing Department at the Accrington and Bacup Technical Schools; Chemist and Colourist at the Irwell Print Works.

ASSISTED BY WILLIAM TURNBULL
(of Turnbull & Stockdale, Limited).

With Illustrations and upwards of One Hundred Dyed and Printed Patterns designed specially to show various Stages of the Processes described.

GENERAL CONTENTS.—COTTON, Composition of; BLEACHING, New Processes; PRINTING, Hand-Block; Flat-Press Work; Machine Printing—MORDANTS—STYLES OF CALICO-PRINTING: The Dyed or Madder Style, Resist Padded Style, Discharge and Extract Style, Chromed or Raised Colours, Insoluble Colours, &c. — Thickeners — Natural Organic Colouring Matters —Tannin Matters — Oils, Soaps, Solvents — Organic Acids—Salts—Mineral Colours—Coal Tar Colours—Dyeing—Water, Softening of—Theory of Colours —Weights and Measures, &c.

"When a READY WAY out of a difficulty is wanted, it is IN BOOKS LIKE THIS that it is found."—*Textile Recorder.*

"MR. DUERR'S WORK will be found MOST USEFUL . . . The information given is of GREAT VALUE . . . The Recipes are THOROUGHLY PRACTICAL."—*Textile Manufacturer.*

AT PRESS. In Handsome Cloth. With 76 Illustrations.

DYEING AND CLEANING.

BY FRANK J. FARRELL, M.Sc., &c.

GENERAL CONTENTS.—Technology of the Textile Fibres. — Dry Cleaning. — Wet Cleaning. — Dyeing. — Dry Dyeing. — Special Methods, Cleaning and Dyeing Skin Rugs, Feathers, and Hats.—Finishing.—APPENDICES.—INDEX.

This practical and exhaustive handbook will be found of unusual value to those engaged in or interested in the art of Dyeing and Cleaning.

Digitized by Google

"Boys COULD NOT HAVE A MORE ALLURING INTRODUCTION to scientific pursuits than these charming-looking volumes."--Letter to the Publishers from the Head-master of one of our great Public Schools.

Handsome Cloth, 7s. 6d. Gilt, for Presentation, 8s. 6d.

OPEN-AIR STUDIES IN BOTANY:

SKETCHES OF BRITISH WILD FLOWERS IN THEIR HOMES.

BY R. LLOYD PRAEGER, B.A., M.R.I.A.

Illustrated by Drawings from Nature by S. Rosamond Praeger, and Photographs by R. Welch.

GENERAL CONTENTS.—A Daisy-Starred Pasture—Under the Hawthorns—By the River—Along the Shingle—A Fragrant Hedgerow—A Connemara Bog—Where the Samphire grows—A Flowery Meadow—Among the Corn (a Study in Weeds)—In the Home of the Alpines—A City Rubbish-Heap—Glossary.

"A FRESH AND STIMULATING book . . . should take a high place . . . The illustrations are drawn with much skill."—*The Times.*

"BEAUTIFULLY ILLUSTRATED. . . . One of the MOST ACCURATE as well as INTERESTING books of the kind we have seen."—*Athenæum.*

"Redolent with the scent of woodland and meadow."—*The Standard.*

With 12 Full-Page Illustrations from Photographs. Cloth. Second Edition, Revised. 8s. 6d.

OPEN-AIR STUDIES IN GEOLOGY:

An Introduction to Geology Out-of-doors.

BY GRENVILLE A. J. COLE, F.G.S., M.R.I.A.,

Professor of Geology in the Royal College of Science for Ireland, and Examiner in the University of London.

GENERAL CONTENTS.—The Materials of the Earth—A Mountain Hollow—Down the Valley—Along the Shore—Across the Plains—Dead Volcanoes—A Granite Highland—The Annals of the Earth—The Surrey Hills—The Folds of the Mountains.

"The FASCINATING 'OPEN-AIR STUDIES' of PROF. COLE give the subject a GLOW OF ANIMATION . . . cannot fail to arouse keen interest in geology."—*Geological Magazine.*

"A CHARMING BOOK, beautifully illustrated."—*Athenæum.*

Beautifully Illustrated. With a Frontispiece in Colours, and Numerous Specially Drawn Plates by Charles Whymper. 7s. 6d.

OPEN-AIR STUDIES IN BIRD-LIFE:

SKETCHES OF BRITISH BIRDS IN THEIR HAUNTS.

BY CHARLES DIXON.

The Spacious Air.—The Open Fields and Downs.—In the Hedgerows.—On Open Heath and Moor.—On the Mountains.—Amongst the Evergreens.—Copse and Woodland.—By Stream and Pool.—The Sandy Wastes and Mud-flats.—Sea-laved Rocks.—Birds of the Cities.—INDEX.

"Enriched with excellent illustrations. A welcome addition to all libraries."—*Westminster Review.*

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

Twenty-fourth Annual Issue. Handsome cloth, 7s. 6d.

(To Subscribers, 6s.).

THE OFFICIAL YEAR-BOOK

OF THE

SCIENTIFIC AND LEARNED SOCIETIES OF GREAT BRITAIN AND IRELAND.

COMPILED FROM OFFICIAL SOURCES.

Comprising (together with other Official Information) LISTS of the PAPERS read during the Session 1906-1907 before all the LEADING SOCIETIES throughout the Kingdom engaged in the following Departments of Research:—

§ 1. Science Generally: *i.e.*, Societies occupying themselves with several Branches of Science, or with Science and Literature jointly.
§ 2. Mathematics and Physics.
§ 3. Chemistry and Photography.
§ 4. Geology, Geography, and Mineralogy.
§ 5. Biology, including Microscopy and Anthropology.
§ 6. Economic Science and Statistics.
§ 7. Mechanical Science, Engineering, and Architecture
§ 8. Naval and Military Science.
§ 9. Agriculture and Horticulture.
§ 10. Law.
§ 11. Literature
§ 12. Psychology.
§ 13. Archæology.
§ 14. MEDICINE.

"FILLS A VERY REAL WANT."—*Engineering.*

"INDISPENSABLE to any one who may wish to keep himself abreast of the scientific work of the day."—*Edinburgh Medical Journal.*

"The YEAR-BOOK OF SOCIETIES is a Record which ought to be of the greatest use for the progress of Science."—*Lord Playfair, F.R.S., K.C.B., M.P., Past-President of the British Association.*

"It goes almost without saying that a Handbook of this subject will be in time one of the most generally useful works for the library or the desk."—*The Times.*

"British Societies are now well represented in the 'Year-Book of the Scientific and Learned Societies of Great Britain and Ireland.'"—(Art. "Societies" in New Edition of "Encyclopædia Britannica," vol. xxii.)

Copies of the FIRST ISSUE, giving an Account of the History, Organization, and Conditions of Membership of the various Societies, and forming the groundwork of the Series, may still be had, price 7/6. *Also Copies of the Issues following.*

The YEAR-BOOK OF SOCIETIES forms a complete INDEX TO THE SCIENTIFIC WORK of the sessional year in the various Departments. It is used as a HANDBOOK in all our great SCIENTIFIC CENTRES, MUSEUMS, and LIBRARIES throughout the Kingdom, and has become an INDISPENSABLE BOOK OF REFERENCE to every one engaged in Scientific Work.

READY IN OCTOBER EACH YEAR.

LONDON: CHARLES GRIFFIN & CO., LIMITED, EXETER STREET, STRAND.

Digitized by Google

Digitized by Google

Digitized by Google